

\$\$^STN;HighlightOn= ***;HighlightOff=*** ;

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspat1756mja

PASSWORD:

LOGINID/PASSWORD REJECTED

The loginid and/or password sent to STN were invalid.
You either typed them incorrectly, or line noise may
have corrupted them.

Do you wish to retry the logon?

Enter choice (y/N):

Do you wish to use the same loginid and password?

Enter choice (y/N):

Enter new loginid (or press [Enter] for ssspat1756mja):

Enter new password:

LOGINID:

LOGINID:ssspat1756mja

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	JUL 20	Powerful new interactive analysis and visualization software, STN AnaVist, now available
NEWS	4	AUG 11	STN AnaVist workshops to be held in North America
NEWS	5	AUG 30	CA/CAPLUS - Increased access to 19th century research documents
NEWS	6	AUG 30	CASREACT - Enhanced with displayable reaction conditions
NEWS	7	SEP 09	ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS	8	OCT 03	MATHDI removed from STN
NEWS	9	OCT 04	CA/CAPLUS-Canadian Intellectual Property Office (CIPO) added to core patent offices
NEWS	10	OCT 06	STN AnaVist workshops to be held in North America
NEWS	11	OCT 13	New CAS Information Use Policies Effective October 17, 2005
NEWS	12	OCT 17	STN(R) AnaVist(TM), Version 1.01, allows the export/download of CAPLUS documents for use in third-party analysis and visualization tools
NEWS	13	OCT 27	Free KWIC format extended in full-text databases
NEWS	14	OCT 27	DIOGENES content streamlined
NEWS	15	OCT 27	EPFULL enhanced with additional content
NEWS EXPRESS			JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

, * * * * STN Columbus * * * * *

FILE 'HQME' ENTERED AT 08:49:00 ON 14 NOV 2005

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 08:49:10 ON 14 NOV 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Nov 2005 VOL 143 ISS 21

FILE LAST UPDATED: 13 Nov 2005 (20051113/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s (nlo or nonlinear or (non(3a)linear) or hyperpolariz?)

5079 NLO

8 NLOS

5082 NLO

(NLO OR NLOS)

163729 NONLINEAR

2 NONLINEARS

163731 NONLINEAR

(NONLINEAR OR NONLINEARS)

755839 NON

34 NONS

755866 NON

(NON OR NONS)

556631 LINEAR

55 LINEARS

556655 LINEAR

(LINEAR OR LINEARS)

20423 NON(3A)LINEAR

19775 HYPERPOLARIZ?

L1 197907 (NLO OR NONLINEAR OR (NON(3A)LINEAR) OR HYPERPOLARIZ?)

=> s (((charge1 or hole1)(3a)(transport? or generat?)) or carbazole or vinylcarbazole or polyvinyl
1)(3A)(TRANSPORT? IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter

"HELP COMMANDS" at an arrow prompt (=>).

=> s (((charge or hole)(3a)(transport? or generat?)) or carbazole or vinylcarbazole or polyvinylca

484684 CHARGE

62432 CHARGES

519427 CHARGE

(CHARGE OR CHARGES)

188697 HOLE

110661 HOLES

253252 HOLE

(HOLE OR HOLES)

752033 TRANSPORT?

925147 GENERAT?

38473 (CHARGE OR HOLE) (3A) (TRANSPORT? OR GENERAT?)

15956 CARBAZOLE

2128 CARBAZOLES

16513 CARBAZOLE

(CARBAZOLE OR CARBAZOLES)

5767 VINYL CARBAZOLE

122 VINYL CARBAZOLES

5783 VINYL CARBAZOLE

(VINYL CARBAZOLE OR VINYL CARBAZOLES)

2223 POLYVINYL CARBAZOLE

34 POLYVINYL CARBAZOLES

2250 POLYVINYL CARBAZOLE

(POLYVINYL CARBAZOLE OR POLYVINYL CARBAZOLES)

L2 57950 (((CHARGE OR HOLE) (3A) (TRANSPORT? OR GENERAT?)) OR CARBAZOLE OR
VINYL CARBAZOLE OR POLYVINYL CARBAZOLE)

=> s 11 and 12

L3 1293 L1 AND L2

=> s (photochrom? or diarylethane or diheteroarylethane or spiropyran or fulgide or leuco or photo

12436 PHOTOCHROM?

178 DIARYLETHANE

234 DIARYLETHANES

340 DIARYLETHANE

(DIARYLETHANE OR DIARYLETHANES)

0 DIHETEROARYLETHANE

1635 SPIROPYRAN

993 SPIROPYRANS

1990 SPIROPYRAN

(SPIROPYRAN OR SPIROPYRANS)

480 FULGIDE

317 FULGIDES

568 FULGIDE

(FULGIDE OR FULGIDES)

11290 LEUCO

7 LEUCOS

11295 LEUCO

(LEUCO OR LEUCOS)

10084 PHOTOISOMER?

345680 ISOMER?

L4 369617 (PHOTOCHROM? OR DIARYLETHANE OR DIHETEROARYLETHANE OR SPIROPYRAN
OR FULGIDE OR LEUCO OR PHOTOISOMER? OR ISOMER?)

=> s 13 and 14

L5 27 L3 AND L4

=> d all 1-3

L5 ANSWER 1 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:1086283 CAPLUS

DN 143:325922

ED Entered STN: 11 Oct 2005

TI Dependence of the Two-Photon Absorption Cross Section on the Conjugation
of the Phenylacetylene Linker in Dipolar Donor-Bridge-Acceptor
Chromophores

AU Lee, Soohyun; Thomas, K. R. Justin; Thayumanavan, S.; Bardeen, Christopher
J.

CS Departments of Chemistry, University of California, Riverside, CA, 92521,
USA

SO Journal of Physical Chemistry A (2005), 109(43), 9767-9774

CODEN: JPCAFH; ISSN: 1089-5639

PB American Chemical Society

DT Journal

LA English

CC 22-9 (Physical Organic Chemistry)

Section cross-reference(s): 73

AB The ***nonlinear*** optical properties of four ***isomeric***
dipolar two-photon chromophores are compared. The chromophores consist of
a ***carbazole*** electron donor coupled to a naphthalimide electron
acceptor by a phenylacetylene bridge. By variation of the connectivity of
the bridge at the Ph groups, four compds. with 0, 1, and 2 meta linkages
are synthesized. The linear and ***nonlinear*** optical properties of

these compds. are measured. Despite similar linear absorption cross sections, the two-photon absorption cross section Δ of the all-meta compd. is almost a factor of 10 lower than the all-para compd. By taking the detailed mol. conformations into account in order to calc. accurate dipole moment changes, we find that the decrease in Δ results largely from the decreased charge transfer ability with increasing no. of meta linkages. We find that a two-state model can be used to predict semiquant. the obsd. trend in Δ on the basis of the linear optical properties of the mols. This work illustrates the dramatic effect the ground-state polarizability can have on the ***nonlinear*** optical response of org. compds. and also provides a way to quantify the ability of meta linkages to inhibit charge transfer in their ground-state configuration.

- ST two photon absorption conjugation phenylacetylene linker dipolar chromophore
- IT UV absorption
 - (UV-visible; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Aromatic hydrocarbons, properties
 - RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (aryl alkynes, dipolar chromophores with phenylacetylene linker; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Alkynes
 - RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (aryl, dipolar chromophores with phenylacetylene linker; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Fluorescence quenching
 - (by intramol. electron transfer in polar solvents; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Chromophores
 - Fluorescence
 - Molar absorptivity
 - ***Nonlinear*** optical materials
 - Solvent polarity effect
 - (dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Dipole moment
 - (difference between ground and excited states; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Electron transfer
 - (intramol.; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Two-photon absorption
 - (***nonlinear*** ; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Molecular structure-property relationship
 - (optical; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Molecules
 - (size; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT ***Nonlinear*** optical absorption
 - (two-photon; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT Conjugation (bond)
 - (.pi.-; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)
- IT 865443-57-8 865443-61-4, 3-Bromo-9-propyl-9H- ***carbazole***
 - RL: RCT (Reactant); RACT (Reactant or reagent)
 - (coupling with (trimethylsilyl)acetylene; dependence of two-photon absorption cross section on conjugation of phenylacetylene linker in

dipolar donor-bridge-acceptor chromophores)

IT 865443-53-4P 865443-54-5P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (coupling with (trimethylsilyl)acetylene; dependence of two-photon
 absorption cross section on conjugation of phenylacetylene linker in
 dipolar donor-bridge-acceptor chromophores)

IT 589-87-7, 1-Bromo-4-iodobenzene 591-18-4, 1-Bromo-3-iodobenzene
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (coupling with alkyne; dependence of two-photon absorption cross
 section on conjugation of phenylacetylene linker in dipolar
 donor-bridge-acceptor chromophores)

IT 865443-59-0P 865443-60-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (coupling with alkyne; dependence of two-photon absorption cross
 section on conjugation of phenylacetylene linker in dipolar
 donor-bridge-acceptor chromophores)

IT 1066-54-2, (Trimethylsilyl)acetylene
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (coupling with arylbromide; dependence of two-photon absorption cross
 section on conjugation of phenylacetylene linker in dipolar
 donor-bridge-acceptor chromophores)

IT 865443-55-6P 865443-56-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (coupling with arylbromide; dependence of two-photon absorption cross
 section on conjugation of phenylacetylene linker in dipolar
 donor-bridge-acceptor chromophores)

IT 865443-52-3P 865443-58-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (coupling with aryl iodide; dependence of two-photon absorption cross
 section on conjugation of phenylacetylene linker in dipolar
 donor-bridge-acceptor chromophores)

IT 865443-48-7P 865443-49-8P 865443-50-1P 865443-51-2P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (dependence of two-photon absorption cross section on conjugation of
 phenylacetylene linker in dipolar donor-bridge-acceptor chromophores)

RE.CNT 56 THERE ARE 56 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Albota, M; Science 1998, V281, P1653 CAPLUS
- (2) Allen, L; Optical Resonance and Two-Level Atoms 1987
- (3) Andre, J; Chem Rev 1991, V91, P843 CAPLUS
- (4) Antonov, L; Phys Chem Chem Phys 2003, V5, P1193 CAPLUS
- (5) Baev, A; J Chem Phys 2005, V122, P224309/1 CAPLUS
- (6) Barzoukas, M; J Chem Phys 2000, V113, P3951 CAPLUS
- (7) Beeby, A; J Am Chem Soc 2002, V124, P8280 CAPLUS
- (8) Blefield, K; Chem Mater 2002, V14, P3656
- (9) Blefield, K; J Am Chem Soc 2000, V122, P1217
- (10) Bredas, J; Chem Rev 1994, V94, P243 CAPLUS
- (11) Coenjarts, C; Chem Mater 2004, V16, P5556 CAPLUS
- (12) Cumpston, B; Nature 1999, V398, P51 CAPLUS
- (13) Dalton, L; J Phys Cond Mater 2003, V15, PR897 CAPLUS
- (14) Denk, W; Science 1990, V248, P73 CAPLUS
- (15) Dichtel, W; J Am Chem Soc 2004, V126, P5380 CAPLUS
- (16) Dick, B; J Chem Phys 1982, V76, P5755 CAPLUS
- (17) Edward, J; J Chem Educ 1970, V47, P261 CAPLUS
- (18) Gaab, K; J Am Chem Soc 2003, V125, P9288 CAPLUS
- (19) Holtrup, F; Chem-Eur J 1997, V3, P219 CAPLUS
- (20) Kanis, D; Chem Rev 1994, V94, P195 CAPLUS
- (21) Kannan, R; Chem Mater 2001, V13, P1896 CAPLUS
- (22) Karotki, A; IEEE J Sel Top Quantum Electron 2001, V7, P971 CAPLUS
- (23) Katan, C; J Phys Chem A 2005, V106, P3024
- (24) Kogej, T; Chem Phys Lett 1998, V298, P1 CAPLUS
- (25) Kopelmann, R; Phys Rev Lett 1997, V78, P1239
- (26) Lafratta, C; J Phys Chem B 2004, V108, P11256 CAPLUS
- (27) Levitus, M; J Am Chem Soc 2001, V123, P4259 CAPLUS
- (28) Levitus, M; J Am Chem Soc 2002, V124, P8181 CAPLUS
- (29) Magde, D; J Phys Chem 1979, V83, P696 CAPLUS
- (30) Maroncelli, M; J Chem Phys 1987, V86, P6221 CAPLUS
- (31) Meyers, F; J Am Chem Soc 1994, V116, P10703 CAPLUS

- (32) Morales-Lagos, D; J Phys Chem 1991, V95, P5308 CAPLUS
- (33) Mukamel, S; Science 1994, V266, P250 CAPLUS
- (34) Nalwa, H; J Phys Chem 1995, V99, P10766 CAPLUS
- (35) Olson, C; Nat Mater 2002, V1, P225 CAPLUS
- (36) Pati, S; J Am Chem Soc 2001, V123, P7287 CAPLUS
- (37) Piston, D; J Microsc Soc Am 1995, V1, P25 CAPLUS
- (38) Reinhardt, B; Chem Mater 1998, V10, P1863 CAPLUS
- (39) Reynolds, G; Opt Commun 1975, V13, P222 CAPLUS
- (40) Rovira, C; Chem-Eur J 2001, V7, P240 CAPLUS
- (41) Rumi, M; J Am Chem Soc 2000, V122, P9500 CAPLUS
- (42) Shaakov, S; J Am Chem Soc 2003, V125, P6563 CAPLUS
- (43) Shuai, A; Chem Phys Lett 1996, V250, P14
- (44) Sluch, M; J Am Chem Soc 2001, V123, P6447 CAPLUS
- (45) Spanggaard, H; Macromolecules 2003, V36, P1701 CAPLUS
- (46) Stockmann, A; J Phys Chem A 2002, V106, P7958 CAPLUS
- (47) Strehmel, B; Chem Phys Chem 2003, V4, P249 CAPLUS
- (48) Strickler, J; Opt Lett 1991, V16, P1780 CAPLUS
- (49) Teh, W; Appl Phys Lett 2004, V84, P4095 CAPLUS
- (50) Thompson, A; J Phys Chem A 2004, V108, P671 CAPLUS
- (51) Tkachenko, N; J Phys Chem A 2003, V107, P8834 CAPLUS
- (52) Ventelon, L; Angew Chem, Int Ed 2001, V40, P2098 CAPLUS
- (53) Xu, C; J Opt Soc Am B 1996, V13, P481 CAPLUS
- (54) Xu, C; Proc Nat Acad Sci U S A 1996, V93, P10763 CAPLUS
- (55) Zhou, W; Science 2002, V296, P1106 CAPLUS
- (56) Zojer, E; Chem-Eur J 2004, V10, P2668 CAPLUS

LS ANSWER 2 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:951479 CAPLUS

ED Entered STN: 31 Aug 2005

TI Light-induced phenomena in polymeric thin films

AU Nespurek, S.; Pospisil, J.

CS Institute of Macromolecular Chemistry, Academy of Sciences of the Czech Republic, Prague, 162 06, Czech Rep.

SO Journal of Optoelectronics and Advanced Materials (2005), 7(3), 1157-1168
CODEN: JOAMF2; ISSN: 1454-4164

PB National Institute for Optoelectronics

DT Journal

LA English

CC 74 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

AB Photoprocesses in polymers are generally divided into two groups: (i) Photochem. processes resulting in a permanent chem. alternation of a macromol., like bond scission, crosslinking and oxidn., (ii) Phys. (reversible) processes involving the distribution, relocation and ultimate fate of the excess energy assocd. with an excited mol., following absorption of a photon, like photoluminescence, phosphorescence, photoinduced electron transfer and formation of charge-transfer states (excitons). The excitation is very often accompanied by charge redistribution and change of mol. conformation. An extreme case is the ***photochromic*** effect - photoreversible reaction of two forms of a single mol. The changes in the mol. conformations lead very often to the formation of metastable electronic states. Similarly to semiconductors, electron-hole pairs or ion-pairs can be generated by the action of light in conjugated polymers. Their dissocn. leads to the ***generation*** of free ***charge*** carriers. Photoconductive polymers with optical ***non*** - ***linear*** activity can be used for photorefractive and holog. memories.

RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Abkowicz, M; J Inorg Organomet Polym 1991, V1, P487 CAPLUS
- (2) Arkhipov, V; Phys Rev B 2002, V65, P165218
- (3) Bauer, D; Polym Degrad Stab 1995, V48, P259 CAPLUS
- (4) Brodie, I; The Physics of Micro/Nano-Fabrication 1992
- (5) Brown, G; Photochromism 1971
- (6) Dorion, G; Photochromism 1970
- (7) Irie, S; Macromolecules 1992, V25, P1766 CAPLUS
- (8) Meszaros, O; J Polym Sci, Ser A, Polym Chem 2004, V42, P714 CAPLUS
- (9) Miller, R; Chem Rev 1989, V89, P1359 CAPLUS
- (10) Mintmire, J; Phys Rev B 1989, V39, P13350 CAPLUS
- (11) Nespurek, S; Chem Monthly 2001, V132, P159 CAPLUS
- (12) Nespurek, S; Czech J Phys 1998, V48, P477 CAPLUS
- (13) Nespurek, S; Mater Sci Eng C 1999, V8-9, P319

- (14) Nespurek, S; Mater Sci Engng C 1999, V8-9, P319
- (15) Nespurek, S; Polym Adv Technol 2001, V12, P427 CAPLUS
- (16) Nespurek, S; Polym Adv Technol 2001, V12, P427 CAPLUS
- (17) Onsager, L; Phys Rev 1938, V54, P554 CAPLUS
- (18) O'Neill, M; J Phys D: Appl Phys 2000, V33, PR67 CAPLUS
- (19) Pospisil, J; Handbook of polymer degradation 2000
- (20) Pospisil, J; Macromol Symp 1998, V135, P247 CAPLUS
- (21) Pospisil, J; Polym & Polym Compos 2000, V8, P519 CAPLUS
- (22) Pospisil, J; Polym Degrad Stab 1995, V49, P99 CAPLUS
- (23) Pospisil, J; Polym Degrad Stab 2003, V82, P145 CAPLUS
- (24) Pospisil, J; Prog Polym Sci 2000, V25, P1261 CAPLUS
- (25) Rabek, J; Photodegradation of polymers 1996
- (26) Richert, R; Chem Phys Lett 1985, V116, P302 CAPLUS
- (27) Sawodny, M; J Appl Phys 1991, V69, P1927 CAPLUS
- (28) Suppan, P; Chemistry and light 1994
- (29) Sworakowski, J; Chem Phys 1998, V238, P343 CAPLUS
- (30) Takeda, K; Phys Rev B 1994, V50, P5171 CAPLUS

L5 ANSWER 3 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:296729 CAPLUS

DN 142:45454

ED Entered STN: 12 Apr 2004

TI Photorefractive gratings in DRY-doped hybrid sol-gel films

AU Raschella, R.; Marino, I.-G.; Lottici, P. P.; Bersani, D.; Lorenzi, A.; Montenero, A.

CS Istituto Nazionale per la Fisica della Materia (INFM) and Dipartimento di Fisica, Raman-Exafs Laboratory, Universita di Parma, Parma, 43100, Italy

SO Optical Materials (Amsterdam, Netherlands) (2004), 25(4), 419-423

CODEN: OMATET; ISSN: 0925-3467

PB Elsevier Science B.V.

DT Journal

LA English

CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

AB Photorefractive gratings were obtained with 632.8 nm writing beams in org.-inorg. SiO₂-based films. The hybrid glass was prepd. by a sol-gel technique, starting from org. Si precursors, and contains Disperse Red 1 (DR1), ***carbazole*** units and 2,4,7-trinitro-9-fluorenone (TNF). The photorefractive gain, which was found unexpectedly even without poling field, was detd. through an asym. energy exchange by two-beam coupling measurements. The effects of the polarization of the writing beams and of a circularly polarized ***photoisomerizing*** radiation during the erasure of the grating were interpreted in terms of an orientational contribution to the grating formation.

ST photorefractive grating DR1 doped hybrid sol gel film

IT ***Nonlinear*** optical properties

(beam coupling; photorefractive gratings in DRY-doped hybrid sol-gel films)

IT Photorefractive effect

(gain; photorefractive gratings in DRY-doped hybrid sol-gel films)

IT Energy transfer

Optical gain

Photorefractive gratings

Sol-gel processing

(photorefractive gratings in DRY-doped hybrid sol-gel films)

IT 2872-52-8, Disperse Red 1

RL: OCCU (Occurrence, unclassified); PRP (Properties); OCCU (Occurrence)

(photorefractive gratings in DRY-doped hybrid sol-gel films)

IT 78-10-4, TEOS 919-30-2, 3-Aminopropyltriethoxysilane 24801-88-5,

3-(Triethoxysilyl)propyl-isocyanate 73500-82-0, ***Carbazole***

-9carbonyl chloride

RL: RCT (Reactant); RACT (Reactant or reagent)

(photorefractive gratings in DRY-doped hybrid sol-gel films)

RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Alain, V; Opt Mater 1998, V9, P265

(2) Canva, M; Proc SPIE 1998, V3469, P164 CAPLUS

(3) Chaput, F; Chem Mater 1996, V8, P312 CAPLUS

(4) Cheben, P; Nature 2000, V408, P64 CAPLUS

(5) Cipparrone, G; Opt Comm 2000, V185, P171 CAPLUS

(6) Darracq, B; Appl Phys Lett 1997, V70, P292 CAPLUS

(7) Gunter, P; Photorefractive Materials and their Applications 1988, VI

- (8) Gunter, P; Photorefractive Materials and their Applications 1989, VII
- (9) Iftime, G; Chem Mater 2002, V14, P168 CAPLUS
- (10) Klysubun, P; J Appl Phys 2002, V91, P897 CAPLUS
- (11) Kogelnik, H; Bell Sys Tech J 1969, V48, P2909
- (12) Marino, I; Opt Mater 2000, V15, P175 CAPLUS
- (13) Moerner, W; J Opt Soc Am B 1994, V11, P320 CAPLUS
- (14) Raschella, R; SPIE Proc 2003, V5123, P120
- (15) Riehl, D; Chem Phys Lett 1995, V245, P36 CAPLUS
- (16) Sutter, K; J Opt Soc Am B 1990, V7(12), P2274 CAPLUS
- (17) Wiederrecht, G; Ann Rev Mater Res 2001, V31, P139 CAPLUS
- (18) Zilker, S; Chem Phys Chem 2000, V1, P73

=> d al 4-27

'AL' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB

ALL ----- BIB, AB, IND, RE

APPS ----- AI, PRAI

BIB ----- AN, plus Bibliographic Data and PI table (default)

CAN ----- List of CA abstract numbers without answer numbers

CBIB ----- AN, plus Compressed Bibliographic Data

DALL ----- ALL, delimited (end of each field identified)

DMAX ----- MAX, delimited for post-processing

FAM ----- AN, PI and PRAI in table, plus Patent Family data

FBIB ----- AN, BIB, plus Patent FAM

IND ----- Indexing data

IPC ----- International Patent Classifications

MAX ----- ALL, plus Patent FAM, RE

PATS ----- PI, SO

SAM ----- CC, SX, TI, ST, IT

SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)

STD ----- BIB, IPC, and NCL

IABS ----- ABS, indented with text labels

IALL ----- ALL, indented with text labels

IBIB ----- BIB, indented with text labels

IMAX ----- MAX, indented with text labels

ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)

OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations

SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms

HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms

HITRN ----- HIT RN and its text modification

HITSTR ----- HIT RN, its text modification, its CA index name, and
its structure diagram

HITSEQ ----- HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields

FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram

FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields

KWIC ----- Hit term plus 20 words on either side

OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):d all 4-47

'D' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, IPC, and NCL

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):kwic

L5 ANSWER 4 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AB Org.-inorg. films based on SiO₂, contg. Disperse Red 1 (DR1),
carbazole units and 2,4,7-trinitro-9-fluorenone (TNF), have been
prepd. by a sol-gel technique. Diffraction gratings have been produced
through different effects: photoinduced. . . coupling (2BC)

measurements. The effect of the polarization of the writing beams on the grating and of a circularly polarized ***photoisomerizing*** radiation during grating erasure has been interpreted in terms of an orientation contribution to the grating formation.

IT ***Isomerization***
 (cis-trans, photochem.; recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT Birefringence
 (photoinduced; recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT Holographic diffraction gratings
 Holographic recording materials
 Hybrid organic-inorganic materials
 Molecular orientation
 Photorefractive effect
 Sol-gel processing
 (recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT ***Nonlinear*** optical properties
 (two-beam-coupling; recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT 7647-01-0, Hydrochloric acid, uses
 RL: CAT (Catalyst use); USES (Uses)
 (recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT 685091-04-7
 RL: PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process)
 (recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT 919-30-2, 3-Aminopropyltriethoxysilane 2872-52-8, Disperse Red 1
 24801-88-5, 3-(Triethoxysilyl)propylisocyanate 73500-82-0,
 Carbazole -9-carbonyl chloride
 RL: PEP (Physical, engineering or chemical process); PYP (Physical process); RCT (Reactant); PROC (Process); RACT (Reactant or reagent)
 (recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT 129-79-3, 2,4,7-Trinitro-9-fluorenone
 RL: PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process)
 (sensitizer; recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

L5 ANSWER 5 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AB . . . realized in the case where a doping of polymers by low-mol.-wt. dyed impurities does not essentially distort spectral, luminescent and ***nonlinear*** optical properties of the individual components of polymer compn. The influence of polymer nature and chem. constitution of org. dyes. . . was considered. The main paths of energy degrdn. of electronic excitation in such materials - internal conversion, electron transfer and ***photoisomerization*** - were analyzed. The role of dyes in the process of generation, in recombination and in the carriage of charges.

IT 25067-59-8, ***Polyvinylcarbazole*** 55774-96-4,
 Poly-N-epoxypropylcarbazole
 RL: DEV (Device component use); PRP (Properties); USES (Uses)
 (mol. engineering of dye-doped polymers for optoelectronics)

L5 ANSWER 6 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AB CdSe/CdS core/shell, tri-n-octylphosphine oxide passivated, quantum dots are used to sensitize a photorefractive polymer composite. The composite also consists of poly(N- ***vinylcarbazole***) as the nominally ***charge*** ***transporting*** matrix and an electrooptic chromophore. The efficacy of sensitization and consequent photorefractive

performance is investigated using transmission spectroscopy and ellipsometry, . . .

IT ***Isomerization***
 (cis-trans, photochem.; photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots in relation to)

IT Degenerate four wave mixing
 Ellipsometry
 Holographic diffraction gratings
 Nanoparticles
 Photorefractive effect
 Photorefractive materials
 Quantum dot devices
 Refractive index
 Space charge
 (photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)

IT Holographic recording materials
 (photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots in relation to)

IT Birefringence
 (transient; photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)

IT ***Nonlinear*** optical properties
 (two-beam-coupling; photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)

IT 78-50-2, Tri-n-octylphosphine oxide 1306-23-6, Cadmium sulfide, properties 1306-24-7, Cadmium selenide, properties 25067-59-8, Poly(N-***vinylcarbazole***) 176681-76-8, EHDNPB
 RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); PROC (Process)
 (photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)

L5 ANSWER 7 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AB The mechanism of optical nonlinearity of new polymer composites based on a conducting polymer [poly(9- ***vinylcarbazole***)] and fullerenes C70 and C60 was studied both exptl. and theor. The ***nonlinear*** -optical studies of self-action and coupling of two 633-nm beams from a He-Ne laser were performed, and variations in the absorption. . . in polarizabilities of fullerene mols. and their anion radicals, which are formed upon absorption of photons and charge transfer by poly(9-***vinylcarbazole***) mols.

ST fullerene polyvinyl ***carbazole*** ***nonlinear*** optical property nanocomposite

IT Conducting polymers
 Nanocomposites
 Nonlinear optical susceptibility
 Photochromism
 Photorefractive effect
 (optical nonlinearity of fullerene-doped polymer nanocomposites)

IT 25067-59-8, Poly(9- ***vinylcarbazole***) 99685-96-8, Fullerene (C60) 115383-22-7, Fullerene C70
 RL: PRP (Properties)
 (optical nonlinearity of fullerene-doped polymer nanocomposites)

L5 ANSWER 8 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

TI Synthesis, properties and ***photochromism*** of novel charge transfer compounds with Keggin anions and protonated 2,2'-biquinoline

AB Several novel compds. with protonated 2,2'-biquinoline (biqui) and Keggin polyoxoanions (.alpha.- ***isomers***), (Hbiqui)_m[XM₁₂O₄₀].cntdot.n(sol v), X = P (m = 3), Si (m = 4); M = Mo, W; n = 0, 3; solv. . . highly disordered 2,2'-biquinoline mols. and .alpha.-[SiW₁₂O₄₀]₄- anions. Photosensitivity to sunlight and to W-lamp visible light was assessed for all compds. ***Photochromic*** properties were found for solids with [XM₁₂O₄₀]_m- Keggin anions. Redn. of these anions upon irradiatn. was obsd.

by diffuse reflectance. . . . sunlight, the extent of anion redn. followed the order (Hbiqui)3[PMo12O40].cntdot.3DMF>(Hbiqui)4[SiMo12O40].cntdot.3DMF>(Hbiqui)3[PMo12O40]>(Hbiqui)4[SiMo12O40].cntdot.4H2O. The Kurtz powder test was used to evaluate the 2nd-order ***nonlinear*** optical properties of the prepd. compds. (Hbiqui)4[SiW12O40].cntdot.3H2O originated a 2nd harmonic generation signal with intensity .apprx.15% that of urea for.

ST Keggin biquinolinium charge transfer prepn UV; ***nonlinear*** optical property tungstosilicate biquinolinium charge transfer;

photochromism molybdophosphate molybdosilicate biquinolinium charge transfer; biquinolinium molybdophosphate molybdosilicate tungstophosphate tungstosilicate charge transfer prepn UV

IT Heteropoly acids

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (Keggin; prepn., properties and ***photochromism*** of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)

IT ***Photochromism*** (in molybdosilicate and molybdophosphate biquinolinium charge transfer complexes)

IT Second-harmonic ***generation*** (of tungstosilicate biquinolinium ***charge*** transfer complex)

IT Charge transfer complexes

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (prepn., properties and ***photochromism*** of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)

IT 503014-07-1P 503014-09-3P 503014-15-1P 503014-17-3P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (prepn., UV-visible spectra and ***photochromism***)

L5 ANSWER 9 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AB The origin of the optical nonlinearity of an org. polymeric compn. including fullerene C70 and poly(9- ***vinylcarbazole***) (PVK) was investigated by two-beam coupling and self-action of a cw laser beam at 633 nm, and spectroscopically. The local. . .

ST ***photochromism*** optical nonlinearity ***polyvinylcarbazole*** fullerene

IT ***Nonlinear*** optical properties

Photochromism

Polarizability (optical nonlinearity of C70-sensitized photorefractive compns. caused by prodn. of anion-radicals)

IT 25067-59-8, Poly(9- ***vinylcarbazole***) 115383-22-7, C70 Fullerene

RL: PRP (Properties) (optical nonlinearity of C70-sensitized photorefractive compns. caused by prodn. of anion-radicals)

L5 ANSWER 10 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

TI Multi-grating in photorefractive composites containing ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene

AB Distinct electroabsorption grating and ***photoisomerization*** grating as well as photorefractive grating were obsd. in the composite consisting of 1-n-butoxyl-2,5- dimethyl-4-(4'-nitrophenylazo)benzene (BDMNPAB): poly(N- ***vinylcarbazole***) (PVK): 2,4,7-trinitro-9-fluorenone (TNF) in a wt. ratio of 44:55:1. Based on the quick translation technique of two-beam coupling exptl. geometry, the authors measured the electroabsorption grating to be 6-7 cm-1, and ***photoisomeric*** effect also brought an absorption grating of 2-3 cm-1. ***Photoisomeric*** effect caused index grating was sepd. from the others by analyzing the dynamic behavior of the gratings, and an amplitude. . . .

ST multi grating photorefractive composite ***nonlinear*** chromophore azo dye; photorefractive grating ***photoisomerization*** electroabsorption two beam coupling

IT ***Nonlinear*** optical properties (beam coupling; multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

IT Azo dyes

Electric field effects

Electrooptical absorption

Photorefractive gratings (multi-grating in photorefractive composites contg. ***nonlinear***

chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

IT ***Isomerization***
 (***photoisomerization*** ; multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

IT 129-79-3, 2,4,7-Trinitro-9-fluorenone 25067-59-8, Poly(N-***vinylcarbazole***) 210281-60-0
 RL: DEV (Device component use); PRP (Properties); USES (Uses)
 (multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

L5 ANSWER 11 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

TI ***Photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing

AB We demonstrate spatial filtering by using the azo-chromophore-based ***nonlinear*** optical effect of self-beam polarization modulation and optical threshold processing. The real-time image-processing scheme is described by use of an. . . system, Fourier-transform operation, and an azo-chromophore-doped film as a spatial filter. As Disperse Red 1 dye (DR1) doped in an N-poly(***vinylcarbazole***) (PVK) film with N-ethylcarbazole (ECZ) of low glass-transition temp. exhibits self-polarization rotation after thin-film transmission, a linearly polarized probe beam. . . of an original input image can be manipulated as they pass through the film. These effects are responsible for the ***photoisomerization*** of DR1 mols. in the low-glass-transition-temp. polymer matrix.

ST ***photoisomeric*** chromophore doped polymer; directional spatial filtering optical threshold processing

IT ***Isomerization***
 (cis-trans, photochem.; ***photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing)

IT Memory devices
 Nonlinear optical materials
 Optical films
 Optical filters
 Optical modulation
 Spatial light modulators
 (***photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing)

IT 86-28-2, N-Ethylcarbazole 2872-52-8, Disperse Red 1 25067-59-8, Poly(vinyl ***carbazole***)
 RL: PRP (Properties); TEM (Technical or engineered material use); USES (Uses)
 (***photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing)

L5 ANSWER 12 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

TI Development of self adaptive image processing system by use of a ***photoisomeric*** organic dye film

AB A review with 8 refs. We demonstrate spatial filtering using the azo-chromophore-based ***nonlinear*** optical effect of the self-beam polarization-modulation. The real-time image processing scheme is described using the optical configuration, composed of an. . . action-probe beam system. Fourier-transform operation and an azo-chromophore-doped film as a spatial filter. As Disperse Red 1 doped in the N- ***polyvinylcarbazole*** film with N-ethylcarbazole, of low glass-transition-temp., exhibits the self polarization-modulation after the thin film transmission, a linearly-polarized probe beam into. . . of an original input image can be manipulated as they pass through the film. This effect is responsible for the ***photoisomerization*** of DR1 mols. in the low-glass-transition-temp. polymer matrix.

ST review self adaptive image processing; ***photoisomeric*** org dye film review

IT Imaging
 Optical films
 Optical filters
 Spatial light modulators
 (development of self adaptive image processing system by use of a ***photoisomeric*** org. dye film)

IT Memory effect
(optical; development of self adaptive image processing system by use of a ***photoisomeric*** org. dye film)

IT ***Isomerization***
(***photoisomerization*** ; development of self adaptive image processing system by use of a ***photoisomeric*** org. dye film)

IT 86-28-2, N-Ethylcarbazole 2872-52-8, C.I. Disperse Red 1 25067-59-8, N- ***Polyvinylcarbazole***
RL: PRP (Properties); TEM (Technical or engineered material use); USES (Uses)
(development of self adaptive image processing system by use of a ***photoisomeric*** org. dye film)

L5 ANSWER 13 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

ST sol gel org inorg optical properties; xerogel pyrromethene optical pumping; merocyanine spiro oxazine ***photochromic*** sol gel; laser written grating DR1 sol gel; photorefractive sol gel ***carbazole*** DR1

IT ***Photochromism***
(and reverse- ***photochromism*** of spiro-oxazine in sol-gel matrix)

IT ***Nonlinear*** optical properties
(two-beam coupling; in photorefractive sol-gel materials)

IT 206867-72-3D, derivs. 206867-73-4D, derivs.
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(***photochromism*** and reverse- ***photochromism*** in sol-gel matrix)

IT 78-08-0, Vinyl triethoxysilane 998-30-1, Triethoxysilane 2031-67-6, Methyltriethoxysilane
RL: PEP (Physical, engineering or chemical process); PROC (Process)
(***photochromism*** and reverse- ***photochromism*** of spiro-oxazine in sol-gel matrix from)

IT 86-74-8D, ***Carbazole***, silicon alkoxide deriv. 2872-52-8D, Disperse red 1, silicon alkoxide deriv.
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(photorefractive sol-gel materials using)

L5 ANSWER 14 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AB . . . to their comparatively low glass-transition temps. Tg, an orientational enhancement of the photorefractive properties was obsd. Furthermore, the influence of ***photoisomerization*** (based on trans-cis-trans cycles) on the holog. properties could be detd. for the different chromophores. In addn., a class of fully functionalized polymers with azo chromophores and ***carbazole*** -units covalently attached to PMMA- and PU-backbones was synthesized. These systems show comparatively high glass transition temps. of more than 80.degree.C. The third type of materials investigated is a glass of triphenylamine with attached ***carbazole*** and ***NLO*** -chromophore moieties. It has a glass transition temp. of 120.degree.C. For the high-Tg materials, poling procedures - essential for the photorefractive properties - could be monitored in-situ by second-harmonic generation. Abs. values for the ***nonlinear*** Pockels coeffs. $\chi^{(2)}$ ($-\omega$; ω , 0) have been obtained by electro-optical measurements.

IT ***Isomerization***
(***photoisomerization*** ; photorefractive polymers for real-time holog.)

L5 ANSWER 15 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

TI Linear and second order ***nonlinear*** optical properties of novel ***photochromic*** materials

AB A new unique ***photochromic*** material which is based on a reversible formation - cleavage of a C-C bond is described. The bicyclic (spiro) bindon deriv. (λ_{max} = 480 nm in toluene) undergoes photochem. and/or thermally induced ring opening to form the ***isomer*** (λ_{max} = 640 nm in toluene). This ***isomer*** form presents a conjugated donor-acceptor system and exhibits a considerable second-order optical nonlinearity as found by field induced SHG (EFISH) measurements. ***Photochromic*** conversion was also obsd. in the cryst. form indicated visually by a crystal red-to-green color change. The reversible ring opening - closure process in liq. and

polymeric solns. [PMMA and poly(***vinylcarbazole***)] was studied. Optical and thermal switching and the ***NLO*** efficiency of the guest-host polymer system are described.

ST bindon dimethylaminocinnamic aldehyde ***isomer***
 photochromic conversion; ***nonlinear*** optical property
 biindantrione dimethylaminocinnamic aldehyde; solvatochromism
 photochromism indan deriv polymer host; polymethylmethacrylate
 host indantrione deriv ***NLO*** ; ***polyvinylcarbazole*** host
 indantrione deriv ***NLO***

IT ***Isomerization***
 (cis-trans, photochem. and thermally induced; linear and second order
 nonlinear optical properties of biindantrione deriv.
 photochromic material in polymer hosts)

IT Optical switching
 Photochromic materials
 Photochromism
 Second-order ***nonlinear*** optical properties
 Solvatochromism
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

IT 56-23-5, Carbon tetrachloride, uses 67-66-3, Chloroform, uses 67-68-5,
 DMSO, uses 71-43-2, Benzene, uses 75-05-8, Acetonitrile, uses
 75-09-2, uses 108-88-3, Toluene, uses 110-82-7, Cyclohexane, uses
 123-91-1, Dioxane, uses 9011-14-7, PMMA 25067-59-8, Poly(
 vinylcarbazole)
 RL: NUU (Other use, unclassified); USES (Uses)
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

IT 197023-27-1P 197023-28-2P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

IT 1707-95-5, Bindon 6203-18-5, p-(Dimethylamino)cinnamic aldehyde
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

L5 ANSWER 16 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

TI ***Carbazole*** -based multifunctional molecules for photorefractive
 applications

AB A multifunctional ***photochromic*** mols. consist of a
 carbazole part with a ***nonlinear*** optical chromophore unit
 attached via an alkyl link to the N atom of the ***carbazole*** unit.
 These compds. exhibit dual functions: photocond. and a second order
 nonlinear optical activity. The photocharge transport and the
 electrooptic functions are performed by two sep. constituents.
 Photorefractive effect of ethyl(hexylsulfonylphenylazophenyl)aminododecyl
 carbazole (I).

ST photorefractive ***carbazole*** based multifunctional mol holog;
 nonlinear optical substituent ***carbazole*** deriv

IT photorefractive
 Holography
 Photorefractive effect
 Photorefractive materials
 (photorefractive effect and dynamic holog. recording using
 carbazole -based multifunctional mols.)

IT ***Nonlinear*** optical properties
 (two beam-coupling; of photorefractive ***carbazole*** -based
 multifunctional mols.)

IT 196201-41-9
 RL: PRP (Properties); TEM (Technical or engineered material use); USES
 (Uses)
 (photorefractive effect and dynamic holog. recording using
 carbazole -based multifunctional mols.)

IT 129-79-3, 2,4,7-Trinitro-9-fluorenone
 RL: TEM (Technical or engineered material use); USES (Uses)
 (photorefractive effect and dynamic holog. recording using
 carbazole -based multifunctional mols.)

L5 ANSWER 17 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AB . . . are unique to semiconductor nanoclusters. For example, this

technique provided some useful kinetic and mechanistic information of size quantization effects, ***nonlinear*** optical effects, electro and ***photochromic*** effects, photocurrent ***generation***, photocatalysis and ***charge*** rectification properties of semiconductor nanoclusters. These properties are controlled by charge sepn., charge trapping and heterogeneous charge transfer at the. . .

IT Nanoparticles
 Nonlinear optical properties
 Quantum size effect
 Semiconductor materials
 (transient absorption spectroscopy of semiconductor nanoclusters)

L5 ANSWER 18 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AB Photorefractive polymers which incorporate azo-dyes as the ***non*** -
 linear chromophore element, can be used not only for generating gratings by the photorefractive effect, but also by
 photoisomerization of the azo-dye. In the latter mechanism, repeated trans-cis ***isomerization*** causes the chromophore mols. to become aligned at right angles to the laser polarization direction, thereby making the material birefringent.. . . diffraction efficiency of the photorefractive gratings is a very sensitive function of the poling field strength, while that of the ***photoisomerization*** gratings is less so. In this work, we investigate the components diffracted from each of these grating formed in a. . .

IT ***Isomerization***
 (***photoisomerization*** ; multiple-grating formation in photorefractive polymers with azo-dye chromophores)

IT 2872-52-8, Disperse RED1 25067-59-8, Poly(N- ***vinylcarbazole***)
 119516-33-5, 4-N,N-Diethylamino-(E)-cinnamionitrile
 RL: PRP (Properties)
 (multiple-grating formation in photorefractive polymers with azo-dye chromophores)

L5 ANSWER 19 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AB . . . interfaces using second harmonic generation methods is described. Among the topics discussed are the dynamics of photoinduced structure changes, the ***transport*** of ***charge*** across an interface, the rotational motions of interfacial mols., intermol. energy transfer within the interface, interfacial photopolymn., and photoprocesses at. .

IT Electron exchange and Charge transfer
 Isomerization
 Polymerization
 (photochem., photochem. and photophysics of liq. interfaces by second harmonic spectroscopy)

IT Optical ***nonlinear*** property
 (second-harmonic generation, photochem. and photophysics of liq. interfaces by second harmonic spectroscopy)

L5 ANSWER 20 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 TI ***Nonlinear*** optical properties of organic MIS structures
 AB An important particularity of org. semiconductors is their strong coupling between ***charge*** - ***transport*** and optical properties. By applying a voltage on a Metal-Insulator-Semiconductor (MIS) structure charges can be injected in the semiconductor under well-controlled conditions. Based on these principles, new mechanisms of electrooptic coupling and all-optical coupling (i.e., ***nonlinear*** optical) phenomena appear in org. MIS devices. The use of these properties for the characterization of ***charge*** - ***transport*** and for light-modulating devices are discussed. The example of the assocn. in a MIS structure of electrooptic coupling and photo-cond. is discussed. It leads to a new type of elec.-controlled ***photochromic*** device. A review with 16 refs.

ST ***nonlinear*** optical property org MIS review
 IT Electrooptical effect
 Optical ***nonlinear*** property
 (***nonlinear*** optical properties and electrooptical effect of org. MIS structures)

IT Optical instruments
 (modulators, ***nonlinear*** optical properties and electrooptical effect of org. MIS structures used in modulators)

L5 ANSWER 21 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
TI Novel second harmonic ***generation*** from intermolecular
charge -transfer complexes of styrylpyridinium salts in the
crystalline state
ST styrylpyridinium salt charge transfer complex photophys; second harmonic
generation styrylpyridinium ion pair; ***nonlinear*** optical property
styrylpyridinium salt; photochem control second harmonic generation
IT ***Photochromism***
(of intermol. charge-transfer complexes of styrylpyridinium salts in
cryst. state)
IT Electron exchange and Charge transfer
(photochem., novel second harmonic ***generation*** from intermol.
charge -transfer complexes of styrylpyridinium salts in cryst.
state)
IT Optical ***nonlinear*** property
(second-harmonic generation, novel second harmonic ***generation***
from intermol. ***charge*** -transfer complexes of styrylpyridinium
salts in cryst. state)
IT 140651-15-6, 1-Methyl-4-(4-nitrostyryl)pyridinium tetraphenylborate
RL: PEP (Physical, engineering or chemical process); PRP (Properties);
PROC (Process)
(novel second harmonic ***generation*** from intermol.
charge -transfer complexes of styrylpyridinium salts in cryst.
state)
IT 140651-16-7, 1-Methyl-4-(4-nitrostyryl)pyridinium methylbenzenesulfonate
140651-17-8, 1-Methyl-4-(4-nitrostyryl)pyridinium perchlorate
RL: PEP (Physical, engineering or chemical process); PRP (Properties);
PROC (Process)
(novel second harmonic ***generation*** from intermol.
charge -transfer complexes of styrylpyridinium salts in cryst.
state in relation to)

L5 ANSWER 22 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AB . . . were carried out in a guest/host system subjected to an external
elec. field with and without the presence of a ***hole***
transport agent. The guest was NNI, which has a moderate
second-order ***nonlinear*** optical coeff., the host was PMMA, and
the ***hole*** ***transport*** agent was DEH. In the presence of
DEH, the lifetime of the cis ***isomer*** of NNI detected by using the
HGR technique is lengthened by the application of an elec. field of
moderate strength. . . obsd. when DEH is absent in the sample. The
result is interpreted as due to the stabilization of the cis
isomer by the elec. field polarized DEH. The data obtained from
SHG and EO measurements appear to corroborate the HGR result.
IT Optical materials
(***nonlinear*** , composite with PMMA, holog. gratings, laser
induced relaxation of, elec. field effect on)
IT 9011-14-7, PMMA
RL: PRP (Properties)
(contg. ***nonlinear*** optical compd. and ***hole***
transport agent, elec. field effect on laser-induced holog.
grating relaxation of)

L5 ANSWER 23 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AB . . . were carried out in a guest/host system subject to an external
elec. field with and without the presence of a ***hole***
transport agent. The guest is 1-(4-nitrophenylazo) 2-naphthyl
isobutyrate (NNI), which has moderate second order ***nonlinear***
optical (***NLO***) coeff., the host is PMMA and the ***hole***
transport agent is p-diethylaminobenzaldehyde diphenylhydrazone
(DEH). In the presence of DEH, the lifetime of the cis ***isomer***
of NNI detected by using the HGR technique is lengthened by the
application of an elec. field of moderate strength. . . not obsd. when
DEH is absent in the sample. The result is interpreted as due to the
stabilization of the cis- ***isomer*** by the elec. field polarized
DEH. The data obtained from SHG and EO measurements appear to corroborate
the HGR result.
IT Electrooptical effect
Optical ***nonlinear*** property
(of photorefractive polymer, elec. field dependence of laser-induced
holog. grating relaxation in relation to)

L5 ANSWER 24 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 TI Photorefractivity in doped ***nonlinear*** organic polymers
 AB The properties of a new class of materials exhibiting the photorefractive effect, doped optical ***nonlinear*** org. polymers, are described. Photorefraction (at 647.1 nm) is established by a combination of hologram erasability, correlation with photocond. and electrooptic response, and enhancement by external fields in numerous samples (178-533 .mu.m thick) of 2 ***nonlinear*** epoxy materials doped with ***hole*** ***transport*** agents based on p-(diethylamino)benzaldehyde diphenylhydrazone. Diffraction efficiencies .ltoreq.0.1% are obsd. at bias fields near 100 kV/cm. A useful property of these materials is that poling of the ***nonlinear*** chromophores is partially reversible, permitting partial control of the grating readout independent of the space-charge field formed. The polarization anisotropy. . . than the index gratings, and (b) the phase shift of the index grating is near 90.degree., which cannot occur via ***photochromism***, heating, or any other process except photorefractivity.
 ST photorefractivity doped ***nonlinear*** epoxy resin; ***hole*** ***transport*** agent epoxy photorefractivity
 IT Electrooptical effect
 (of epoxy resins contg. ***hole*** ***transport*** agents, photorefractivity in relation to)
 IT Epoxy resins, properties
 RL: PRP (Properties)
 (photorefractivity of ***nonlinear*** optical, doped with ***hole*** ***transport*** agents)
 IT Optical materials
 (***nonlinear***, epoxy resins doped with ***hole*** ***transport*** agents, photorefractivity of)
 IT 68189-23-1 83890-47-5
 RL: PRP (Properties)
 (***hole*** ***transport*** agents, ***nonlinear*** optical epoxy resins doped with, photorefractivity of)
 IT 125061-60-1 128611-17-6
 RL: PRP (Properties)
 (photorefractivity of ***nonlinear*** optical, doped with ***hole*** ***transport*** agents)

L5 ANSWER 25 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 TI Novel second harmonic ***generation*** from intermolecular ***charge*** -transfer complexes of styrylpyridinium tetraphenylborate
 IT ***Photochromism***
 (of methyl(nitrostyryl)pyridinium tetraphenylborate)
 IT Optical ***nonlinear*** property
 (harmonic ***generation***, second, from ***charge*** -transfer complexes of styrylpyridinium)

L5 ANSWER 26 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AB Defects and ***charge*** ***transport*** play crit. roles in the photorefractive behavior of electrooptic materials. Thus the photorefractive effect can be used as a noninvasive. . .
 IT ***Photochromism***
 (of chromium-doped gallium arsenide)
 IT Optical ***nonlinear*** property
 (four-wave mixing, of chromium-doped gallium arsenide)
 IT 7440-47-3, Chromium, properties
 RL: PRP (Properties)
 (***nonlinear*** charge transfer and low temp. photorefractive effects in gallium arsenide contg.)

L5 ANSWER 27 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 TI Configuration of vinyl radicals. The generation and trapping of each member of a configurationally ***isomeric*** pair of vinyl radicals
 AB ***Isomeric*** vinyl free radicals were generated by treating Na naphthalenide with cis- and trans-3-chloro-3-hexene at 0.degree. and 27.degree. using tetrahydrofuran and 1,2-dimethylethane as solvents. The only detectable products were cis- and trans-3-hexene in 98% yield with the trans ***isomer*** predominating. Since these results excluded the possibility of a single linear sp radical or 2 ***isomeric***, configurationally stable, ***nonlinear*** sp² vinyl free radicals, it was concluded that the initial ***charge*** -transfer reaction ***generates*** a ***nonlinear*** vinyl radical which is capable of

facile inversion at the radical site, but the radical is trapped before complete equilibration with its configurational ***isomer*** is achieved. A mechanism by which the interconverting free radical can be trapped is postulated.

=> d all 4-27

L5 ANSWER 4 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:693438 CAPLUS
DN 140:383024
ED Entered STN: 05 Sep 2003
TI Holographic gratings in hybrid sol-gel films
AU Raschella, R.; Marino, I.-G.; Lottici, P. P.; Bersani, D.; Lorenzi, A.;
Montenero, A.
CS INFM, Univ. degli Studi di Parma, Parma, 43100, Italy
SO Proceedings of SPIE-The International Society for Optical Engineering
(2003), 5123(Advanced Optical Devices, Technologies, and Medical
Applications), 117-124
CODEN: PSISDG; ISSN: 0277-786X
PB SPIE-The International Society for Optical Engineering
DT Journal
LA English
CC 74-8 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)
AB Org.-inorg. films based on SiO₂, contg. Disperse Red 1 (DR1),
carbazole units and 2,4,7-trinitro-9-fluorenone (TNF), have been
prepd. by a sol-gel technique. Diffraction gratings have been produced
through different effects: photoinduced birefringence and
photorefractivity, using 488.0 nm and 632.8 nm light, resp. Pure
polarization holog. birefringence gratings have been investigated and
diffraction efficiencies higher than those obtained by light intensity
modulation have been measured. The study of the temporal behavior of the
diffraction efficiencies makes possible the identification of different
processes involved in the DR1 mol. orientation: angular hole burning
(AHB), angular redistribution (AR), Cis mols. gain has been detd. by
two-beam coupling (2BC) measurements. The effect of the polarization of
the writing beams on the grating and of a circularly polarized
photoisomerizing radiation during grating erasure has been
interpreted in terms of an orientation contribution to the grating
formation.
ST polarization holog birefringence grating hybrid sol gel film
IT ***Isomerization***
(cis-trans, photochem.; recording of holog. gratings in hybrid
org.-inorg. films based on SiO₂ sol-gel films contg. Disperse Red 1 and
carbazole units and trinitrofluorenone)
IT Birefringence
(photoinduced; recording of holog. gratings in hybrid org.-inorg. films
based on SiO₂ sol-gel films contg. Disperse Red 1 and ***carbazole***
units and trinitrofluorenone)
IT Holographic diffraction gratings
Holographic recording materials
Hybrid organic-inorganic materials
Molecular orientation
Photorefractive effect
Sol-gel processing
(recording of holog. gratings in hybrid org.-inorg. films based on SiO₂
sol-gel films contg. Disperse Red 1 and ***carbazole*** units and
trinitrofluorenone)
IT ***Nonlinear*** optical properties
(two-beam-coupling; recording of holog. gratings in hybrid org.-inorg.
films based on SiO₂ sol-gel films contg. Disperse Red 1 and
carbazole units and trinitrofluorenone)
IT 7647-01-0, Hydrochloric acid, uses
RL: CAT (Catalyst use); USES (Uses)
(recording of holog. gratings in hybrid org.-inorg. films based on SiO₂
sol-gel films contg. Disperse Red 1 and ***carbazole*** units and
trinitrofluorenone)
IT 685091-04-7
RL: PEP (Physical, engineering or chemical process); PYP (Physical
process); PROC (Process)
(recording of holog. gratings in hybrid org.-inorg. films based on SiO₂

sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT 919-30-2, 3-Aminopropyltriethoxysilane 2872-52-8, Disperse Red 1 24801-88-5, 3-(Triethoxysilyl)propylisocyanate 73500-82-0, ***Carbazole*** -9-carbonyl chloride

RL: PEP (Physical, engineering or chemical process); PYP (Physical process); RCT (Reactant); PROC (Process); RACT (Reactant or reagent) (recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone)

IT 129-79-3, 2,4,7-Trinitro-9-fluorenone

RL: PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process) (sensitizer; recording of holog. gratings in hybrid org.-inorg. films based on SiO2 sol-gel films contg. Disperse Red 1 and ***carbazole*** units and trinitrofluorenone).

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Alain, V; Opt Mater 1998, V9(1-4), P265
- (2) Blanche, P; Opt Commun 2000, V185, P1 CAPLUS
- (3) Chaput, F; Chem Mater 1996, V8(2), P589
- (4) Cheben, P; Nature 2000, V408(6808), P64 CAPLUS
- (5) Cipparrone, G; Opt Commun 2000, V185(1-3), P171 CAPLUS
- (6) Dumont, M; SPIE Proceedings 1994, V2042, P2 CAPLUS
- (7) Hall, J; Rev Sci Instrum 2002, V73(5), P2103 CAPLUS
- (8) Iftime, G; Chem Mater 2002, V14, P168 CAPLUS
- (9) Kogelnik, H; Bell Sys Tech J 1969, V48(9), P2909
- (10) Marino, I; Opt Mater 2000, V15(3), P175 CAPLUS
- (11) Nikolova, L; Appl Opt 1996, V35(20), P3835 CAPLUS
- (12) Nokolova, L; J Opt Soc Am B 1998, V15(4), P1257
- (13) Ramanujam, P; Synthetic Met 2001, V124(1), P145 CAPLUS
- (14) Riehl, D; Chem Phys Lett 1995, V245, P36 CAPLUS
- (15) Tang, F; Sol-Gel and Polymer Photonic Devices 1997, VCR68, P90 CAPLUS

L5 ANSWER 5 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:99139 CAPLUS

DN 138:375505

ED Entered STN: 09 Feb 2003

TI Molecular engineering of dye-doped polymers for optoelectronics

AU Ishchenko, Alexander

CS Institute of Organic Chemistry, National Academy of Sciences of Ukraine, Kiev, 02094/94, Ukraine

SO Polymers for Advanced Technologies (2002), 13(10-12), 744-752

CODEN: PADTE5; ISSN: 1042-7147

PB John Wiley & Sons Ltd.

DT Journal

LA English

CC 73-4 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

AB The main approaches to mol. engineering of prospective dye-doped polymer matrixes for optoelectronics were considered. The advantages of such matrixes over polymers and dyes sep. were analyzed. These advantages can be realized in the case where a doping of polymers by low-mol.-wt. dyed impurities does not essentially distort spectral, luminescent and ***nonlinear*** optical properties of the individual components of polymer compn. The influence of polymer nature and chem. constitution of org. dyes on photophys. and photochem. properties of these matrixes was analyzed. Processes of dye aggregation in polymers were characterized. Their influence on photophys. properties and the photochem. stability of dye-doped materials is discussed. The different approaches for struggle with it is offered. The influence of the method of introduction of a dye into a polymer on the output parameters of dyed materials was considered. The main paths of energy degrdn. of electronic excitation in such materials - internal conversion, electron transfer and ***photoisomerization*** - were analyzed. The role of dyes in the process of generation, in recombination and in the carriage of charges in photoconductive polymers is discussed. The prospects for the application of dye-doped polymer materials as passive Q-switches of solid-state lasers, as active laser media with large Stokes shift, as luminescent solar converters and as electroluminescent emitters were demonstrated.

ST dye doped conjugated polymer optoelectronics polyurethane electroluminescent device; solid state laser solar converter dye doped

conjugated polymer
IT Polymers, properties
RL: DEV (Device component use); PRP (Properties); USES (Uses)
. (conjugated; mol. engineering of dye-doped polymers for
optoelectronics)

IT Doping
Dyes
Electroluminescent devices
Optoelectronics
Solid state lasers
(mol. engineering of dye-doped polymers for optoelectronics)

IT Polyurethanes, properties
RL: DEV (Device component use); PRP (Properties); USES (Uses)
(mol. engineering of dye-doped polymers for optoelectronics)

IT 51829-02-8 80993-83-5 101491-20-7
RL: DEV (Device component use); MOA (Modifier or additive use); PRP
(Properties); USES (Uses)
(mol. engineering of dye-doped polymers for optoelectronics)

IT 25067-59-8, ***Polyvinylcarbazole*** 55774-96-4,
Poly-N-epoxypropylcarbazole
RL: DEV (Device component use); PRP (Properties); USES (Uses)
(mol. engineering of dye-doped polymers for optoelectronics)

RE.CNT 49 THERE ARE 49 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Anikina, E; Vest Offal'mol 1994, V110, P17 MEDLINE
- (2) Bezrodnyi, V; Appl Phys B 2001, V73, P283 CAPLUS
- (3) Bezrodnyi, V; J Optical Technology 1996, V63, P936
- (4) Bezrodnyi, V; Optics and Laser Technology 2002, V34, P7 CAPLUS
- (5) Bezrodnyi, V; Quantum Electronics 1995, V25, P819
- (6) Bezrodnyi, V; Quantum Electronics 1995, V25, P823
- (7) Bezrodnyi, V; Quantum Electronics 1996, V26, P345
- (8) Bezrodnyi, V; Quantum Electronics 2000, V30, P1043 CAPLUS
- (9) Bonch-Bruevich, A; Izvestiya Akademii Nauk Ser Fizicheskaya 2001, V65, P478
CAPLUS
- (10) Bormashenko, E; Polymer Degradation and Stability 2001, V72, P125 CAPLUS
- (11) Boto, R; Dyes and Pigments 2001, V48, P71 CAPLUS
- (12) Davidenko, N; Adv Mater Opt Electron 1998, V8, P201 CAPLUS
- (13) Davidenko, N; Chem Phys 1999, V247, P237 CAPLUS
- (14) Davidenko, N; Mol Cryst Liq Cryst 1998, V324, P77 CAPLUS
- (15) Davidenko, N; Mol Cryst Liq Cryst 2001, V361, P71 CAPLUS
- (16) Davidenko, N; Synthetic Metals 2001, V122, P173 CAPLUS
- (17) Davidenko, N; Zh Prikl Spektrosk 2001, V68, P450
- (18) Davidenko, N; Zh Prikl Spektrosk 2002, V69, P90
- (19) Demchuk, M; Chem Phys Letter 1988, V144, P99 CAPLUS
- (20) Derevyanko, N; Mendeleev Communications 1991, P91 CAPLUS
- (21) Derevyanko, N; Theoretical and Experimental Chemistry 2001, V37, P1 CAPLUS
- (22) Elyashevich, G; Thermochimica Acta 2001, V374, P23 CAPLUS
- (23) Ganeev, R; Quantum Electronics 1997, V27, P312
- (24) Grigonis, R; Ultrafast Processes in Spectroscopy 1996, P449 CAPLUS
- (25) Ibraev, N; J Luminescence 2000, V90, P81
- (26) Ishchenko, A; Dyes and Pigments 1992, V19, P169 CAPLUS
- (27) Ishchenko, A; J Inf Rec Mater 1991, V19, P207
- (28) Ishchenko, A; Quantum Electronics 1994, V24, P471
- (29) Ishchenko, A; Russian Chemical Reviews 1991, V60, P865
- (30) Ishchenko, A; Structure and Spectral and Luminescent Properties of
Polymethine Dyes 1994
- (31) Ishchenko, A; Theoretical and Experimental Chemistry 1998, V34, P191
CAPLUS
- (32) Kido, J; Appl Phys Lett 1992, V61, P761 CAPLUS
- (33) Mal'tsev, E; Vysokomolekulyarnye Soedineniya 1999, V41, P1487
- (34) Mchedlov-Petrosyan, N; Chem Phys Lett 2001, V341, P237 CAPLUS
- (35) Mishra, A; Chem Rew 2000, V100, P1973 CAPLUS
- (36) Mitschke, U; J Mater Chem 2000, V10, P1471 CAPLUS
- (37) Moura, J; Dyes and Pigments 1997, V33, P173 CAPLUS
- (38) Nierengarten, J; Materials Today 2001, V4, P16
- (39) Noda, T; Appl Phys Lett 1997, V70, P699 CAPLUS
- (40) Reisfeld, R; Laser Based on Sol-Gel Technology, Optical and Electronic
Phenomena in Sol-Gel Glasses and Modern Application, Structure and Bonding
1996, V85, P215 CAPLUS
- (41) Reisfeld, R; Optical Materials 1997, V8, P31 CAPLUS
- (42) Romanyuk, E; Zh Prikl Spektrosk 1999, V66, P282
- (43) Ronova, I; Chem Phys 2001, V270, P99 CAPLUS

- (44) Sergeeva, L; Russian Chemical Reviews 1996, V65, P367 CAPLUS
- (45) Shevchuk, O; Macromolecular Symposia 2001, V166, P217 CAPLUS
- (46) Siling, S; Intern J Polymeric Mater 2001, V49, P115 CAPLUS
- (47) Skotheim, T; Handbook of Conducting Polymers 1986, V1
- (48) Ustimenko, N; Pribery i Tekhnika Experimenta 1998, P99
- (49) Yariv, E; Optical Materials 1999, V13, P49 CAPLUS

L5 ANSWER 6 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:24319 CAPLUS
DN 139:187903
ED Entered STN: 12 Jan 2003
TI CdSe/CdS core/shell quantum dots as sensitizer of a photorefractive polymer composite
AU Binks, D. J.; Bant, S. P.; West, D. P.; O'Brien, P.; Malik, M. A.
CS Dept. Chem., Univ. Manchester, Manchester, UK
SO Journal of Modern Optics (2003), 50(2), 299-310
CODEN: JMOPEW; ISSN: 0950-0340
PB Taylor & Francis Ltd.
DT Journal
LA English
CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 74
AB CdSe/CdS core/shell, tri-n-octylphosphine oxide passivated, quantum dots are used to sensitize a photorefractive polymer composite. The composite also consists of poly(N- ***vinylcarbazole***) as the nominally ***charge*** ***transporting*** matrix and an electrooptic chromophore. The efficacy of sensitization and consequent photorefractive performance is investigated using transmission spectroscopy and ellipsometry, two-beam coupling and degenerate four-wave mixing expts. The photorefractive nature of the photoinduced grating is confirmed by the observation of asym. two-beam coupling. Four-wave mixing reveals record diffraction efficiencies for a nanoparticle-sensitized photorefractive polymer at the field levels applied (1.3% at 70 V. .mu.m-1). A recently developed anal. technique is used to ext. space-charge field rise time values from degenerate four-wave mixing transients. In turn, anal. of the dependence of the rise time on applied field is used to det. the zero-field charge dissocn. efficiency to be 3.6.times. 10-5.+-.0.5.times. 10-5. It is further shown that the magnitude of this parameter accounts for most of the difference in photorefractive response rate between the present material and a similar C60 sensitized composite.
ST photorefractive polymer composite cadmium sulfide selenide quantum dot sensitizer
IT ***Isomerization***
(cis-trans, photochem.; photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots in relation to)
IT Degenerate four wave mixing
Ellipsometry
Holographic diffraction gratings
Nanoparticles
Photorefractive effect
Photorefractive materials
Quantum dot devices
Refractive index
Space charge
(photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)
IT Holographic recording materials
(photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots in relation to)
IT Birefringence
(transient; photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)
IT ***Nonlinear*** optical properties
(two-beam-coupling; photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)

IT 78-50-2, Tri-n-octylphosphine oxide 1306-23-6, Cadmium sulfide, properties 1306-24-7, Cadmium selenide, properties 25067-59-8, Poly(N-***vinylcarbazole***) 176681-76-8, EHDNPB
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); PROC (Process)
(photorefractive poly(***vinylcarbazole***)-based composite contg. (ethylhexyloxydimethylnitrophenylazo)benzene sensitized by octylphosphine oxide passivated CdSe/CdS quantum dots)
RE.CNT 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Alivisatos, A; Science 1996, V271, P933 CAPLUS
- (2) Binks, D; Appl Phys B 2002, V74, P279 CAPLUS
- (3) Binks, D; Appl Phys Lett 2000, V77, P1108 CAPLUS
- (4) Binks, D; J Chem Phys 2001, V115, P6760 CAPLUS
- (5) Diaz-Garcia, M; Chem Mater 1999, V11, P1784 CAPLUS
- (6) Ducharme, S; Phys Rev Lett 1990, V66, P1846
- (7) Goonesekera, A; Appl Phys Lett 2000, V76, P3358 CAPLUS
- (8) Herlocker, J; Appl Phys Lett 1999, V74, P2253 CAPLUS
- (9) Kogelnik, H; The Bell System Technical Journal 1969, V48, P2909
- (10) Kukhtarev, N; Ferroelectrics 1979, V22, P9
- (11) Kukhtarev, N; Ferroelectrics 1979, V22, P961 CAPLUS
- (12) Nadenau, V; Prog Photo Res Appl 1995, V3, P363 CAPLUS
- (13) Niki, S; Appl Phys Lett 1996, V69, P947
- (14) Onsager, L; J Phys Chem 1934, V2, P599 CAPLUS
- (15) Rahn, M; Appl Opt 2001, V40, P3395 CAPLUS
- (16) Sekkat, Z; Ber Bunsenges Phys Chem 1994, V98, P1231 CAPLUS
- (17) Shakos, J; J Opt Soc Am B 2000, V17, P373 CAPLUS
- (18) Vossmeier, T; J Phys Chem 1994, V98, P7665 CAPLUS
- (19) West, D; Electron Transfer Chemistry 2001, V5, P472 CAPLUS
- (20) Winiarz, J; J Am Chem Soc 1999, V121, P5287 CAPLUS

L5 ANSWER 7 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:12199 CAPLUS
DN 138:278013
ED Entered STN: 07 Jan 2003
TI Optical nonlinearity of fullerene-doped polymer nanocomposites
AU Antipov, O. L.; Yurasova, I. V.; Domrachev, G. A.
CS Institute of Applied Physics, Russian Academy of Sciences, Nizhnii Novgorod, 603600, Russia
SO Quantum Electronics (2002), 32(9), 776-780
CODEN: QUELEZ; ISSN: 1063-7818
PB Turpion Ltd.
DT Journal
LA English
CC 73-10 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
AB The mechanism of optical nonlinearity of new polymer composites based on a conducting polymer [poly(9-***vinylcarbazole***)] and fullerenes C70 and C60 was studied both exptl. and theor. The ***nonlinear*** -optical studies of self-action and coupling of two 633-nm beams from a He-Ne laser were performed, and variations in the absorption spectra of the composites illuminated by a laser beam were studied. A giant inertial nonlinearity of org. materials is caused by the difference in polarizabilities of fullerene mols. and their anion radicals, which are formed upon absorption of photons and charge transfer by poly(9-***vinylcarbazole***) mols.
ST fullerene polyvinyl ***carbazole*** ***nonlinear*** optical property nanocomposite
IT Conducting polymers
Nanocomposites
Nonlinear optical susceptibility
Photochromism
Photorefractive effect
(optical nonlinearity of fullerene-doped polymer nanocomposites)
IT 25067-59-8, Poly(9-***vinylcarbazole***) 99685-96-8, Fullerene (C60) 115383-22-7, Fullerene C70
RL: PRP (Properties)
(optical nonlinearity of fullerene-doped polymer nanocomposites)
RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Anon; Characterization Techniques and Tabulations for Organic Nonlinear Optical Materials 1998

- (2) Anon; Characterization Techniques and Tabulations for Organic Nonlinear Optical Materials 1998, P655
- (3) Antipov, O; Kvantovaya Elektron 1998, V25, P891 CAPLUS
- (4) Antipov, O; Quantum Electron 1998, V28, P867
- (5) Belousov, V; Opt Zh 1999, V66, P50
- (6) Grunnet-Jepsen, A; Chem Phys Lett 1998, V291, P553 CAPLUS
- (7) Hendrickx, E; Appl Phys Lett 1998, V72, P1679 CAPLUS
- (8) Konarev, D; Usp Khim 1999, V1, P23
- (9) Kost, A; Opt Lett 1993, V18, P334 CAPLUS
- (10) Kuzhelev, A; Proc SPIE Int Soc Opt Eng 2001, V4353, P84 CAPLUS
- (11) Moerner, W; Chem Rev 1994, V94, P127 CAPLUS
- (12) Sukhorukov, A; Soros Ed J 1996, V5, P85
- (13) Tull, L; Nature 1992, V356, P225
- (14) Vinetskii, V; Usp Fiz Nauk 1979, V6, P113
- (15) Zhang, Y; J Mater Chem 1998, V8, P809 CAPLUS

L5 ANSWER 8 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:857489 CAPLUS
 DN 138:264682
 ED Entered STN: 12 Nov 2002
 TI Synthesis, properties and ***photochromism*** of novel charge transfer compounds with Keggin anions and protonated 2,2'-biquinoline
 AU Gamelas, Jose A. F.; Cavaleiro, Ana M. V.; de Matos Gomes, Etelvina; Belsley, Michael; Herdtweck, Eberhardt
 CS Department of Chemistry, University of Aveiro, Aveiro, 3810-193, Port.
 SO Polyhedron (2002), 21(25-26), 2537-2545
 CODEN: PLYHDE; ISSN: 0277-5387
 PB Elsevier Science Ltd.
 DT Journal
 LA English
 CC 78-7 (Inorganic Chemicals and Reactions)
 Section cross-reference(s): 73
 OS CASREACT 138:264682
 AB Several novel compds. with protonated 2,2'-biquinoline (biqui) and Keggin polyoxoanions (.alpha.- ***isomers***), (Hbiqui)_m[XM₁₂O₄₀].cntdot.n(sol v), X = P (m = 3), Si (m = 4); M = Mo, W; n = 0, 3; solv = H₂O, DMF, were synthesized and characterized by anal., spectroscopic and x-ray diffraction techniques. Electronic spectroscopy (visible/UV) indicated the presence of intermol. charge transfer between the org. and inorg. moieties in the solid state. Evidence for the existence of intermol. electronic interaction in soln. was found for compds. with [SiW₁₂O₄₀]⁴⁻, quite uncommon for charge transfer compds. based on Keggin anions. A single crystal x-ray diffraction study was performed on (Hbiqui)₄[SiW₁₂O₄₀].cntdot.3DMF crystals, but the refinements revealed highly disordered 2,2'-biquinoline mols. and .alpha.-[SiW₁₂O₄₀]⁴⁻ anions. Photosensitivity to sunlight and to W-lamp visible light was assessed for all compds. ***Photochromic*** properties were found for solids with [XM₁₂O₄₀]^{m-} Keggin anions. Redn. of these anions upon irradiatn. was obsd. by diffuse reflectance and EPR spectroscopy. After a min. of 5 h under sunlight, the extent of anion redn. followed the order (Hbiqui)₃[PMo₁₂O₄₀].cntdot.3DMF > (Hbiqui)₄[SiMo₁₂O₄₀].cntdot.3DMF > (Hbiqui)₃[PMo₁₂O₄₀] > (Hbiqui)₄[SiMo₁₂O₄₀].cntdot.4H₂O. The Kurtz powder test was used to evaluate the 2nd-order ***nonlinear*** optical properties of the prepd. compds. (Hbiqui)₄[SiW₁₂O₄₀].cntdot.3H₂O originated a 2nd harmonic generation signal with intensity apprx.15% that of urea for 1064 nm radiation.
 ST Keggin biquinolinium charge transfer prepn UV; ***nonlinear*** optical property tungstosilicate biquinolinium charge transfer; ***photochromism*** molybdophosphate molybdosilicate biquinolinium charge transfer; biquinolinium molybdophosphate molybdosilicate tungstophosphate tungstosilicate charge transfer prepn UV
 IT Heteropoly acids
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (Keggin; prepn., properties and ***photochromism*** of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)
 IT ***Photochromism*** (in molybdosilicate and molybdophosphate biquinolinium charge transfer complexes)
 IT Second-harmonic ***generation*** (of tungstosilicate biquinolinium ***charge*** transfer complex)
 IT Charge transfer complexes
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

(prepn., properties and ***photochromism*** of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)

IT UV and visible spectra
(solid-state and soln.; of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)

IT 119-91-5, 2,2'-Biquinoline 11089-20-6 12027-43-9 51429-74-4
395071-70-2
RL: RCT (Reactant); RACT (Reactant or reagent)
(for prepn. of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)

IT 503014-03-7P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(prepn. and UV-visible spectra)

IT 503014-11-7P 503014-13-9P
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of charge transfer compds. with Keggin anions and 2,2'-biquinolinium)

IT 503014-07-1P 503014-09-3P 503014-15-1P 503014-17-3P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(prepn., UV-visible spectra and ***photochromism***)

IT 503014-05-9P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(prepn., UV-visible spectra and second-harmonic generation)

RE.CNT 50 THERE ARE 50 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Attanasio, D; Adv Mater 1994, V6, P145 CAPLUS
- (2) Attanasio, D; J Chem Soc, Dalton Trans 1990, P3221 CAPLUS
- (3) Baker, L; Chem Rev 1998, V98, P3 CAPLUS
- (4) Bi, L; Inorg Chim Acta 2000, V305, P163 CAPLUS
- (5) Clemente-Juan, J; Coord Chem Rev 1999, V193-195, P361 CAPLUS
- (6) Coronado, E; Chem Rev 1998, V98, P273 CAPLUS
- (7) Coronado, E; Comments Inorg Chem 1995, V17, P255 CAPLUS
- (8) Drake, J; Org Magn Res 1982, V18, P42 CAPLUS
- (9) Fur, Y; Chem Mater 1996, V8, P68
- (10) Golhen, S; Inorg Chem 1998, V37, P1499 CAPLUS
- (11) Han, Z; J Mater Chem 2002, V12, P1169 CAPLUS
- (12) Hill, C; Chem Rev 1998, V98(1) CAPLUS
- (13) Hill, C; Coord Chem Rev 1995, V143, P407 CAPLUS
- (14) Hill, C; J Am Chem Soc 1985, V107, P5148 CAPLUS
- (15) Hill, C; J Am Chem Soc 1988, V110, P5471 CAPLUS
- (16) Hill, C; J Mol Catal A 1996, V114(1-3)
- (17) Katsoulis, D; Chem Rev 1998, V98, P359 CAPLUS
- (18) Keita, B; J Electroanal Chem 1987, V227, P77 CAPLUS
- (19) Kozhevnikov, I; Chem Rev 1998, V98, P171 CAPLUS
- (20) Kurtz, S; J Appl Phys 1968, V39, P2798
- (21) Le Magueres, P; Inorg Chem 1994, V33, P5180 CAPLUS
- (22) Lihua, B; J Mol Struct 2001, V597, P83
- (23) Magueres, P; J Am Chem Soc 2000, V122, P10073 CAPLUS
- (24) Misono, M; Chem Commun 2001, P1141 CAPLUS
- (25) Mizuno, N; Chem Rev 1998, V98, P199 CAPLUS
- (26) Neumann, R; Prog Inorg Chem 1998, V47, P317 CAPLUS
- (27) Niu, J; Inorg Chem 1996, V35, P4211 CAPLUS
- (28) Niu, J; Transition Met Chem 1999, V24, P108 CAPLUS
- (29) Osborne, A; Magn Res Chem 1989, V27, P4 CAPLUS
- (30) Ouahab, L; Chem Mater 1997, V9, P1909 CAPLUS
- (31) Ouahab, L; Coord Chem Rev 1998, V178-180, P1501 CAPLUS
- (32) Pecaut, J; J Mater Chem 1994, V4, P1851 CAPLUS
- (33) Pope, M; Angew Chem, Int Ed Engl 1991, V30, P34
- (34) Pope, M; Comprehensive Coordination Chemistry 1987, V3, P1023
- (35) Pope, M; Heteropoly and Isopoly Oxometalates 1983
- (36) Pope, M; Polyoxometalates: From Platonic Solids to Anti-retroviral Activity 1994
- (37) Prosser-McCartha, C; J Chem Soc, Chem Commun 1986, P1747 CAPLUS
- (38) Rhule, J; Chem Rev 1998, V98, P327 CAPLUS
- (39) Rocchiccioli-Deltcheff, C; Inorg Chem 1983, V22, P207 CAPLUS
- (40) Sadakane, M; Chem Rev 1998, V98, P219 CAPLUS
- (41) Unoura, K; Inorg Chem 1983, V22, P2963 CAPLUS
- (42) Wang, E; Transition Met Chem 1996, V21, P447 CAPLUS
- (43) Williamson, M; Inorg Chem 1987, V26, P1436 CAPLUS
- (44) Yamase, T; Bull Chem Soc Jpn 1977, V50, P746 CAPLUS
- (45) Yamase, T; Chem Rev 1998, V98, P307 CAPLUS
- (46) Zhang, L; J Mol Struct 2001, V570, P83 CAPLUS

- (47) Zhang, X; Chem Commun 1997, P1131 CAPLUS
(48) Zhang, X; Polyhedron 1997, V16, P713 CAPLUS
(49) Zhang, X; Polyhedron 1997, V16, P95 CAPLUS
(50) Zhou, Y; Polyhedron 1999, V18, P1419 CAPLUS

L5 ANSWER 9 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:698031 CAPLUS
DN 138:170920
ED Entered STN: 15 Sep 2002
TI Optical nonlinearity of C70-sensitized photorefractive compositions caused by production of anion-radicals
AU Antipov, O. L.; Yurasova, I. V.; Domrachev, G. A.
CS Institute of Applied Physics of the Russian Academy of Science, Nizhny Novgorod, 603950, Russia
SO Trends in Optics and Photonics (2002), 64(Organic Thin Films for Photonic Applications), 60-64
CODEN: TOPRBS
PB Optical Society of America
DT Journal
LA English
CC 37-5 (Plastics Manufacture and Processing)
Section cross-reference(s): 73
AB The origin of the optical nonlinearity of an org. polymeric compn. including fullerene C70 and poly(9- ***vinylcarbazole***) (PVK) was investigated by two-beam coupling and self-action of a cw laser beam at 633 nm, and spectroscopically. The local nonlinearity of the photorefractive polymer was found to be caused by the difference in polarizability of fullerene C70 and its light-induced anion-radicals, C-70, C2-70, etc.
ST ***photochromism*** optical nonlinearity ***polyvinylcarbazole*** fullerene
IT ***Nonlinear*** optical properties
Photochromism
Polarizability
(optical nonlinearity of C70-sensitized photorefractive compns. caused by prodn. of anion-radicals)
IT 25067-59-8, Poly(9- ***vinylcarbazole***) 115383-22-7, C70 Fullerene
RL: PRP (Properties)
(optical nonlinearity of C70-sensitized photorefractive compns. caused by prodn. of anion-radicals)

RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Grunnet-Jepsen, A; Chem Phys Lett 1998, V291, P553 CAPLUS
(2) Konarev, D; Uspekhy Chemistry 1999, V1, P23
(3) Kost, A; Optics Letters 1993, V18, P334 CAPLUS
(4) Kuzyk, M; Characterization Techniques and Tabulations for Organic Nonlinear Optical Materials 1998
(5) Moerner, W; Chem Rev 1994, V94, P127 CAPLUS
(6) Van Stryland, E; Characterization Techniques and Tabulations for Organic Nonlinear Optical Materials 1998, P655 CAPLUS
(7) Vinechikii, V; Sov Phys Uspekhy 1979, V6, P113

L5 ANSWER 10 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1998:778338 CAPLUS
DN 130:131472
ED Entered STN: 14 Dec 1998
TI Multi-grating in photorefractive composites containing ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene
AU Wang, Feng; Chen, Zhijian; Gong, Qihuang; Chen, Yiwang; Chen, Huiying
CS Department of Physics, Mesoscopic Physics Laboratory, Peking University, Beijing, 100871, Peop. Rep. China
SO Proceedings of SPIE-The International Society for Optical Engineering (1998), 3554(Photorefractive Materials: Phenomena and Related Applications II), 224-228
CODEN: PSISDG; ISSN: 0277-786X
PB SPIE-The International Society for Optical Engineering
DT Journal
LA English
CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 74
AB Distinct electroabsorption grating and ***photoisomerization***

grating as well as photorefractive grating were obsd. in the composite consisting of 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene (BDMNPAB): poly(N- ***vinylcarbazole***) (PVK): 2,4,7-trinitro-9-fluorenone (TNF) in a wt. ratio of 44:55:1. Based on the quick translation technique of two-beam coupling exptl. geometry, the authors measured the electroabsorption grating to be 6-7 cm⁻¹, and ***photoisomeric*** effect also brought an absorption grating of 2-3 cm⁻¹. ***Photoisomeric*** effect caused index grating was sepd. from the others by analyzing the dynamic behavior of the gratings, and an amplitude between 1 .times. 10⁻⁴.apprx.2 .times. 10⁻⁴ was obtained.

ST multi grating photorefractive composite ***nonlinear*** chromophore azo dye; photorefractive grating ***photoisomerization*** electroabsorption two beam coupling

IT ***Nonlinear*** optical properties (beam coupling; multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

IT Azo dyes
Electric field effects
Electrooptical absorption
Photorefractive gratings (multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

IT ***Isomerization*** (***photoisomerization*** ; multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

IT 129-79-3, 2,4,7-Trinitro-9-fluorenone 25067-59-8, Poly(N- ***vinylcarbazole***) 210281-60-0
RL: DEV (Device component use); PRP (Properties); USES (Uses) (multi-grating in photorefractive composites contg. ***nonlinear*** chromophore azo-dye 1-n-butoxyl-2,5-dimethyl-4-(4'-nitrophenylazo)benzene)

RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE
(1) Anderson, D; Science 1997, V277, P530 CAPLUS
(2) Anon; Nonlinear Optical Properties of Organic Molecules and Crystals 1987, V1 and 2
(3) Cox, A; Appl Phys Lett 1996, V68, P2801 CAPLUS
(4) Grunnet-Jepsen, A; Appl Phys Lett 1997, V70, P1515 CAPLUS
(5) Grunnet-Jepsen, A; Science 1997, V277, P549 CAPLUS
(6) Meerholz, K; Nature (London) 1994, V371, P497 CAPLUS
(7) Moerner, W; J Opt Soc Am B 1994, V11, P320 CAPLUS
(8) Nishida, F; J Appl Phys 1997, V81, P3348 CAPLUS
(9) Orczyk, M; J Appl Phys 1994, V76, P4995 CAPLUS
(10) Sandalphon, B; Opt Lett 1994, V19, P68 CAPLUS
(11) Shutter, K; J Opt Soc Am B 1990, V7, P2274
(12) Wang, F; Chin Phys Lett 1998, V15, P351 CAPLUS
(13) Wang, F; to be published in Appl Phys B
(14) Weiser, G; Phys Stat Sol (a) 1973, V18, P347 CAPLUS

L5 ANSWER 11 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1998:429870 CAPLUS
DN 129:181774
ED Entered STN: 13 Jul 1998
TI ***Photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing
AU Egami, C.; Suzuki, Y.; Aoshima, Y.; Sugihara, O.; Okamoto, N.
CS Faculty of Engineering, Department of Electrical and Electronic Engineering, Shizuoka University, 3-5-1, Johoku, Hamamatsu, Shizuoka, 432, Japan
SO Journal of the Optical Society of America B: Optical Physics (1998), 15(7), 1985-1991
CODEN: JOBPDE; ISSN: 0740-3224
PB Optical Society of America
DT Journal
LA English
CC 73-10 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 74
AB We demonstrate spatial filtering by using the azo-chromophore-based

nonlinear optical effect of self-beam polarization modulation and optical threshold processing. The real-time image-processing scheme is described by use of an optical configuration composed of an action-beam-probe-beam system, Fourier-transform operation, and an azo-chromophore-doped film as a spatial filter. As Disperse Red 1 dye (DR1) doped in an N-poly(***vinylcarbazole***) (PVK) film with N-ethylcarbazole (ECZ) of low glass-transition temp. exhibits self-polarization rotation after thin-film transmission, a linearly polarized probe beam in the film is obsd., even through a crossed analyzer. In addn., this film permits optical threshold processing by introducing an action beam with different intensity and wavelength from those of the probe beam with object information. Changing the action-beam intensity results in a decrease or an increase in the transmitted probe-beam power through the analyzer. When a DR1-PVK-ECZ film is placed at the Fourier plane on the probe-beam path, the filter functions can be modulated in real time by manipulation of the intensity ratio between the action beam and the spatial-frequency components at the film plane. The spatial frequencies of an original input image can be manipulated as they pass through the film. These effects are responsible for the ***photoisomerization*** of DR1 mols. in the low-glass-transition-temp. polymer matrix.

ST ***photoisomeric*** chromophore doped polymer; directional spatial filtering optical threshold processing

IT ***Isomerization***
(cis-trans, photochem.; ***photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing)

IT Memory devices

Nonlinear optical materials

Optical films

Optical filters

Optical modulation

Spatial light modulators

(***photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing)

IT 86-28-2, N-Ethylcarbazole 2872-52-8, Disperse Red 1 25067-59-8,
Poly(vinyl ***carbazole***)
RL: PRP (Properties); TEM (Technical or engineered material use); USES (Uses)

(***photoisomeric*** -chromophore-doped polymers for directional spatial filtering by optical threshold processing)

RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Barley, S; J Mater Chem 1991, V1, P481 CAPLUS
- (2) Calixto, S; Appl Opt 1984, V23, P4313 CAPLUS
- (3) Couture, J; Appl Opt 1991, V30, P2858 CAPLUS
- (4) Downie, J; Appl Opt 1995, V34, P5210 CAPLUS
- (5) Egami, C; Jpn J Appl Phys 1990, V29, P1544
- (6) Egami, C; Jpn J Appl Phys 1992, V31, P2937 CAPLUS
- (7) Egami, C; Opt Lett 1997, V22, P1424 CAPLUS
- (8) Fleck, B; Opt Commun 1997, V137, P207 CAPLUS
- (9) Heinz, T; Phys Rev Lett 1982, V48, P478 CAPLUS
- (10) Huang, T; Appl Opt 1993, V32, P1888
- (11) Jones, C; Nature 1991, V351, P15
- (12) Joseph, J; Opt Lett 1996, V21, P1499 CAPLUS
- (13) Kato, J; Opt Lett 1996, V21, P767 CAPLUS
- (14) Kippelen, S; Opt Lett 1994, V19, P68
- (15) Mailhot, S; Appl Opt 1988, V27, P3418 CAPLUS
- (16) Marowsky, G; Appl Phys B 1984, V34, P69
- (17) Mohajerani, E; Opt Commun 1992, V92, P403 CAPLUS
- (18) Nikolova, L; Appl Opt 1988, V27, P1598 CAPLUS
- (19) Okamoto, T; Appl Opt 1997, V36, P508 CAPLUS
- (20) O'Leary, S; Opt Commun 1994, V104, P245 CAPLUS
- (21) Pham, V; Jpn J Appl Phys 1997, V36, P429 CAPLUS
- (22) Sandalphon, B; Opt Lett 1994, V19, P68 CAPLUS
- (23) Takeda, T; Nonlinear Opt 1994, V7, P295 CAPLUS
- (24) Takei, H; Appl Opt 1996, V35, P1848 CAPLUS
- (25) Thoma, R; Opt Lett 1991, V16, P651 CAPLUS
- (26) Todorov, T; Appl Opt 1985, V24, P785
- (27) Todorov, T; IEEE J Quantum Electron 1986, VQE-22, P1262 CAPLUS
- (28) Yacoubian, A; Appl Opt 1993, V32, P3073 CAPLUS

L5 ANSWER 12 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:417178 CAPLUS
 DN 129:142426
 ED Entered STN: 09 Jul 1998
 TI Development of self adaptive image processing system by use of a
 photoisomeric organic dye film
 AU Egami, Chikara; Sugihara, Okihiro; Fujimura, Hisashi; Okamoto, Naomichi
 CS Fac. Eng., Shizuoka Univ., Hamamatsu, Japan
 SO Shizuoka Daigaku Kogakubu Kenkyu Hokoku (1997), 48, 1-6
 CODEN: SDKKAT; ISSN: 0583-0915
 PB Shizuoka Daigaku Kogakubu
 DT Journal; General Review
 LA Japanese
 CC 74-0 (Radiation Chemistry, Photochemistry, and Photographic and Other
 Reprographic Processes)
 Section cross-reference(s): 73
 AB A review with 8 refs. We demonstrate spatial filtering using the
 azo-chromophore-based ***nonlinear*** optical effect of the self-beam
 polarization-modulation. The real-time image processing scheme is
 described using the optical configuration, composed of an action-probe
 beam system. Fourier-transform operation and an azo-chromophore-doped
 film as a spatial filter. As Disperse Red 1 doped in the N-
 polyvinylcarbazole film with N-ethylcarbazole, of low
 glass-transition-temp., exhibits the self polarization-modulation after
 the thin film transmission, a linearly-polarized probe beam into the film
 is obsd. even through a crossed analyzer. When the DR1/PVK/ECZ film is
 placed at the Fourier plane on the probe beam path, the filter functions
 can be modulated in real time. The spatial frequencies of an original
 input image can be manipulated as they pass through the film. This effect
 is responsible for the ***photoisomerization*** of DR1 mols. in the
 low-glass-transition-temp. polymer matrix.
 ST review self adaptive image processing; ***photoisomeric*** org dye
 film review
 IT Imaging
 Optical films
 Optical filters
 Spatial light modulators
 (development of self adaptive image processing system by use of a
 photoisomeric org. dye film)
 IT Memory effect
 (optical; development of self adaptive image processing system by use
 of a ***photoisomeric*** org. dye film)
 IT ***Isomerization***
 (***photoisomerization*** ; development of self adaptive image
 processing system by use of a ***photoisomeric*** org. dye film)
 IT 86-28-2, N-Ethylcarbazole 2872-52-8, C.I. Disperse Red 1 25067-59-8,
 N- ***Polyvinylcarbazole***
 RL: PRP (Properties); TEM (Technical or engineered material use); USES
 (Uses)
 (development of self adaptive image processing system by use of a
 photoisomeric org. dye film)

L5 ANSWER 13 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:261567 CAPLUS
 DN 128:328463
 ED Entered STN: 08 May 1998
 TI Organic-inorganic solids by sol-gel processing: optical applications
 AU Boillot, J. -P.; Biteau, J.; Chaput, F.; Gacoin, T.; Brun, A.; Darracq, B.;
 Georges, P.; Levy, Y.
 CS Groupe de Chimie du Solide, Physique de la Matiere Condensee, URA CNRS
 1254 D, Ecole Polytechnique, Palaiseau, 91128, Fr.
 SO Pure and Applied Optics (1998), 7(2), 169-177
 CODEN: PAOAE3; ISSN: 0963-9659
 PB Institute of Physics Publishing
 DT Journal
 LA English
 CC 73-10 (Optical, Electron, and Mass Spectroscopy and Other Related
 Properties)
 Section cross-reference(s): 38, 66
 AB We have developed pure inorg. and hybrid org.-inorg. solids by sol-gel
 processing of silicon alkoxides. Dense gels were obtained at room temp.,
 in any desired shape, including thin films, and we are able to trap org.

mols. or clusters. Gels can be polished and exhibit optical transmission in the visible range similar to that of high-temp. silica glasses. Concerning gel-mol. and gel-nanocrystal composites, the diversity of the organofunctional alkoxide precursors allows us to modify the optical properties by changing the nature and the strength of chem. and electronic interactions between the optically active guest system and the solid host matrix.

ST sol gel org inorg optical properties; xerogel pyrromethene optical pumping; merocyanine spiro oxazine ***photochromic*** sol gel; laser written grating DR1 sol gel; photorefractive sol gel ***carbazole*** DR1

IT ***Photochromism***
(and reverse- ***photochromism*** of spiro-oxazine in sol-gel matrix)

IT Solid state lasers
Xerogels
(dense xerogels for tunable solid state laser applications)

IT Laser induced grating
(in disperse red 1 doped sol-gel matrix)

IT Photorefractive effect
(in sol-gel materials using functionalized silicon alkoxides)

IT Optical pumping
(of pyrromethene-597 in dense xerogel)

IT Optical properties
Optical transmission
Sol-gel processing
(optical applications of org.-inorg. solids by sol-gel processing)

IT ***Nonlinear*** optical properties
(two-beam coupling; in photorefractive sol-gel materials)

IT 137829-79-9, Pyrromethene-597
RL: DEV (Device component use); MOA (Modifier or additive use); USES (Uses)
(dense xerogels for tunable solid state laser applications)

IT 2872-52-8, Disperse red 1
RL: DEV (Device component use); MOA (Modifier or additive use); USES (Uses)
(laser-written gratings in doped sol-gel matrix)

IT 206867-72-3D, derivs. 206867-73-4D, derivs.
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(***photochromism*** and reverse- ***photochromism*** in sol-gel matrix)

IT 78-08-0, Vinyl triethoxysilane 998-30-1, Triethoxysilane 2031-67-6, Methyltriethoxysilane
RL: PEP (Physical, engineering or chemical process); PROC (Process)
(***photochromism*** and reverse- ***photochromism*** of spiro-oxazine in sol-gel matrix from)

IT 86-74-8D, ***Carbazole***, silicon alkoxide deriv. 2872-52-8D, Disperse red 1, silicon alkoxide deriv.
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(photorefractive sol-gel materials using)

RE.CNT 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Avnir, D; Supramolecular Architecture ACS 499 1992
- (2) Biteau, J; J Phys Chem 1996, V100, P9024 CAPLUS
- (3) Brinker, C; Sol-Gel Science, the Physics and Chemistry of Sol-Gel Processing 1990
- (4) Brunel, M; Appl Phys B 1994, V58, P443
- (5) Brunel, M; Chem Phys 1997, V218/3, P301
- (6) Canva, M; Appl Opt 1995, V34, P428 CAPLUS
- (7) Canva, M; Opt Lett 1992, V17, P218 CAPLUS
- (8) Chaput, F; Chem Mater 1996, V8, P312 CAPLUS
- (9) Counio, G; J Phys Chem 1996, V100, P20021 CAPLUS
- (10) Darracq, B; Appl Phys Lett 1997, V70, P292 CAPLUS
- (11) Darracq, B; Opt Mater 1997, P1538
- (12) Devreux, F; Phys Rev A 1990, V41, P6901 CAPLUS
- (13) Devreux, F; Phys Rev E 1993, V47, P2689 CAPLUS
- (14) Devreux, F; Phys Rev Lett 1990, V65, P614 CAPLUS
- (15) Dunn, B; Mat Res Soc Symp Proc 1994, V329, P267 CAPLUS
- (16) Faloss, M; Appl Opt 1997, V37, P27
- (17) Gacoin, T; Sol-Gel Optics II SPIE 1992, V1758, P565 CAPLUS

- (18) Gunter, P; Photorefractive Materials and their Applications, Topics in Applied Physics 1988, VI,II, P61
- (19) Lebeau, B; New J Chem 1996, V20, P13 CAPLUS
- (20) Levy, D; J Non-Cryst Solids 1989, V113, P137 CAPLUS
- (21) Lévy, D; J Phys Chem 1988, V92, P4734 CAPLUS
- (22) Mailér, L; Phys Rev A 1992, V46, P959
- (23) Meerholz, K; Nature 1994, V371, P497 CAPLUS
- (24) Moerner, W; Chem Rev 1994, V94, P127 CAPLUS
- (25) Rahn, M; Sol-Gel Optics III SPIE 1994, V2288, P364 CAPLUS
- (26) Reisfeld, R; Sol-Gel Optics III SPIE 1994, V2288, P563 CAPLUS
- (27) Riehl, D; Chem Phys Lett 1995, V245, P36 CAPLUS
- (28) Riehl, D; Nonlinear Opt 1994, V8, P141 CAPLUS
- (29) Veret-Lemarinier, A; J Luminescence 1995, V64, P223 CAPLUS

L5 ANSWER 14 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1997:703445 CAPLUS
 DN 128:8701
 ED Entered STN: 08 Nov 1997
 TI New photorefractive polymers for real-time holography
 AU Schloter, S.; Hofmann, U.; Hagen, R.; Hohle, C.; Ewert, K.; Strohriegl, P.; Eisenbach, C.-D.; Schmidt, H.-W.; Haarer, D.
 CS Lehrstuhl Experimentalphysik IV, Universitaet Bayreuth, Bayreuth, 95440, Germany
 SO Proceedings of SPIE-The International Society for Optical Engineering (1997), 3144(Xerographic Photoreceptors and Organic Photorefractive Materials II), 142-153
 CODEN: PSISDG; ISSN: 0277-786X
 PB SPIE-The International Society for Optical Engineering
 DT Journal
 LA English
 CC 74-8 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
 Section cross-reference(s): 38
 AB We investigated polymeric materials based on polysiloxane (PSX), polymethylmethacrylate (PMMA), polyurethane (PU), as well as a triphenylamine-based glass (DRDCTA) with respect to their photorefractive properties. Elec.-field dependencies of the two-beam coupling gain, diffraction efficiencies, refractive index amplitudes and holog. rise-times could be obtained by means of two-wave mixing and degenerate four-wave mixing measurements. The examd. PSX polymer systems were composed of a photoconducting polysiloxane host doped with trinitrofluorenone (TNF) as a sensitizing moiety and various chromophores, namely, an azo deriv., a stilbene deriv. and a tolan deriv. Due to their comparatively low glass-transition temps. Tg, an orientational enhancement of the photorefractive properties was obsd. Furthermore, the influence of ***photoisomerization*** (based on trans-cis-trans cycles) on the holog. properties could be detd. for the different chromophores. In addn., a class of fully functionalized polymers with azo chromophores and ***carbazole*** -units covalently attached to PMMA- and PU-backbones was synthesized. These systems show comparatively high glass transition temps. of more than 80.degree.C. The third type of materials investigated is a glass of triphenylamine with attached ***carbazole*** and ***NLO*** -chromophore moieties. It has a glass transition temp. of 120.degree.C. For the high-Tg materials, poling procedures - essential for the photorefractive properties - could be monitored in-situ by second-harmonic generation. Abs. values for the ***nonlinear*** Pockels coeffs. .chi.(2)(-.omega.;.omega.,0) have been obtained by electro-optical measurements.
 ST photorefractive polymer real time holog diffraction; photoconducting polysiloxane host trinitrofluorenone dopant holog
 IT Testing of materials
 (nondestructive; photorefractive polymers for real-time holog.)
 IT ***Isomerization***
 (***photoisomerization*** ; photorefractive polymers for real-time holog.)
 IT Degenerate four wave mixing
 Dielectric polarization
 Holography
 Optical diffraction
 Photorefractive materials
 Refractive index
 Second-harmonic generation

Two wave mixing
 (photorefractive polymers for real-time holog.)

IT Polymers, properties
 Polysiloxanes, properties
 RL: PRP (Properties); TEM (Technical or engineered material use); USES
 (Uses)
 (photorefractive polymers for real-time holog.)

IT Polyurethanes, properties
 Polyurethanes, properties
 RL: PRP (Properties); TEM (Technical or engineered material use); USES
 (Uses)
 (polyamine-; photorefractive polymers for real-time holog.)

IT Polyamines
 Polyamines
 RL: PRP (Properties); TEM (Technical or engineered material use); USES
 (Uses)
 (polyurethane-; photorefractive polymers for real-time holog.)

IT 129-79-3 153800-56-7 198827-68-8 198827-69-9
 RL: MOA (Modifier or additive use); USES (Uses)
 (photorefractive polymers for real-time holog.)

IT 9011-14-7, Polymethylmethacrylate 150528-92-0 181427-94-1
 198827-72-4 198827-73-5 198827-75-7 198827-84-8
 RL: PRP (Properties); TEM (Technical or engineered material use); USES
 (Uses)
 (photorefractive polymers for real-time holog.)

RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD
 RE

- (1) Darracq, B; Appl Phys Lett 1997, V70(3), P292 CAPLUS
- (2) Denz, C; Opt Comm 1995
- (3) Ducharme, S; Phys Rev Lett 1991, V66(14), P1846 CAPLUS
- (4) Gunter, P; Topics in Applied Physics 1988, V61/62
- (5) Hagen, R; Journal Appl Phys 1996, V80(6), P3162 CAPLUS
- (6) Ho, M; Tech rep 1995
- (7) Khoo, I; Opt Lett 1994, V19, P1723 CAPLUS
- (8) Liphardt, M; Science 1994, V263, P367 CAPLUS
- (9) Lundquist, P; Science 1996, V274(15), P1182
- (10) Marrakchi, A; Opt Communication 1981, V38(4), P249
- (11) Meerholz, K; Nature 1994, V371, P497 CAPLUS
- (12) Moerner, W; Chem Rev 1994, V94(1), P127 CAPLUS
- (13) Moerner, W; Journal Opt Society Am B 1994, V11(2), P320 CAPLUS
- (14) Onsager, L; Phys Rev 1938, V54, P554 CAPLUS
- (15) Pfister, G; Phys Rev B 1977, V16(8), P3676 CAPLUS
- (16) Poga, C; Appl Phys Lett 1996, V69(8), P1047 CAPLUS
- (17) Sutter, K; Journal Opt Society Am B 1990, V7, P2274 CAPLUS
- (18) Teng, C; Appl Phys Lett 1990, V56, P1734 CAPLUS
- (19) Volodin, B; Nature 1996, V383, P58 CAPLUS
- (20) Walsh, C; Journal Opt Society Am B 1992, V9(9), P1642 CAPLUS
- (21) Walsh, C; Opt Lett 1993, V18(13), P1044
- (22) Yu, L; Acc Chem Research 1996, V29(1), P13 CAPLUS
- (23) Zhang, B; Adv Mater 1996, V8(2), P111
- (24) Zobel, O; Adv Mater 1995, V7(11), P911 CAPLUS
- (25) Zobel, O; Physikalische Blatter 1997, V53(4), P331 CAPLUS

L5 ANSWER 15 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1997:674996 CAPLUS

DN 127:294024

ED Entered STN: 24 Oct 1997

TI Linear and second order ***nonlinear*** optical properties of novel
 photochromic materials

AU Zinger, Baruch; Schaer, Pnina; Berkovic, Gary; Meshulam, Guilia; Kotler,
 Zvi; Shapiro, Lev; Mazor, Royi; Khodorkovsky, Vladimir

CS Nonlinear Optics Group SOREQ NRC, Yavne, 81800, Israel

SO Proceedings of SPIE-The International Society for Optical Engineering
 (1997), 3135(Precision Plastic Optics for Optical Storage, Displays,
 Imaging, and Communications), 71-78
 CODEN: PSISDG; ISSN: 0277-786X

PB SPIE-The International Society for Optical Engineering

DT Journal

LA English

CC 37-5 (Plastics Manufacture and Processing)

Section cross-reference(s): 36, 73

AB A new unique ***photochromic*** material which is based on a

reversible formation - cleavage of a C-C bond is described. The bicyclic (spiro) bindon deriv. (.lambda.max = 480 nm in toluene) undergoes photochem. and/or thermally induced ring opening to form the ***isomer*** (.lambda.max= 640 nm in toluene). This ***isomer*** form presents a conjugated donor-acceptor system and exhibits a considerable second-order optical nonlinearity as found by field induced SHG (EFISH) measurements. ***Photochromic*** conversion was also obsd. in the cryst. form indicated visually by a crystal red-to-green color change. The reversible ring opening - closure process in liq. and polymeric solns. [PMMA and poly(***vinylcarbazole***)] was studied. Optical and thermal switching and the ***NLO*** efficiency of the guest-host polymer system are described.

ST bindon dimethylaminocinnamic aldehyde ***isomer***
 photochromic conversion; ***nonlinear*** optical property
 biindantrione dimethylaminocinnamic aldehyde; solvatochromism
 photochromism indan deriv polymer host; polymethylmethacrylate
 host indantrione deriv ***NLO*** ; ***polyvinylcarbazole*** host
 indantrione deriv ***NLO***

IT ***Isomerization***
 (cis-trans, photochem. and thermally induced; linear and second order
 nonlinear optical properties of biindantrione deriv.
 photochromic material in polymer hosts)

IT Optical switching
 Photochromic materials
 Photochromism
 Second-order ***nonlinear*** optical properties
 Solvatochromism
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

IT 56-23-5, Carbon tetrachloride, uses 67-66-3, Chloroform, uses 67-68-5,
 DMSO, uses 71-43-2, Benzene, uses 75-05-8, Acetonitrile, uses
 75-09-2, uses 108-88-3, Toluene, uses 110-82-7, Cyclohexane, uses
 123-91-1, Dioxane, uses 9011-14-7, PMMA 25067-59-8, Poly(
 vinylcarbazole)
 RL: NUU (Other use, unclassified); USES (Uses)
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

IT 197023-27-1P 197023-28-2P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

IT 1707-95-5, Bindon 6203-18-5, p-(Dimethylamino)cinnamic aldehyde
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (linear and second order ***nonlinear*** optical properties of
 biindantrione deriv. ***photochromic*** material in polymer hosts)

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
 RE
 (1) Amos, A; Adv Quant Chem 1973, V7, P289 CAPLUS
 (2) Brown, G; Techniques of Chemistry 1971, VIII
 (3) Chemla, D; Nonlinear Optical Properties of Organic Molecules and Crystals
 1987, V1,2
 (4) Eltsov, A; Organic Photochromes 1990, P269
 (5) Khodorkovsky, V; Submitted for publication 1997
 (6) Lawton, W; Technometrics 1973, V13, P617
 (7) Marder, S; Materials for Nonlinear Optics: Chemical Perspectives 1991
 (8) Marder, S; Proc SPIE 1993, V1775, P19 CAPLUS
 (9) Marder, S; Science 1994, V263, P511 CAPLUS
 (10) McRae, E; J Phys Chem 1957, V61, P56
 (11) Oudar, J; J Chem Phys 1977, V66, P2664 CAPLUS
 (12) Paley, M; J Org Chem 1989, V54, P3774 CAPLUS

L5 ANSWER 16 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1997:579455 CAPLUS
 DN 127:270409
 ED Entered STN: 11 Sep 1997
 TI ***Carbazole*** -based multifunctional molecules for photorefractive
 applications
 AU Wang, Qing; Gharavi, Alireza; Li, Wenjie; Yu, Luping
 CS Department of Chemistry and James Frank Institute, The University of
 Chicago, Chicago, IL, 60637, USA
 SO Polymer Preprints (American Chemical Society, Division of Polymer

Chemistry) (1997), 38(2), 516-517
CODEN: ACPPAY; ISSN: 0032-3934
PB American Chemical Society, Division of Polymer Chemistry
DT Journal
LA English
CC 74-8 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)
AB A multifunctional ***photochromic*** mols. consist of a
carbazole part with a ***nonlinear*** optical chromophore unit
attached via an alkyl link to the N atom of the ***carbazole*** unit.
These compds. exhibit dual functions: photocond. and a second order
nonlinear optical activity. The photocharge transport and the
electrooptic functions are performed by two sep. constituents.
Photorefractive effect of ethyl(hexylsulfonylphenylazophenyl)aminododecylc
arbazole (I) was studied along with dynamic holog. recording in a film
contg. I and 0.9% of 2,4,7-trinitro-9-fluorenone.
ST photorefractive ***carbazole*** based multifunctional mol holog;
nonlinear optical substituent ***carbazole*** deriv
photorefractive
IT Holography
Photorefractive effect
Photorefractive materials
(photorefractive effect and dynamic holog. recording using
carbazole -based multifunctional mols.)
IT ***Nonlinear*** optical properties
(two beam-coupling; of photorefractive ***carbazole*** -based
multifunctional mols.)
IT 196201-41-9
RL: PRP (Properties); TEM (Technical or engineered material use); USES
(Uses)
(photorefractive effect and dynamic holog. recording using
carbazole -based multifunctional mols.)
IT 129-79-3, 2,4,7-Trinitro-9-fluorenone
RL: TEM (Technical or engineered material use); USES (Uses)
(photorefractive effect and dynamic holog. recording using
carbazole -based multifunctional mols.)
L5 ANSWER 17 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1997:501363 CAPLUS
DN 127:211660
ED Entered STN: 08 Aug 1997
TI Transient absorption spectroscopy of semiconductor nanoclusters
AU Kamat, Prashant V.
CS Radiation Lab., Univ. Notre Dame, Notre Dame, IN, 46556, USA
SO Reza Kenkyu (1997), 25(6), 417-424
CODEN: REKEDA; ISSN: 0387-0200
PB Reza Gakkai
DT Journal; General Review
LA English
CC 73-0 (Optical, Electron, and Mass Spectroscopy and Other Related
Properties)
Section cross-reference(s): 52, 66, 72, 76
AB A review with 152 refs. Transient absorption spectroscopy is convenient
to probe the photophys. and photochem. effects of semiconductor
nanoclusters and heterogeneous charge transfer events at the semiconductor
interface. The fast kinetic spectroscopy not only enables the detection
of photogenerated transients in the femtosecond to microsecond time
domain, but also enables understanding of the photophys. and photochem.
properties that are unique to semiconductor nanoclusters. For example,
this technique provided some useful kinetic and mechanistic information of
size quantization effects, ***nonlinear*** optical effects, electro
and ***photochromic*** effects, photocurrent ***generation***,
photocatalysis and ***charge*** rectification properties of
semiconductor nanoclusters. These properties are controlled by charge
sepn., charge trapping and heterogeneous charge transfer at the
semiconductor interface under UV and visible light irradiation. Some recent
developments in this area are presented.
ST transient absorption spectroscopy semiconductor nanocluster review;
optical transient absorption semiconductor nanocluster review; laser
transient absorption semiconductor nanocluster review
IT Absorption spectra
(UV and visible; transient absorption spectroscopy of semiconductor

nanoclusters)
IT UV and visible spectra
(absorption; transient absorption spectroscopy of semiconductor
nanoclusters)
IT Electron transfer
(from excited dye mols. to semiconductor nanoclusters)
IT Clusters
(nano-; transient absorption spectroscopy of semiconductor
nanoclusters)
IT Catalysts
(photochem.; transient absorption spectroscopy of semiconductor
nanoclusters)
IT Nanoparticles
Nonlinear optical properties
Quantum size effect
Semiconductor materials
(transient absorption spectroscopy of semiconductor nanoclusters)
IT Optical absorption
(transient; transient absorption spectroscopy of semiconductor
nanoclusters)

L5 ANSWER 18 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1996:703842 CAPLUS
DN 126:8885
ED Entered STN: 27 Nov 1996
TI Multiple-grating formation in photorefractive polymers with azo-dye
chromophores.
AU Smith, M. A.; King, N. R.; Mitchell, G. R.; O'Leary, S. V.
CS J. J. Thomson Physical Laboratory, University Reading, Reading, RG6 6AF,
UK
SO Proceedings of SPIE-The International Society for Optical Engineering
(1996), 2850(Organic Photorefractive Materials and Xerographic
Photoreceptors), 14-21
CODEN: PSISDG; ISSN: 0277-786X
PB SPIE-The International Society for Optical Engineering
DT Journal
LA English
CC 36-5 (Physical Properties of Synthetic High Polymers)
Section cross-reference(s): 73
AB Photorefractive polymers which incorporate azo-dyes as the ***non*** -
linear chromophore element, can be used not only for generating
gratings by the photorefractive effect, but also by
photoisomerization of the azo-dye. In the latter mechanism,
repeated trans-cis ***isomerization*** causes the chromophore mols. to
become aligned at right angles to the laser polarization direction,
thereby making the material birefringent. These two phenomena are to a
large degree independent, and can be studied sep., by appropriate choice
of polarization direction of the interacting beams. Furthermore, the
diffraction efficiency of the photorefractive gratings is a very sensitive
function of the poling field strength, while that of the
photoisomerization gratings is less so. In this work, we
investigate the components diffracted from each of these grating formed in
a hybrid photorefractive polymer material PVK:TNF:DEACST:disperse red 1.
We then explore the possibility of performing some simple optical
processing applications, exploiting the flexibility provided by this
multiple grating process. A scheme for producing a novelty filter, which
displays only the moving parts of a scene is considered. The limitations
of these films for such processing applications are discussed.
ST grating multiple photorefractive polymer; azo dye chromophore polymer
grating
IT Diffraction gratings
(multiple-grating formation in photorefractive polymers with azo-dye
chromophores)
IT Photorefractive materials
RL: PRP (Properties)
(multiple-grating formation in photorefractive polymers with azo-dye
chromophores)
IT ***Isomerization***
(***photoisomerization*** ; multiple-grating formation in
photorefractive polymers with azo-dye chromophores)
IT 2872-52-8, Disperse RED1 25067-59-8, Poly(N- ***vinylcarbazole***)
119516-33-5, 4-N,N-Diethylamino-(E)-cinnamionitrile

RL: PRP (Properties)
(multiple-grating formation in photorefractive polymers with azo-dye chromophores)

L5 ANSWER 19 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1996:422405 CAPLUS
DN 125:71414
ED Entered STN: 18 Jul 1996
TI Photochemistry and Photophysics of Liquid Interfaces by Second Harmonic Spectroscopy
AU Eienthal, K. B.
CS Department of Chemistry, Columbia University, New York, NY, 10027, USA
SO Journal of Physical Chemistry (1996), 100(31), 12997-13006
CODEN: JPCHAX; ISSN: 0022-3654
PB American Chemical Society
DT Journal; General Review
LA English
CC 74-0 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
Section cross-reference(s): 66
AB The study of photochem. and photophys. processes at various liq. interfaces using second harmonic generation methods is described. Among the topics discussed are the dynamics of photoinduced structure changes, the ***transport*** of ***charge*** across an interface, the rotational motions of interfacial mols., intermol. energy transfer within the interface, interfacial photopolymer., and photoprocesses at a semiconductor/liq. interface. A review with 107 refs.
ST review photochemistry photophysics liq interface; second harmonic spectroscopy liq interface review
IT Energy transfer
Interface
Photochemistry
(photochem. and photophysics of liq. interfaces by second harmonic spectroscopy)
IT Electron exchange and Charge transfer
Isomerization
Polymerization
(photochem., photochem. and photophysics of liq. interfaces by second harmonic spectroscopy)
IT Optical ***nonlinear*** property
(second-harmonic generation, photochem. and photophysics of liq. interfaces by second harmonic spectroscopy)

L5 ANSWER 20 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1995:859398 CAPLUS
DN 123:269408
ED Entered STN: 17 Oct 1995
TI ***Nonlinear*** optical properties of organic MIS structures
AU Charra, Fabrice
CS DEIN-SPE, Centre d'Etudes de Saclay, Gif-sur-Yvette, F-91 191, Fr.
SO MCLC S&T, Section B: Nonlinear Optics (1995), 10(1-4), 287-94
CODEN: MCLOEB; ISSN: 1058-7268
PB Gordon & Breach
DT Journal; General Review
LA English
CC 73-0 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
AB An important particularity of org. semiconductors is their strong coupling between ***charge*** - ***transport*** and optical properties. By applying a voltage on a Metal-Insulator-Semiconductor (MIS) structure charges can be injected in the semiconductor under well-controlled conditions. Based on these principles, new mechanisms of electrooptic coupling and all-optical coupling (i.e., ***nonlinear*** optical) phenomena appear in org. MIS devices. The use of these properties for the characterization of ***charge*** - ***transport*** and for light-modulating devices are discussed. The example of the assocn. in a MIS structure of electrooptic coupling and photo-cond. is discussed. It leads to a new type of elec.-controlled ***photochromic*** device. A review with 16 refs.
ST ***nonlinear*** optical property org MIS review
IT Electrooptical effect
Optical ***nonlinear*** property

(***nonlinear*** optical properties and electrooptical effect of org. MIS structures)

IT Optical instruments
(modulators, ***nonlinear*** optical properties and electrooptical effect of org. MIS structures used in modulators)

L5 ANSWER 21 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1995:228102 CAPLUS
DN 122:200855
ED Entered STN: 06 Dec 1994
TI Novel second harmonic ***generation*** from intermolecular
charge -transfer complexes of styrylpyridinium salts in the crystalline state

AU Sakaguchi, Hiroshi; Nagamura, Toshihiko; Kodama, Masahiro; Nishiyama, Nobuaki; Sakashita, Hirofumi; Matsuo, Taku
CS Crystalline Films Lab., Shizuoka Univ., Hamamatsu, 432, Japan
SO Molecular Crystals and Liquid Crystals Science and Technology, Section A: Molecular Crystals and Liquid Crystals (1994), 255, 121-9
CODEN: MCLCE9; ISSN: 1058-725X
PB Gordon & Breach
DT Journal
LA English
CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
Section cross-reference(s): 73

AB Novel second harmonic generation (SHG) was obsd. from the cryst. powder of the ion-pair charge-transfer (CT) complexes consisting of 1-methyl-4-(4-nitrostyryl)pyridinium as an acceptor and tetraphenylborate as a donor. The second harmonic light intensity dramatically decreased upon excitation of a CT band due to the photoinduced electron transfer from tetraphenylborate to styrylpyridinium moiety. These results strongly suggested that the CT transition in the ion-pair complexes would cause SHG. The cryst. structure of an ion-pair CT complex of 1-methyl-4-(4-cyanostyryl)pyridinium tetraphenylborate which also exhibited strong SHG was investigated to elucidate the mechanism of the SHG in the ion-pair CT complex system.

ST styrylpyridinium salt charge transfer complex photophys; second harmonic generation styrylpyridinium ion pair; ***nonlinear*** optical property styrylpyridinium salt; photochem control second harmonic generation

IT ***Photochromism***
(of intermol. charge-transfer complexes of styrylpyridinium salts in cryst. state)

IT Crystal structure
(of ion-pair charge-transfer complex of methyl(cyanostyryl)pyridinium tetraphenylborate)

IT Electron exchange and Charge transfer
(photochem., novel second harmonic ***generation*** from intermol. ***charge*** -transfer complexes of styrylpyridinium salts in cryst. state)

IT Optical ***nonlinear*** property
(second-harmonic generation, novel second harmonic ***generation*** from intermol. ***charge*** -transfer complexes of styrylpyridinium salts in cryst. state)

IT 161859-28-5, 1-Methyl-4-(4-cyanostyryl)pyridinium tetraphenylborate
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(novel second harmonic generation and crystal structure of)

IT 140651-15-6, 1-Methyl-4-(4-nitrostyryl)pyridinium tetraphenylborate
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(novel second harmonic ***generation*** from intermol. ***charge*** -transfer complexes of styrylpyridinium salts in cryst. state)

IT 140651-16-7, 1-Methyl-4-(4-nitrostyryl)pyridinium methylbenzenesulfonate
140651-17-8, 1-Methyl-4-(4-nitrostyryl)pyridinium perchlorate
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(novel second harmonic ***generation*** from intermol. ***charge*** -transfer complexes of styrylpyridinium salts in cryst. state in relation to)

AN 1994:165686 CAPLUS
DN 120:165686
ED Entered STN: 02 Apr 1994
TI Electric field dependence of the laser induced holographic grating relaxation of photorefractive polymer
AU Wang, C. H.; Ma, R. J.; Zhang, X. Q.; Ducharme, S.; Takacs, J. M.
CS Univ. Nebraska, Lincoln, NE, USA
SO Report (1992), Order No. AD-A252641, 10 pp. Avail.: NTIS
From: Gov. Rep. Announce. Index (U. S.) 1992, 92(20), Abstr. No. 256,369
DT Report
LA English
CC 37-5 (Plastics Manufacture and Processing)
AB Laser-induced holog. grating relaxation (HGR) electrooptical (EO) and second harmonic generation (SHG) studies were carried out in a guest/host system subjected to an external elec. field with and without the presence of a ***hole*** ***transport*** agent. The guest was NNI, which has a moderate second-order ***nonlinear*** optical coeff., the host was PMMA, and the ***hole*** ***transport*** agent was DEH. In the presence of DEH, the lifetime of the cis ***isomer*** of NNI detected by using the HGR technique is lengthened by the application of an elec. field of moderate strength. The field dependence effect is not obsd. when DEH is absent in the sample. The result is interpreted as due to the stabilization of the cis ***isomer*** by the elec. field polarized DEH. The data obtained from SHG and EO measurements appear to corroborate the HGR result.
ST elec field holog grating relaxation; photorefractive PMMA grating relaxation laser
IT Holography
(diffraction gratings, photorefractive PMMA, laser induced relaxation of, elec. field effect on)
IT Diffraction gratings
(holog., photorefractive PMMA, laser induced relaxation of, elec. field effect on)
IT Optical materials
(***nonlinear*** , composite with PMMA, holog. gratings, laser induced relaxation of, elec. field effect on)
IT 9011-14-7, PMMA
RL: PRP (Properties)
(contg. ***nonlinear*** optical compd. and ***hole*** ***transport*** agent, elec. field effect on laser-induced holog. grating relaxation of)

L5 ANSWER 23 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1993:243976 CAPLUS
DN 118:243976
ED Entered STN: 12 Jun 1993
TI The electric field dependence of the laser induced holographic grating relaxation of a photorefractive polymer
AU Wang, C. H.; Ma, R. J.; Zhang, X. Q.; Ducharme, Stephen; Takacs, J. M.
CS Dep. Chem., Univ. Nebraska, Lincoln, NE, 68588-0304, USA
SO Proceedings of SPIE-The International Society for Optical Engineering (1993), 1775(Nonlinear Optical Properties of Organic Materials V), 262-70
CODEN: PSISDG; ISSN: 0277-786X
DT Journal
LA English
CC 73-10 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
AB Laser induced holog. grating relaxation (HGR), electro-optical (EO) and second harmonic generation (SHG) studies were carried out in a guest/host system subject to an external elec. field with and without the presence of a ***hole*** ***transport*** agent. The guest is 1-(4-nitrophenylazo) 2-naphthyl isobutyrate (NNI), which has moderate second order ***nonlinear*** optical (***NLO***) coeff., the host is PMMA and the ***hole*** ***transport*** agent is p-diethylaminobenzaldehyde diphenylhydrazone (DEH). In the presence of DEH, the lifetime of the cis ***isomer*** of NNI detected by using the HGR technique is lengthened by the application of an elec. field of moderate strength. The field dependence effect is not obsd. when DEH is absent in the sample. The result is interpreted as due to the stabilization of the cis- ***isomer*** by the elec. field polarized DEH. The data obtained from SHG and EO measurements appear to corroborate the HGR result.

ST laser holog grating relaxation photorefractive polymer; elec field
dependence holog grating relaxation

IT Holography
(grating relaxation of photorefractive polymer, elec. field dependence
of laser-induced)

IT Polymers, properties
RL: PRP (Properties)
(holog. grating relaxation of photorefractive, elec. field dependence
of laser-induced)

IT Electrooptical effect
Optical ***nonlinear*** property
(of photorefractive polymer, elec. field dependence of laser-induced
holog. grating relaxation in relation to)

IT Laser radiation
(second harmonic generation of, of photorefractive polymer, elec. field
dependence of laser-induced holog. grating relaxation in relation to)

IT Holography
(diffraction gratings, relaxation of photorefractive polymer, elec.
field dependence of laser-induced)

IT Diffraction gratings
(holog., relaxation of photorefractive polymer, elec. field dependence
of laser-induced)

IT 9011-14-7, Poly(methyl methacrylate)
RL: USES (Uses)
(holog. grating relaxation of doped photorefractive, elec. field
dependence of laser-induced)

IT 147598-52-5
RL: USES (Uses)
(holog. grating relaxation of photorefractive polymer doped with, elec.
field dependence of laser-induced)

IT 68189-23-1, p-Diethylaminobenzaldehyde diphenylhydrazone
RL: USES (Uses)
(holog. grating relaxation of photorefractive polymer in presence of,
elec. field dependence of laser-induced)

L5 ANSWER 24 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1992:215488 CAPLUS

DN 116:215488

ED Entered STN: 31 May 1992

TI Photorefractivity in doped ***nonlinear*** organic polymers

AU Moerner, W. E.; Walsh, C.; Scott, J. C.; Ducharme, S.; Burland, D. M.;
Bjorklund, G. C.; Twieg, R. J.

CS Almaden Res. Cent., IBM, San Jose, CA, 95120-6099, USA

SO Proceedings of SPIE-The International Society for Optical Engineering
(1991), 1560(Nonlinear Opt. Prop. Org. Mater. 4), 278-89

CODEN: PSISDG; ISSN: 0277-786X

DT Journal

LA English

CC 37-5 (Plastics Manufacture and Processing)

Section cross-reference(s): 38, 73

AB The properties of a new class of materials exhibiting the photorefractive
effect, doped optical ***nonlinear*** org. polymers, are described.
Photorefraction (at 647.1 nm) is established by a combination of hologram
erasability, correlation with photocond. and electrooptic response, and
enhancement by external fields in numerous samples (178-533 .mu.m thick)
of 2 ***nonlinear*** epoxy materials doped with ***hole***
transport agents based on p-(diethylamino)benzaldehyde
diphenylhydrazone. Diffraction efficiencies .ltoreq.0.1% are obsd. at
bias fields near 100 kV/cm. A useful property of these materials is that
poling of the ***nonlinear*** chromophores is partially reversible,
permitting partial control of the grating readout independent of the
space-charge field formed. The polarization anisotropy of grating readout
is consistent with the photorefractive mechanism. Two-beam coupling
measurements of both absorption and index gratings show (a) the absorption
gratings are .simeq.10 times smaller than the index gratings, and (b) the
phase shift of the index grating is near 90.degree., which cannot occur
via ***photochromism***, heating, or any other process except
photorefractivity.

ST photorefractivity doped ***nonlinear*** epoxy resin; ***hole***

transport agent epoxy photorefractivity

IT Electrooptical effect

(of epoxy resins contg. ***hole*** ***transport*** agents,

photorefractivity in relation to)
 IT Epoxy resins, properties
 RL: PRP (Properties)
 (photorefractivity of ***nonlinear*** optical, doped with
 hole ***transport*** agents)
 IT Optical materials
 (***nonlinear*** , epoxy resins doped with ***hole***
 transport agents, photorefractivity of)
 IT 68189-23-1 83890-47-5
 RL: PRP (Properties)
 (***hole*** ***transport*** agents, ***nonlinear*** optical
 epoxy resins doped with, photorefractivity of)
 IT 125061-60-1 128611-17-6
 RL: PRP (Properties)
 (photorefractivity of ***nonlinear*** optical, doped with
 hole ***transport*** agents)

L5 ANSWER 25 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1992:193573 CAPLUS
 DN 116:193573
 ED Entered STN: 16 May 1992
 TI Novel second harmonic ***generation*** from intermolecular
 charge -transfer complexes of styrylpyridinium tetraphenylborate
 AU Sakaguchi, Hiroshi; Nagamura, Toshihiko; Matsuo, Taku
 CS Res. Inst. Electron., Shizuoka Univ., Hamamatsu, 432, Japan
 SO Journal of the Chemical Society, Chemical Communications (1992), (3),
 209-10
 CODEN: JCCCAT; ISSN: 0022-4936
 DT Journal
 LA English
 CC 22-9 (Physical Organic Chemistry)
 AB Strong second harmonic light was obsd. for the first time from intermol.
 ion-pair charge-transfer complexes of nitrostyrylpyridinium
 tetraphenylborate, the intensity of which decreased on irradiation at
 wavelengths longer than 370 nm to induce charge separation.
 ST second harmonic generation styrylpyridinium; charge transfer complex
 second harmonic generation
 IT Electron exchange and Charge transfer
 (in salts of styrylpyridinium, second harmonic generation in relation
 to)
 IT ***Photochromism***
 (of methyl(nitrostyryl)pyridinium tetraphenylborate)
 IT Optical ***nonlinear*** property
 (harmonic ***generation*** , second, from ***charge*** -transfer
 complexes of styrylpyridinium)
 IT Electron exchange and Charge transfer
 (photochem., in methyl(nitrostyryl)pyridinium tetraphenylborate)
 IT 140651-15-6 140651-16-7 140651-17-8
 RL: PRP (Properties)
 (ion-pair charge-transfer complex, second harmonic generation from)

L5 ANSWER 26 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1990:580415 CAPLUS
 DN 113:180415
 ED Entered STN: 09 Nov 1990
 TI Non-equilibrium charge transfer and low-temperature photorefractive
 effects
 AU Nolte, David D.; Glass, Alastair M.
 CS AT and T Bell Lab., Murray Hill, NJ, 07974, USA
 SO Optical and Quantum Electronics (1990), 22(Spec. Issue), S47-S60
 CODEN: OQELDI; ISSN: 0306-8919
 DT Journal
 LA English
 CC 73-2 (Optical, Electron, and Mass Spectroscopy and Other Related
 Properties)
 AB Defects and ***charge*** ***transport*** play crit. roles in the
 photorefractive behavior of electrooptic materials. Thus the
 photorefractive effect can be used as a noninvasive optical probe at the
 electronic properties of these materials. Low temp. photorefractive
 spectroscopy has revealed new insight into carrier trapping and deep level
 defects in semiinsulating InP and GaAs.
 ST nonequilibrium charge transfer gallium arsenide; photorefractive effect indium

phosphide
IT Optical diffraction
. (for iron-doped indium phosphide)
IT Crystal defects
. (in electrooptical materials, photorefractive study of)
IT Electron exchange
(nonequil., in semiinsulating gallium arsenide and indium phosphide)
IT ***Photochromism***
(of chromium-doped gallium arsenide)
IT Trapping and Traps
(of current carriers in semiinsulating gallium arsenide and indium phosphide)
IT Optical materials
(electro-, photorefractive behavior in)
IT Optical ***nonlinear*** property
(four-wave mixing, of chromium-doped gallium arsenide)
IT Electric current carriers
(nonequil., in electrooptical materials)
IT 1303-00-0, Gallium arsenide, properties
RL: PRP (Properties)
(nonequil. charge transfer and low temp. photorefractive effects in chromium-contg.)
IT 7439-89-6, Iron, properties
RL: PRP (Properties)
(nonequil. charge transfer and low temp. photorefractive effects in indium phosphide contg.)
IT 22398-80-7, Indium phosphide, properties
RL: PRP (Properties)
(nonequil. charge transfer in low temp. photorefractive effects in iron-contg.)
IT 7440-47-3, Chromium, properties
RL: PRP (Properties)
(***nonlinear*** charge transfer and low temp. photorefractive effects in gallium arsenide contg.)

L5 ANSWER 27 OF 27 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1967:453488 CAPLUS
DN 67:53488
ED Entered STN: 12 May 1984
TI Configuration of vinyl radicals. -The generation and trapping of each member of a configurationally ***isomeric*** pair of vinyl radicals
AU Sargent, G. Dann; Browne, M. Warren
CS Amherst Coll., Amherst, MA, USA
SO Journal of the American Chemical Society (1967), 89(11), 2788-90
CODEN: JACSAT; ISSN: 0002-7863
DT Journal
LA English
CC 22 (Physical Organic Chemistry)
AB ***Isomeric*** vinyl free radicals were generated by treating Na naphthalenide with cis- and trans-3-chloro-3-hexene at 0.degree. and 27.degree. using tetrahydrofuran and 1,2-dimethylethane as solvents. The only detectable products were cis- and trans-3-hexene in 98% yield with the trans ***isomer*** predominating. Since these results excluded the possibility of a single linear sp radical or 2 ***isomeric***, configurationally stable, ***nonlinear*** sp2 vinyl free radicals, it was concluded that the initial ***charge*** -transfer reaction ***generates*** a ***nonlinear*** vinyl radical which is capable of facile inversion at the radical site, but the radical is trapped before complete equilibration with its configurational ***isomer*** is achieved. A mechanism by which the interconverting free radical can be trapped is postulated.

ST CONFIGURATION VINYL RADICALS; RADICALS VINYL CONFIGURATION; VINYL RADICALS CONFIGURATION
IT Stereochemistry
(of naphthylsodium reaction with (E)- and (Z)-3-chloro-3-hexenes)
IT 3481-12-7
RL: PRP (Properties)
(reaction with 3-chloro-3-hexenes, stereochemistry of)
IT 17226-34-5 17226-35-6
RL: PRP (Properties)
(reaction with naphthylsodium, stereochemistry of)
IT 17326-77-1 17440-31-2

RL: PRP (Properties)
(stereochemistry of)

=> d kis

(FILE 'HOME' ENTERED AT 08:49:00 ON 14 NOV 2005)

0

FILE 'CAPLUS' ENTERED AT 08:49:10 ON 14 NOV 2005

L1 197907 S (NLO OR NONLINEAR OR (NON(3A)LINEAR) OR HYPERPOLARIZ?)
L2 57950 S (((CHARGE OR HOLE) (3A) (TRANSPORT? OR GENERAT?)) OR CARBAZOLE
L3 1293 S L1 AND L2
L4 369617 S (PHOTOCHROM? OR DIARYLETHANE OR DIHETEROARYLETHANE OR SPIROPY
L5 27 S L3 AND L4

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
161.82	162.03

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-35.04	-35.04

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 08:53:59 ON 14 NOV 2005

\$%^STN;HighlightOn= ***;HighlightOff=*** ;

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal756mja

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,
STN AnaVist, now available
NEWS 4 AUG 11 STN AnaVist workshops to be held in North America
NEWS 5 AUG 30 CA/Caplus -Increased access to 19th century research documents
NEWS 6 AUG 30 CASREACT - Enhanced with displayable reaction conditions
NEWS 7 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS 8 OCT 03 MATHDI removed from STN
NEWS 9 OCT 04 CA/Caplus-Canadian Intellectual Property Office (CIPO) added
to core patent offices
NEWS 10 OCT 06 STN AnaVist workshops to be held in North America
NEWS 11 OCT 13 New CAS Information Use Policies Effective October 17, 2005
NEWS 12 OCT 17 STN(R) AnaVist(TM), Version 1.01, allows the export/download
of Caplus documents for use in third-party analysis and
visualization tools
NEWS 13 OCT 27 Free KWIC format extended in full-text databases
NEWS 14 OCT 27 DIOGENES content streamlined
NEWS 15 OCT 27 EPFULL enhanced with additional content

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:05:32 ON 14 NOV 2005

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 10:05:38 ON 14 NOV 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1995), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Nov 2005 VOL 143 ISS 21
FILE LAST UPDATED: 13 Nov 2005 (20051113/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s (diarylethene or perfluorocyclopentene)

498 DIARYLETHENE

262 DIARYLETHENES

594 DIARYLETHENE

(DIARYLETHENE OR DIARYLETHENES)

351 PERFLUOROCYCLOPENTENE

29 PERFLUOROCYCLOPENTENES

361 PERFLUOROCYCLOPENTENE

(PERFLUOROCYCLOPENTENE OR PERFLUOROCYCLOPENTENES)

L1 828 (DIARYLETHENE OR PERFLUOROCYCLOPENTENE)

=> s l1 and (nlo or nonlinear or hyperpolariz? or non(2a)linear)

5079 NLO

8 NLOS

5082 NLO

(NLO OR NLOS)

163729 NONLINEAR

2 NONLINEARS

163731 NONLINEAR

(NONLINEAR OR NONLINEARS)

19775 HYPERPOLARIZ?

755839 NON

34 NONS

755866 NON

(NON OR NONS)

556631 LINEAR

55 LINEARS

556655 LINEAR

(LINEAR OR LINEARS)

20191 NON(2A)LINEAR

L2 14 L1 AND (NLO OR NONLINEAR OR HYPERPOLARIZ? OR NON(2A)LINEAR)

=> d all 1-14

L2 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:1076322 CAPLUS

ED Entered STN: 07 Oct 2005

TI Molecular orientation by two-photon absorption

AU Ishitobi, H.; Maeda, M.; Sekkat, Z.; Kawata, S.

CS Osaka Univ., Japan

SO Proceedings of SPIE-The International Society for Optical Engineering
(2005), 5935(Linear and Nonlinear Optics of Organic Materials V), 125-132
CODEN: PSISDG; ISSN: 0277-786X

PB SPIE-The International Society for Optical Engineering

DT Journal

LA English

CC 73 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

AB We demonstrate that two-photon induced mol. orientation of

diarylethene (DE) in thin films of poly-methyl-methacrylate (PMMA)

and multi-photon induced anisotropic bleaching of disperse red one (DR1).

We confirmed that two-photon absorption was induced in DE by measuring the quadratic dependence of isomerization rate on excitation light power, and we obsd. two-photon photo-orientation of DE in dichroic absorbance.

Disperse red one (DR1) was orientationally bleached in PMMA by polarized multi-photon excitation. Anisotropic refractive index changes result from

the ***nonlinear*** photobleaching of DR1 was detected by a polarization confocal microscope, and bit-oriented data storage was demonstrated.

L2 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:1076285 CAPLUS

ED Entered STN: 07 Oct 2005

TI Photoreactive third-harmonic generation via either one- or two-photon excitation in ***diarylethene*** -polymethylmethacrylate polymer thin films: theory and experiment

AU Lin, Jian Hung; Lai, Ngoc Diep; Wang, Wei Lin; Hsu, Chia Chen

CS National Chung Cheng Univ., Taiwan

SO Proceedings of SPIE-The International Society for Optical Engineering (2005), 5935(Linear and Nonlinear Optics of Organic Materials V), 262-272
CODEN: PSISDG; ISSN: 0277-786X

PB SPIE-The International Society for Optical Engineering

DT Journal

LA English

CC 73 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

AB Photoreactive third-harmonic (TH) generation at 355 nm in ***diarylethene*** - polymethylmethacrylate (DE-PMMA) polymer thin films is obtained by either one- or two-photon excitation. TH intensity generated from a DE-PMMA polymer thin film decreases, when it is pumped by either 325 nm or 442 nm, which change mol. structure of DE mols. from open-form (A form) to closed-form (B form). TH intensity recovers to its original intensity level, after all B form DE mols. return to A form induced by 532 nm or 1064 nm laser irradiation. The experimental results reveal that the second-order ***hyperpolarizability*** (γ) of A form mols. may be larger than that of B form mols. Moreover, TH output efficiency is independent of the angle between the pump and probe polarization directions. Those experimental results were explained by using a photoinduced isomerization theory based angular hole burning and angular redistribution mechanisms for two-dimensional structure of DE mols. including the two-photon absorption effect of B form. The simulation results are consistent with those of optical pumping TH experiment.

L2 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:297329 CAPLUS

ED Entered STN: 07 Apr 2005

TI Optical manipulation of third-harmonic generation via either one- or two-photon excitation in ***diarylethene*** -polymethylmethacrylate polymer thin films

AU Lai, N. D.; Wang, W. L.; Lin, J. H.; Hsu, C. C.

CS Department of Physics, National Chung Cheng University, Ming Hsiung, Taichung, Taiwan

SO Applied Physics B: Lasers and Optics (2005), 80(4-5), 569-572

CODEN: APBOEM; ISSN: 0946-2171

PB Springer GmbH

DT Journal

LA English

CC 73 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

AB Optical manipulation of third harmonic (TH) generation in ***diarylethene*** -polymethylmethacrylate (DE-PMMA) polymer thin films is obtained by either one- or two-photon excitation. TH intensity generated from a DE-PMMA polymer thin film decreases, when it is pumped by either 325 nm or 442 nm laser irradiation, which changes the mol. structure of DE mols. from an open-form (A form) to a closed-form (B form). TH intensity recovers to its original intensity level when all B form DE mols. return to an A form after being induced by either 532 nm or 1064 nm laser irradiation. The experimental results reveal that the second-order ***hyperpolarizability*** (γ) of the A form mols. may be larger than that of the B form mols. Moreover, TH output efficiency is independent of the angle between the pump and probe polarization directions. This result is attributed to the two-dimensional structure of DE mols.

RE.CNT 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Churikov, V; Appl Phys Lett 2000, V77, P2095 CAPLUS

(2) Delaire, J; Mol Cryst and Liq Cryst 2000, V345, P233 CAPLUS

(3) Hoshino, M; J PhotoChem PhotoBiol A: Chem 1997, V105, P75 CAPLUS

(4) Irie, M; Chem Rev 2000, V100, P1685 CAPLUS

(5) Irie, M; J Org Chem 1988, V53, P803 CAPLUS

- (6) Irie, M; Science 2001, V291, P1769 CAPLUS
- (7) Ishitobi, H; Chem Phys Lett 1999, V300, P421 CAPLUS
- (8) Ishitobi, H; J Am Chem Soc 2000, V122, P12802 CAPLUS
- (9) Murase, S; Macromolecules 2003, V36, P964 CAPLUS
- (10) Sekkat, Z; J Phys Chem B 1997, V101, P4733 CAPLUS
- (11) Sekkat, Z; Opt Commun 2003, V222, P269 CAPLUS
- (12) Sekkat, Z; Opt Commun 2004, V229, P291 CAPLUS
- (13) Sekkat, Z; Photoreactive Organic Thin Films 2002
- (14) Sekkat, Z; Synth Met 1993, V54, P373 CAPLUS
- (15) Tian, H; Chem Soc Rev 2004, V33, P85 CAPLUS
- (16) Toriumi, A; Opt Lett 1998, V23, P1924

L2 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:122207 CAPLUS

ED Entered STN: 11 Feb 2005

TI Investigation of novel two-photon ***diarylethene*** for 3D optical data storage

AU Zhang, Fushi; Xu, Fengying; Sun, Fan; Zhao, Funqun; Liu, Xuedong; Huang, Wenhao

CS Key lab of Organic Optoelectronics & Molecular Engineering of Ministry of Education, Department of Chemistry, Tsinghua Univ., Beijing, 100084, Peop. Rep. China

SO Proceedings of SPIE-The International Society for Optical Engineering (2005), 5643(Advances in Optical Data Storage Technology), 1-4
CODEN: PSISDG; ISSN: 0277-786X

PB SPIE-The International Society for Optical Engineering

DT Journal

LA English

CC 74 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

AB 3D optical data storage can benefit from the ***non*** - ***linear*** process of two-photon absorption (TPA). If some chromophores with large TPA cross section are introduced into the ***diarylethene*** to enhance its two-photon absorptivities, it is expected to be good recording media for 3D optical data storage. The authors have synthesized four diarylperfluorocyclopentene (DPFCP) derivatives for the purpose of developing two-photon 3D optical data storage. The ***nonlinear*** two-photon absorption (TPA) properties of the compds. were examd., and the reaction and excited state relaxation dynamics after two-photon excitation were investigated. The TPA cross sections of 2-position DPFCPs were measured by means of TPIF (two-photon induced fluorescence) method, and the highest is 48.times.10-50cm4.cntdot.s.cntdot.photo-1.cntdot.mol.-1. The compds. were successfully applied in two-photon 3D optical data storage based on single beam two-photon femtosecond writing and one-photon fluorescence reading. Ten-layer clear images on DPFCP/PMMA film were obtained, and the data storage d. is high to 2.0.times.1011 bits/cm3.

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Day, D; Applied Optics 1998, V37, P6299 CAPLUS
- (2) Day, D; Opt Lett 1999, V24, P948 CAPLUS
- (3) Dvornikov, A; SPIE 1999, V3802, P192 CAPLUS
- (4) Hunter, S; Applied Optics 1990, V29, P2058
- (5) Mukherjee, N; Appl Phys Lett 1997, V70(12), P1524 CAPLUS
- (6) Oulianov, D; Optics Communications 2001, V191, P235 CAPLUS

L2 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:508008 CAPLUS

DN 141:61849

ED Entered STN: 24 Jun 2004

TI Compact light-controlled optical waveguide modulator devices and their operation

IN Fukutome, Masato

PA Kyocera Corp., Japan

SO Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM G02F001-313

ICS C09K009-02; G02F001-361; G02F001-365; G03C001-73

CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP '2004177623	A2	20040624	JP 2002-343009	20021126
PRAI	JP 2002-343009		20021126		

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
	JP 2004177623	ICM	G02F001-313
		ICS	C09K009-02; G02F001-361; G02F001-365; G03C001-73
	JP 2004177623	FTERM	2H123/AA00; 2H123/AA10; 2K002/AB09; 2K002/AB12; 2K002/BA01; 2K002/CA05; 2K002/DA06; 2K002/DA08; 2K002/GA07; 2K002/HA16; 2K002/HA20
AB	The devices consist of substrates, optical modulators, and optical waveguides for light irradiation on the optical modulators.		
ST	optical waveguide modulator light irradiation control PMMA; ***nonlinear*** optical material PMMA dye modulator; ***diarylethene*** photochromic photoresponse organic glass modulator		
IT	***Nonlinear*** optical materials Optical modulators Optical waveguides (compact light-controlled optical waveguide modulator devices and their operation)		
IT	Photochromic materials (***diarylethene*** -based; compact light-controlled optical waveguide modulator devices and their operation)		
IT	Organic glasses RL: DEV (Device component use); USES (Uses) (photoresponse; compact light-controlled optical waveguide modulator devices and their operation)		
IT	9011-14-7, Poly(methyl methacrylate) RL: DEV (Device component use); USES (Uses) (compact light-controlled optical waveguide modulator devices and their operation)		
IT	7782-41-4, Fluorine, uses RL: DEV (Device component use); MOA (Modifier or additive use); USES (Uses) (dopant; compact light-controlled optical waveguide modulator devices and their operation)		
IT	9011-14-7D, Poly(methyl methacrylate), reaction products with dyes RL: DEV (Device component use); USES (Uses) (***nonlinear*** optical material; compact light-controlled optical waveguide modulator devices and their operation)		
L2	ANSWER 6 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN		
AN	2003:686974 CAPLUS		
DN	139:371499		
ED	Entered STN: 03 Sep 2003		
TI	Reversible switching of molecular ***nonlinear*** optical properties of photochromic ***diarylethene*** systems		
AU	Bertarelli, C.; Gallazzi, M. C.; Lucotti, A.; Zerbi, G.		
CS	Dipartimento di Chimica, Materiali e Ingegneria Chimica "G. Natta", Politecnico di Milano, Milan, 20133, Italy		
SO	Synthetic Metals (2003), 139(3), 933-935 CODEN: SYMEDZ; ISSN: 0379-6779		
PB	Elsevier Science B.V.		
DT	Journal		
LA	English		
CC	73-10 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)		
AB	The vibrational contribution to the 3rd-order mol. ***hyperpolarizability***, γ , of dithienylethenes in the two isomeric forms were measured, revealing that a large change in ***nonlinear*** optical (***NLO***) response accompanies the photochromic process, thus opening a window on the possibility of application of such systems as switching ***NLO*** materials. The variation of γ which accompanies the photochromic process is strongly dependent on the mol. design and the electronic effect of the substituents. Also, the closed form of ***diarylethene*** bearing strong electro-donor substituent in 5,5'-positions on thiophene ring exhibits large γ .		
ST	reversible switching ***nonlinear*** optical property ***hyperpolarizability*** photochromism ***diarylethene***		

IT Third-order ***nonlinear*** optical properties
 (***hyperpolarizability*** ; reversible switching of mol.
 nonlinear optical properties of photochromic
 diarylethene systems)

IT Molecular vibration
 Nonlinear optical properties
 Photochromism
 Raman spectra
 (reversible switching of mol. ***nonlinear*** optical properties of
 photochromic ***diarylethene*** systems)

IT Optical switching
 (switching; reversible switching of mol. ***nonlinear*** optical
 properties of photochromic ***diarylethene*** systems)

IT Optical ***hyperpolarizability***
 (third-order; reversible switching of mol. ***nonlinear*** optical
 properties of photochromic ***diarylethene*** systems)

IT 156686-76-9 182003-69-6 620990-06-9
 RL: PRP (Properties)
 (reversible switching of mol. ***nonlinear*** optical properties of
 photochromic ***diarylethene*** systems)

RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Bertarelli, C; Chem Phys Lett 2002, V359, P278 CAPLUS
- (2) Bishop, D; Rev Mod Phys 1990, V62, P343 CAPLUS
- (3) Castiglioni, C; J Mol Struct 2000, V521, P137 CAPLUS
- (4) Castiglioni, C; J Raman Spectrosc 1993, V24, P485 CAPLUS
- (5) Castiglioni, C; Solid State Commun 1992, V82, P13 CAPLUS
- (6) Del Zoppo, M; Handbook of Conducting Polymers, second ed 1998, P765
- (7) Del Zoppo, M; J Appl Polym Sci 1998, V70, P1311 CAPLUS
- (8) Delaire, J; Chem Rev 2000, V100, P1817 CAPLUS
- (9) Flytzanis, C; Phys Rev B 1972, V6, P1264 CAPLUS
- (10) Gussoni, M; Advances in Materials Science Spectroscopy 1991, P251 CAPLUS
- (11) Irie, M; J Org Chem 1995, V60, P8305 CAPLUS
- (12) Irie, M; Organic Photochromic and Thermochromic Compounds 1999, P207
CAPLUS
- (13) Kawai, S; Chem Eur J 1995, V1, P285 CAPLUS
- (14) Prasad, P; Introduction to Nonlinear Optical Effects in Molecules and
Polymers 1991
- (15) Stellacci, F; Adv Mater 1999, V11, P292 CAPLUS
- (16) Zerbi, G; Conjugated Polymers: Novel Science and Technology of Conducting
and non Linear Optically Active Materials 1991, P435 CAPLUS
- (17) Zuliani, P; J Phys Chem 1995, V99, P242
- (18) Zyss, J; Nonlinear Optical Properties of Organic Molecules and Crystals
1987, V1, P23 CAPLUS

L2 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:72901 CAPLUS

DN 138:254618

ED Entered STN: 30 Jan 2003

TI Photoswitching of intramolecular magnetic interaction using photochromic
compounds

AU Matsuda, Kenji; Irie, Masahiro

CS Graduate School of Engineering, Kyushu University, Higashi-ku, Fukuoka,
812-8581, Japan

SO Springer Series in Chemical Physics (2003), 70 (Chemistry of Nanomolecular
Systems), 25-40

CODEN: SSCPDA; ISSN: 0172-6218

PB Springer-Verlag

DT Journal; General Review

LA English

CC 22-0 (Physical Organic Chemistry)

Section cross-reference(s): 77

AB A review. Recent advances in org. material chem. have helped to realize
several novel org. functional materials, including org. conductors,
magnets, and ***nonlinear*** optical materials. One of the current
frontiers in this field is mol. electronics, where a single mol. plays the
role of one component in an elec. circuit. For the realization of this
goal, highly integrated materials with multiple functions are necessary.
Photochromism is the light-induced reversible transformation of chem.
species between two isomers that have different absorption spectra. The
two isomers differ from each other not only in the absorption spectra but
also in various phys. and chem. properties. These property changes can,

in principle, be utilized to control the function of org. materials. Two org. radicals placed at the two edges of a .vpi.-conjugative mol. interact magnetically through the framework via the exchange interaction J. Therefore photocontrol of the magnetism of the system is possible when the photochromic moiety is used as a backbone. In this chapter we will describe studies of the photoswitching of the intramol. magnetism by incorporating two radical moieties into a photochromic ***diarylethene*** spin coupler. Photoswitching using a ***diarylethene*** dimer, which showed similar elec.-circuit behavior, will also be discussed.

ST review photoswitching intramol magnetic interaction photochromic compd
IT Magnetism
 (intramol.; photoswitching of intramol. magnetic interaction using photochromic compds.)
IT Radicals, properties
 RL: PRP (Properties)
 (moieties; photoswitching of intramol. magnetism by incorporating two radicals into a photochromic ***diarylethene*** spin coupler)
IT Optical switching
 (photoswitching of intramol. magnetic interaction using photochromic compds.)
IT Exchange interaction
 Logic circuits
 Nanostructures
 Photochromism
 (photoswitching of intramol. magnetism by incorporating two radicals into a photochromic ***diarylethene*** spin coupler)
IT Nitroxides
 RL: PRP (Properties)
 (photoswitching of intramol. magnetism by incorporating two radicals into a photochromic ***diarylethene*** spin coupler)

RE.CNT 45 THERE ARE 45 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Anon; Chem Rev 2000, V100(5)
- (2) Atassi, Y; J Phys Chem 1995, V99, P16320 CAPLUS
- (3) Balzani, V; Angew Chem, Int Ed Engl 2000, V39, P3349
- (4) Blank, M; Science 1981, V214, P70 CAPLUS
- (5) Bleaney, B; Proc R Soc London A 1952, V214, P451
- (6) Borden, W; J Am Chem Soc 1977, V99, P4587 CAPLUS
- (7) Briere, R; Bull Soc Chim France 1965, V11, P3290
- (8) Brown, G; Photochromism 1971
- (9) Durr, H; Photochromism: Molecules and Systems 1990
- (10) Frank, N; J Am Chem Soc 2000, V122, P2053 CAPLUS
- (11) Gilat, S; J Chem Soc, Chem Commun 1993, P1439 CAPLUS
- (12) Glarum, S; J Chem Phys 1967, V47, P1374 CAPLUS
- (13) Glat, S; Chem Eur J 1995, V1, P275
- (14) Ichimura, K; Langmuir 1988, V4, P1214 CAPLUS
- (15) Ikeda, T; Nature 1993, V361, P428 CAPLUS
- (16) Irie, M; Adv Polym Sci 1990, V94, P27 CAPLUS
- (17) Irie, M; Bull Chem Soc Jpn 1998, V71, P985 CAPLUS
- (18) Irie, M; Chem Rev 2000, V100, P1685 CAPLUS
- (19) Irie, M; J Am Chem Soc 1985, V107, P1024 CAPLUS
- (20) Irie, M; Macromolecules 1981, V14, P262 CAPLUS
- (21) Irie Adv, M; Polym Sci 1993, V110, P49
- (22) Iwamura, H; Acc Chem Res 1993, V26, P346 CAPLUS
- (23) Jacobs, S; J Am Chem Soc 1993, V115, P1744 CAPLUS
- (24) Joachim, C; Nature 2000, V408, P541 CAPLUS
- (25) Kahn, O; Molecular Magnetism 1993
- (26) Kawai, T; Chem Lett 1999, P905 CAPLUS
- (27) Lehn, J; Supramolecular Chemistry: Concepts and Perspectives 1995
- (28) Matsuda, K; Chem Eur J 2001, V7, P3466 CAPLUS
- (29) Matsuda, K; Chem Lett 2000, P16 CAPLUS
- (30) Matsuda, K; Chem Lett 2001, P436 CAPLUS
- (31) Matsuda, K; J Am Chem Soc 1997, V119, P7412 CAPLUS
- (32) Matsuda, K; J Am Chem Soc 1997, V119, P8058 CAPLUS
- (33) Matsuda, K; J Am Chem Soc 2000, V122, P7195 CAPLUS
- (34) Matsuda, K; J Am Chem Soc 2000, V122, P8309 CAPLUS
- (35) Matsuda, K; J Am Chem Soc 2001, V123, P9896 CAPLUS
- (36) Matsuda, K; J Org Chem 2001, V66, P8799 CAPLUS
- (37) Matsuda, K; Tetrahedron Lett 2000, V41, P2577 CAPLUS
- (38) Matsumoto, T; J Am Chem Soc 1992, V114, P9952 CAPLUS
- (39) Mitsumori, T; J Am Chem Soc 1995, V117, P2467 CAPLUS

- (40) Ovchinnikov Theor, A; Chim Acta 1978, V47, P297
(41) Shinkai, S; Pure Appl Chem 1987, V59, P425 CAPLUS
(42) Takeshita, M; J Org Chem 1998, V63, P6643 CAPLUS
(43) Tour, J; Chem Rev 1996, V96, P537 CAPLUS
(44) Tour Acc, J; Chem Res 2000, V33, P791
(45) Ytaja, A; Science 2001, V294, P1503

L2 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:255330 CAPLUS
DN 137:33571

ED Entered STN: 05 Apr 2002

TI Radical copolymerization behavior of a highly fluorinated cyclic olefin with vinyl ether

AU Nishida, Shozo; Nishida, Haruo; Endo, Takeshi

CS Tsukuba Research Laboratories, JSR Corporation, Tsukuba, 305-0841, Japan

SO Journal of Polymer Science, Part A: Polymer Chemistry (2002), 40(8), 1151-1156

CODEN: JPACEC; ISSN: 0887-624X

PB John Wiley & Sons, Inc.

DT Journal

LA English

CC 35-3 (Chemistry of Synthetic High Polymers)

AB The copolymn. of a highly fluorinated cyclic monomer, octafluorocyclopentene (OFCPE, M1), with Et vinyl ether (EVE, M2) was investigated with a radical initiator in bulk. Despite the poor homopolymerizability of each monomer, the copolymn. proceeded successfully, and the mol. wts. of the copolymers were more than 10,000. Incorporation of the OFCPE units into the copolymer led to an increase in the glass-transition point. The copolymer compn. was detd. from ¹H NMR spectra and elemental anal. data. The molar fraction of the OFCPE unit in the copolymer increased and approached but did not exceed 0.5. The monomer reactivity ratios were estd. by the Yamada-Itahashi-Otsu ***nonlinear*** least-squares procedure as $r_1, \text{OFCPE} = -0.008 \pm 0.010$ and $r_2, \text{EVE} = 0.192 \pm 0.015$. The reactivity ratios suggest that the copolymn. may proceed in an alternating manner in the case of an excess feed of OFCPE.

ST ***perfluorocyclopentene*** reactivity ratio radical polymn vinyl ether

IT Fluoropolymers, preparation

RL: SPN (Synthetic preparation); PREP (Preparation)
(radical prepn. and glass transition temp. of)

IT Reactivity ratio in polymerization

(radical; of ***perfluorocyclopentene*** with Et vinyl ether)

IT 363593-48-0P, Ethyl vinyl ether- ***perfluorocyclopentene*** copolymer

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(radical prepn. and glass transition temp. of)

IT 559-40-0, Octafluorocyclopentene

RL: PRP (Properties); RCT (Reactant); RACT (Reactant or reagent)
(reactivity ratio in radical polymn. with Et vinyl ether)

IT 109-92-2, Ethyl vinyl ether

RL: PRP (Properties); RCT (Reactant); RACT (Reactant or reagent)
(reactivity ratio in radical polymn. with ***perfluorocyclopentene***)

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Beale, J; J Polym Sci Polym Lett Ed 1978, V16, P67 CAPLUS

(2) Brodsky, C; J Vac Sci Technol 2000, V18(6), P3396 CAPLUS

(3) Feeney, J; Trans Faraday Soc 1966, V62, P2969 CAPLUS

(4) Greenley, R; Polymer Handbook, 4th ed, Chapter II 1999, P313

(5) Higashimura, T; Comprehensive Polymer Science 1989, V3, P772

(6) Hu, H; Fluoropolymers 1: Synthesis 1999, P167 CAPLUS

(7) Lal, J; J Polym Sci Part A: Gen Pap 1964, V2, P4559 CAPLUS

(8) Matsumoto, A; Makromol Chem Rapid Commun 1983, V4, P277 CAPLUS

(9) Mayo, F; J Am Chem Soc 1944, V66, P1594 CAPLUS

(10) Thomas, R; Fluoropolymers 2: Properties 1999, P47 CAPLUS

(11) Wentworth, W; J Chem Educ 1965, V42, P96 CAPLUS

(12) Yamada, B; J Polym Sci Polym Chem Ed 1978, V16, P1719 CAPLUS

L2 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2001:792858 CAPLUS
DN 136:77164

ED Entered STN: 01 Nov 2001

TI Novel photoresponsive polymer based on ***diarylethene***
 AU Kawai, Tsuyoshi; Irie, Masahiro
 CS Dep. Applied Chem., Fac. Eng., Kyushu Univ., Hakozaki 6-10-1, Higashi-ku,
 Fukuoka, 812-8581, Japan
 SO Denki Zairyo Gijutsu Zasshi (2000), 9(2), 204-207
 CODEN: DZGZFE; ISSN: 0918-9890
 PB Denki Zairyo Gijutsu Kondankai
 DT Journal
 LA English
 CC 74-9 (Radiation Chemistry, Photochemistry, and Photographic and Other
 Reprographic Processes)
 Section cross-reference(s): 36
 AB Conjugated polymer based on the bis(benzothiophen-3-yl)
 perfluorocyclopentene can exhibit drastic changes of optical and
 elec. properties upon photochromic reactions of the ***diarylethene***
 units. A novel photoresponsive polymer based on ***diarylethene***
 and dialkylfluorene was prepd. The polymer was prepd. by Ru-complex
 catalyzed coupling reaction of the two components. The quartz glass
 supported polymer film had strong absorption band at .apprx.334 nm. After
 UV exposure the pale yellow film turned to violet showing new absorption
 band at 560 nm, which is characteristic band for the ring-closed form of
 the ***diarylethene*** sites. After the irradiation with the visible
 light .lambda. >480 nm the original yellow film was recovered and the
 absorption band at 560 nm disappeared. This photochromic cycle was
 repeated for more than 20 cycles and no marked degrdn. was obsd. The max.
 conversion of the photochromic site was .apprx.40 % in soln. and .apprx.14
 % in solid film. The polymer had photoluminescence max. at .apprx.410 nm
 which decreased rapidly with exposure. After .apprx.5 min., the emission
 was totally quenched, at the same time only 14% of the diarylene sites was
 cyclized even at the photostationary state. This remarkable ***non***
 - ***linear*** phenomenon can be explained by the term of the efficient
 excitation energy transfer in the polymer chain. That is, the small amt.
 of the ring-closed form sites which have second absorption band at about
 400 nm acts efficiently as the energy acceptor and the emission quencher.
 The cond. of the polymer also changed with exposure. The cond. was about
 1.2x10⁻¹² S-cm⁻¹ in the 35 % cyclized state photostationary state achieved
 in the soln. phase, and it decreased to 5.3 x 10⁻¹³ S-cm⁻¹ upon irradiation
 with visible light. The I-V characteristics of the Al/polymer/ITO type
 junction device were studied. In this device the Al electrode was evapd.
 onto the polymer film on the ITO electrode. In the original state, the
 I-V curve showed clear current rectification and the forward current was
 obsd. when pos. bias was applied to the ITO electrode. After the UV light
 irradiation the reverse biased current was found to increase. That is,
 electronic state of the ring-closed form ***diarylethene*** act as the
 inter-gap state in the junction characteristics at Al-polymer interface
 and photochromic reaction in small amt. of the ***diarylethene***
 sites seems to result in the drastic increase in the leaking reverse
 direction current.
 ST photochromism photocond elec cond ***diarylethene*** dialkylfluorene
 photopolymer; benzothiophenylperfluorocyclopentene based polymer
 photochromism photocond elec cond
 IT Polymers, properties
 RL: PEP (Physical, engineering or chemical process); PNU (Preparation,
 unclassified); PRP (Properties); PREP (Preparation); PROC (Process)
 (conjugated; photochromism and luminescence and cond. of
 photoresponsive polymer based on bis(benzothiophenyl)
 perfluorocyclopentene)
 IT Luminescence quenching
 Photoinduced energy transfer
 (intramol.; photochromism and luminescence and cond. of photoresponsive
 polymer based on bis(benzothiophenyl) ***perfluorocyclopentene***)
 IT Ring opening
 (photochem.; photochromism and luminescence and cond. of
 photoresponsive polymer based on bis(benzothiophenyl)
 perfluorocyclopentene)
 IT Electric conductivity
 Electric current-potential relationship
 Electrochromic devices
 Luminescence
 Photochromic materials
 Photochromism
 Photoconductivity

(photochromism and luminescence and cond. of photoresponsive polymer based on bis(benzothiophenyl) ***perfluorocyclopentene***)

IT Cyclization
(photocyclization; photochromism and luminescence and cond. of photoresponsive polymer based on bis(benzothiophenyl) ***perfluorocyclopentene***)

IT 384340-52-7P
RL: PEP (Physical, engineering or chemical process); PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation); PROC (Process)
(photochromism and luminescence and cond. of photoresponsive polymer based on bis(benzothiophenyl) ***perfluorocyclopentene***)

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE
(1) Irie, M; J Org Chem 1988, V53, P803 CAPLUS
(2) Kawai, T; Appl Phys Lett 1995, V67, P795 CAPLUS
(3) Kawai, T; Chem Lett 1993, P697 CAPLUS
(4) Kawai, T; Jpn J Appl Phys 1999, V38, PL1194 CAPLUS
(5) Koshido, T; J Phys Chem 1995, V16, P6110
(6) Koshido, T; Synth Met 1995, V73, P257 CAPLUS

L2 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2000:764182 CAPLUS

DN 134:92993

ED Entered STN: 01 Nov 2000

TI ***Nonlinear*** optical properties of ***diarylethenes***

AU Delaire, J. A.; Fanton-Maltey, I.; Chauvin, J.; Nakatani, K.; Irie, M.

CS PPSM, UMR 8531 of CNRS, Ecole Normale Supérieure de Cachan, Cachan, 94235, Fr.

SO Molecular Crystals and Liquid Crystals Science and Technology, Section A: Molecular Crystals and Liquid Crystals (2000), 345, 233-238
CODEN: MCLCE9; ISSN: 1058-725X

PB Gordon & Breach Science Publishers

DT Journal

LA English

CC 73-10 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 22

AB Products μ .beta. of the 1st order ***hyperpolarizabilities***
.beta. of both isomers of dithienyl ethene derivs. by their ground state dipole moments μ . were detd. exptl. by the EFISHG technique, then calcd. by a semi-empirical method. Both calcs. and measurements put into evidence a large increase in μ .beta. in going from the open isomer (OF) to the largely π . conjugated closed isomer (CF). This photoinduced change in 2nd order ***NLO*** coeff. was used to modulate the Second Harmonic Generation (SHG) signal generated by a PMMA film doped with one ***diarylethene*** under alternate irradiation with UV (325 nm) and visible (514 nm) light.

ST ***nonlinear*** optical property ***diarylethene***

IT Ground state
(dipole moment for; ***nonlinear*** optical properties of ***diarylethenes***)

IT Cyclization
(effect of; ***nonlinear*** optical properties of ***diarylethenes***)

IT Dipole moment
(ground state; ***nonlinear*** optical properties of ***diarylethenes***)

IT ***Nonlinear*** optical materials
Nonlinear optical properties
Optical ***hyperpolarizability***
Second-harmonic generation
(***nonlinear*** optical properties of ***diarylethenes***)

IT 9011-14-7, PMMA
RL: NUU (Other use, unclassified); USES (Uses)
(matrix; ***nonlinear*** optical properties of ***diarylethenes***)

IT 112440-47-8 115755-82-3 168688-69-5 185202-32-8
RL: PRP (Properties)
(***nonlinear*** optical properties of ***diarylethenes***)

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE
(1) Atassi, Y; J Phys Chem 1995, V99, P16320 CAPLUS

- (2) Atassi, Y; Mol Cryst Liq Cryst 1998, V315, P11
- (3) Atassi, Y; Pure and Appl Chem 1998, V70, P2157 CAPLUS
- (4) Gilat, S; Chem Eur J 1995, V1, P275 CAPLUS
- (5) Hanazawa, H; J Chem Soc Chem Com 1992, P206
- (6) Irie, M; J Am Chem Soc 1992, V114, P8715 CAPLUS
- (7) Irie, M; J Org Chem 1988, V53, P803 CAPLUS
- (8) Irie, M; J Org Chem 1995, V60, P8305 CAPLUS
- (9) Maltey, I; Advanced Materials for Optics and Electronics 1996, V6, P233 CAPLUS
- (10) Nakatani, K; Chem Mater 1997, V9, P2682 CAPLUS
- (11) Nakatani, K; Nonlinear Optics 1996, V15, P351 CAPLUS

L2 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1999:676500 CAPLUS

DN 132:257359

ED Entered STN: 25 Oct 1999

TI Temporal stability of azo second-order ***nonlinear*** optical chromophores linked with perfluorocyclopentenyl moiety

AU Matsui, Masaki; Muramatsu, Hiroshige; Funabiki, Kazumasa; Shibata, Katsuyoshi; Hirota, Kazuo; Hosoda, Masahiro; Tai, Kazuo

CS Department of Chemistry, Faculty of Engineering, Gifu University, Yanagido, Gifu, 501-1193, Japan

SO Shikizai Kyokaishi (1999), 72(8), 489-493
CODEN: SKYOAO; ISSN: 0010-180X

PB Shikizai Kyokai

DT Journal

LA English

CC 73-2 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

Section cross-reference(s): 36, 37

AB The temporal stability of azo second-order ***nonlinear*** optical chromophores linked with a perfluorocyclopentenyl moiety doped in polymers was examd. The retention of second-order ***nonlinear*** optical coeff. (d33) of 1,2-bis[4-[4-[N-ethyl-N-(2-hydroxyethyl)amino] phenylazo] phenylthio] ***perfluorocyclopentene*** doped in poly(Me methacrylate) after 530 h at 50.degree.C was 5 %. The retention of second-order ***nonlinear*** optical coeff. (d33) of 1,2-bis[4-(2,4-diaminophenylazo)phenylthio] ***perfluorocyclopentene*** doped in poly(Me methacrylate-co-methacrylic acid) was improved to 45wt.% by the amino formation between azo dye and polymer matrix.

ST temporal stability azo ***nonlinear*** optical chromophore; doped polymer azo ***nonlinear*** optical chromophore temporal stability

IT Azo dyes

Chromophores

Second-order ***nonlinear*** optical properties

Thermal stability

(prepn. and temporal stability of neat and polymer-doped azo second-order ***nonlinear*** optical chromophores linked with perfluorocyclopentenyl moiety)

IT ***Nonlinear*** optical materials

(second-order; prepn. and temporal stability of neat and polymer-doped azo second-order ***nonlinear*** optical chromophores linked with perfluorocyclopentenyl moiety)

IT 178401-05-3P 262858-27-5P 262858-28-6P 262858-29-7P 262858-30-0P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(chromophore; prepn. and temporal stability of neat and polymer-doped azo second-order ***nonlinear*** optical chromophores linked with perfluorocyclopentenyl moiety)

IT 9011-14-7, PMMA 25086-15-1, Methacrylic acid-methyl methacrylate copolymer

RL: PRP (Properties)

(prepn. and temporal stability of neat and polymer-doped azo second-order ***nonlinear*** optical chromophores linked with perfluorocyclopentenyl moiety)

IT 243461-38-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(starting material; prepn. and temporal stability of neat and polymer-doped azo second-order ***nonlinear*** optical chromophores linked with perfluorocyclopentenyl moiety)

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Burland, D; Chem Rev 1994, V94, P31 CAPLUS

- (2) Marks, T; Angew Chem Int Ed Engl 1995, V34, P155 CAPLUS
(3) Matsui, M; to be published in J Fluorine Chem
(4) Yu, D; Macromolecules 1994, V27, P6718 CAPLUS

L2 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1999:405855 CAPLUS
DN 131:215636
ED Entered STN: 01 Jul 1999
TI Synthesis of azo chromophores containing a perfluorocyclo-alkenyl moiety
and their second-order optical nonlinearity
AU Matsui, Masaki; Tsuge, Michinori; Funabiki, Kazumasa; Shibata, Katsuyoshi;
Muramatsu, Hiroshige; Hirota, Kazuo; Hosoda, Masahiro; Tai, Kazuo;
Shiozaki, Hisayoshi; Kim, Misa; Nakatsu, Kazumi
CS Faculty of Engineering, Department of Chemistry, Gifu University, Gifu,
501-1193, Japan
SO Journal of Fluorine Chemistry (1999), 97(1-2), 207-212
CODEN: JFLCAR; ISSN: 0022-1139
PB Elsevier Science S.A.
DT Journal
LA English
CC 41-3 (Dyes, Organic Pigments, Fluorescent Brighteners, and Photographic
Sensitizers)
Section cross-reference(s): 38, 73
AB 1,2-Bis[4-[4-[N-ethyl-N-(2-hydroxyethyl)aminophenylazo]phenylthio]
perfluorocyclopentene, having two independent intramol. push-pull
chromophores in the mol., showed a higher second-order ***nonlinear***
coeff. (d33) than its perfluorocyclobutenyl, perfluorocyclohexenyl, and
nitroperfluorocyclopentenyl analogs in PMMA or polycarbonate.
ST azo dye ***nonlinear*** optical prepn
IT Bond length
(carbon-carbon; in second-order ***nonlinear*** optical azo dye)
IT Bond length
(carbon-nitrogen; in second-order ***nonlinear*** optical azo dye)
IT Bond length
(carbon-sulfur; in second-order ***nonlinear*** optical azo dye)
IT Bond angle
(in second-order ***nonlinear*** optical azo dye)
IT Crystal structure
(of second-order ***nonlinear*** optical azo dye)
IT Azo dyes
(prepn. of second-order ***nonlinear*** optical)
IT Second-order ***nonlinear*** optical properties
(prepn. of second-order ***nonlinear*** optical azo dyes)
IT Polycarbonates, uses
RL: NUU (Other use, unclassified); USES (Uses)
(second-order optical nonlinearity of azo dyes in)
IT Bond angle
(torsional; in second-order ***nonlinear*** optical azo dye)
IT 92-50-2, 2-(N-Ethylanilino)ethanol
RL: RCT (Reactant); RACT (Reactant or reagent)
(coupling component; prepn. of second-order ***nonlinear*** optical
azo dyes)
IT 336-19-6, 1,2-Dichloroperfluorocyclohexene 377-93-5,
1,2-Dichloroperfluorocyclobutene 706-79-6, 1,2-
Dichloroperfluorocyclopentene 1193-02-8, 4-Aminothiophenol
RL: RCT (Reactant); RACT (Reactant or reagent)
(diazo component starting material; prepn. of second-order
nonlinear optical azo dyes)
IT 243461-36-1P, 1,2-Bis(4-aminophenylthio)perfluorocyclobutene
243461-38-3P, 1,2-Bis(4-aminophenylthio) ***perfluorocyclopentene***
243461-39-4P, 1,2-Bis(4-aminophenylthio)perfluorocyclohexene
243461-40-7P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(diazo component; prepn. of second-order ***nonlinear*** optical
azo dyes)
IT 178401-04-2P 178401-05-3P 178401-06-4P 243461-41-8P
RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or
engineered material use); PREP (Preparation); USES (Uses)
(dye; prepn. of second-order ***nonlinear*** optical azo dyes)
IT 19433-93-3, 5-(Acetylamino)-N,N-diethyl-2-methoxyaniline
RL: RCT (Reactant); RACT (Reactant or reagent)

(model compd. coupling component; prepn. of second-order
 nonlinear optical azo dyes)

IT 81924-79-0P, 5-Acetamido-N,N-diethyl-2-methoxy-4-(4-nitrophenylazo)aniline
 243461-29-2P, 5-Acetamido-N,N-diethyl-2-methoxy-4-(phenylazo)aniline
 243461-30-5P, 5-Acetamido-4-(4-chlorophenylazo)-N,N-diethyl-2-
 methoxyaniline 243461-31-6P, 5-Acetamido-N,N-diethyl-4-(4-
 fluorophenylazo)-2-methoxyaniline 243461-33-8P, 5-Acetamido-N,N-diethyl-
 2-methoxy-4-[4-(trifluoromethyl)phenylazo]aniline 243461-34-9P
 243461-35-0P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (model compd.; prepn. of second-order ***nonlinear*** optical azo
 dyes)

IT 4485-08-9, 4-Nitronitrosobenzene
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn. of second-order ***nonlinear*** optical azo dyes)

IT 9011-14-7, PMMA
 RL: NUU (Other use, unclassified); USES (Uses)
 (second-order optical nonlinearity of azo dyes in)

RE.CNT 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Amano, M; Chem Phys Lett 1990, V170, P515 CAPLUS
- (2) Chen, T; Macromolecules 1996, V29, P535 CAPLUS
- (3) Choi, D; Chem Mater 1992, V4, P1253 CAPLUS
- (4) Hirota, K; Jpn J Appl Phys 1993, V32, PL1811 CAPLUS
- (5) Hirota, K; Mol Cryst Liq Cryst 1995, V267, P83 CAPLUS
- (6) Joglekar, B; Polym J 1997, V29, P184 CAPLUS
- (7) Kubo, Y; J Chem Soc Chem Commun 1995, P969 CAPLUS
- (8) Matsui, M; Bull Chem Soc Jpn 1997, V70, P3153 CAPLUS
- (9) Matsui, M; Dyes Pigm 1998, V37, P283 CAPLUS
- (10) Matsui, M; Dyes Pigm 1998, V38, P57 CAPLUS
- (11) Morder, S; Science 1994, V263, P511
- (12) Nakayama, H; Appl Phys Lett 1996, V69, P2813 CAPLUS
- (13) Oudar, J; J Chem Phys 1977, V67, P446 CAPLUS
- (14) Pan, F; J Am Chem Soc 1996, V118, P6315 CAPLUS
- (15) Verbiest, T; Science 1995, V268, P1604 CAPLUS
- (16) Yoshimura, T; J Appl Phys 1987, V62, P2028 CAPLUS

L2 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1999:54878 CAPLUS

DN 130:182943

ED Entered STN: 27 Jan 1999

TI Reversible photoinduced modifications of polymers doped with photochromes
 : anisotropy, photo-assisted poling and surface gratings

AU Atassi, Yomen; Chauvin, Jerome; Delaire, Jacques; Delouis, Jean-Francois;
 Fanton-Maltey, Isabelle; Nakatani, Keitaro

CS PPSM, URA 1906 of CNRS, Ecole Normale Supdrieure de Cachan, Cachan, 94235,
 Fr.

SO Molecular Crystals and Liquid Crystals Science and Technology, Section A:
 Molecular Crystals and Liquid Crystals (1998), 315, 313-324
 CODEN: MCLCE9; ISSN: 1058-725X

PB Gordon & Breach Science Publishers

DT Journal; General Review

LA English

CC 36-0 (Physical Properties of Synthetic High Polymers)
 Section cross-reference(s): 73, 76

AB In this paper, different optical methods which lead to orientation or
 translation of several photochromes in polymer matrixes are reviewed with
 17 refs. These methods lead to dichroic or birefringent, or
 nonlinear optically active materials or to stable surface
 gratings. They have mainly been demonstrated for azobenzene-type
 photochromes, but some of these effects also occur for other kinds of
 photochromes like spiropyrans, fulgides or ***diarylethenes***

ST reversible photoinduced modification photochrome doped polymer review;
 anisotropy photochrome doped polymer reversible modification review;
 poling photochrome doped polymer reversible modification review; surface
 grating photochrome doped polymer reversible modification review

IT Molecular orientation
 Optical anisotropy
 Second-harmonic generation
 (anisotropy, photo-assisted poling and surface gratings of reversible
 photoinduced modified PMMA doped with photochromes)

IT Polymers, properties

RL: POF (Polymer in formulation); PRP (Properties); TEM (Technical or engineered material use); USES (Uses)
 (anisotropy, photo-assisted poling and surface gratings of reversible photoinduced modified PMMA doped with photochromes)

IT Chromophores
 (photo-; anisotropy, photo-assisted poling and surface gratings of reversible photoinduced modified PMMA doped with photochromes)

IT Optical switching
 (photoinduced; anisotropy, photo-assisted poling and surface gratings of reversible photoinduced modified PMMA doped with photochromes)

IT Isomerization
 (photoisomerization; anisotropy, photo-assisted poling and surface gratings of reversible photoinduced modified PMMA doped with photochromes)

IT Diffraction gratings
 (surface; anisotropy, photo-assisted poling and surface gratings of reversible photoinduced modified PMMA doped with photochromes)

IT 9011-14-7, PMMA
 RL: PRP (Properties)
 (anisotropy, photo-assisted poling and surface gratings of reversible photoinduced modified PMMA doped with photochromes)

RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD
 RE

- (1) Atassi, Y; J Phys Chem 1995, V99, P16320 CAPLUS
- (2) Chauvin, J; SPIE 1997, V2998, P205 CAPLUS
- (3) Delaire, J; Pure Appl Opt 1996, V5, P529 CAPLUS
- (4) Department Of Chemistry; Q C P E Publication 560
- (5) Dumont, M; SPIE Proceedings 1993, V2042
- (6) Durr, H; Photochromism Molecules and Systems 1990
- (7) Gilat, S; Chem Eur J 1995, P275 CAPLUS
- (8) Heller, H; J Chem Soc Perkin II 1981, P341 CAPLUS
- (9) Irie, M; Pure & Appl Chem 1996, V68, P1367 CAPLUS
- (10) Irie, M; Supramolecular Science 1996, V3, P87 CAPLUS
- (11) Kim, D; Appl Phys Lett 1995, V66, P1166 CAPLUS
- (12) Krongauz, V; Chapter 4 P121
- (13) McArdle, C; Applied Photochromic Polymer Systems 1992
- (14) Nunzi, J; Chem Phys Lett 1994, V219, P349 CAPLUS
- (15) Rochon, P; Appl Phys Lett 1995, V66, P136 CAPLUS
- (16) Sekkat, Z; Advances in Photochemistry 1997
- (17) Sekkat, Z; J Appl Phys 1991, V71, P1543
- (18) Xie, S; Chem Mater 1993, V5, P403 CAPLUS

L2 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1995:762770 CAPLUS
 DN 123:339588
 ED Entered STN: 29 Aug 1995
 TI Light-triggered molecular devices: photochemical switching of optical and electrochemical properties in molecular wire type ***diarylethene*** species
 AU Gilat, Sylvain L.; Kawai, Stephen H.; Lehn, Jean-Marie
 CS Chim. Interactions Mol., Coll. France, Paris, 75005, Fr.
 SO Chemistry--A European Journal (1995), 1(5), 275-84 Published in:
 Angew. Chem., Int. Ed. Engl., 34(15)
 CODEN: CEUJED; ISSN: 0947-6539
 PB VCH
 DT Journal
 LA English
 CC 27-8 (Heterocyclic Compounds (One Hetero Atom))
 GI

/ Structure 1 in file .gra /

AB Bispyridine I (R = 4-pyridyl) and the corresponding bispyridinium were synthesized as the uncyclized isomers from 3,5-dibromo-2-methylthiophene in overall yields of 43 and 44%, resp. The ***diarylethene*** photochromes I [R = 1,3-benzodithiol-2-yl, CHO, CH:C(CN)2, etc.], substituted with electron donors and acceptors, were prepd. from 5-methylthiophene-2-carboxyaldehyde in 21-32% overall yield. All of the compds. were found to exhibit pronounced photochromic properties. Irradn. with UV light resulted in essentially complete photocyclization of the

open forms to the intensely colored closed isomers which could, in turn, be reconverted back to the open state with visible light of $\lambda > 600$ nm. The absorption maxima of the described compds. in their closed forms are shifted far towards, and even into, the near-IR region. Whereas no thermochromic properties were obsd. for the open isomers, the rates of thermal decoloration of the cyclized forms was found to be highly dependent on the nature of the substituents on the thiophene rings. It was demonstrated that reversible photochem. interconversion between the two photochromic states could be used to effectively switch a no. of phys. properties. Thus, the bispyridinium formed from I (R = 4-pyridyl) and I (R = 1,3-benzodithiol-2-yl) represent two kinds of redox switches, the former in redn. and the latter in oxidn., in which electron conduction is switched on in the closed state and off in the open state. I (R = 1,3-benzodithiol-2-yl) may also be considered to be a photoswitchable analog of tetrathiafulvalene type substances. On the other hand, I (R = 2-benzodithiolyl) displays a marked increase in ***nonlinear*** optical activity on conversion from the open to the closed form. Such systems are prototypes of photoswitchable mol. wires where electron conduction and push-pull interaction can be reversibly modulated by an external stimulus, namely, irradiation by light.

ST redox switch ***diarylethene*** deriv; photochem switching optical electrochem property; elec cond photochem switching; ***nonlinear*** optical activity photochem switching; thermochromism ***diarylethene*** deriv; photochromism ***diarylethene*** deriv; thienylperfluorocyclopentene photochem switching; ***perfluorocyclopentene*** dithienyl photochem switching; mol wire photoswitchable prototype

IT Thermochromism
(of closed isomers of bis(thienyl)ethene compds.)

IT Electric conductivity and conduction
Optical ***nonlinear*** property
Photochromism
(photochem. switching of optical and electrochem. properties in mol. wire type bis(thienyl)ethene species)

IT 154566-71-9P 154566-73-1P 154566-75-3P 154566-76-4P 154566-77-5P
154566-78-6P 154566-79-7P 154566-80-0P 154566-81-1P 154566-82-2P
154566-83-3P 154566-84-4P 170698-91-6P 170698-92-7P
RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(photochem. switching of optical and electrochem. properties in mol. wire type bis(thienyl)ethene species)

IT 109-77-3, Malononitrile 559-40-0, ***Perfluorocyclopentene***
13679-70-4 29421-73-6 62217-34-9 74129-11-6, 4-Bromopyridine hydrobromide
RL: RCT (Reactant); RACT (Reactant or reagent)
(photochem. switching of optical and electrochem. properties in mol. wire type bis(thienyl)ethene species)

IT 29421-75-8P 154566-69-5P 154566-70-8P 154566-74-2P 154586-93-3P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(photochem. switching of optical and electrochem. properties in mol. wire type bis(thienyl)ethene species)

=> s 11 and (((charge or hole) (2w) (transport or generat?)) or polyvinylcarbazole or carbazole or v
484684 CHARGE
62432 CHARGES
519427 CHARGE
(CHARGE OR CHARGES)
188697 HOLE
110661 HOLES
253252 HOLE
(HOLE OR HOLES)
671926 TRANSPORT
5403 TRANSPORTS
674068 TRANSPORT
(TRANSPORT OR TRANSPORTS)
925147 GENERAT?
27522 (CHARGE OR HOLE) (2W) (TRANSPORT OR GENERAT?)
2223 POLYVINYLCARBAZOLE
34 POLYVINYLCARBAZOLES
2250 POLYVINYLCARBAZOLE

(POLYVINYL CARBAZOLE OR POLYVINYL CARBAZOLES)

15956 CARBAZOLE

2128 CARBAZOLES

16513 CARBAZOLE

(CARBAZOLE OR CARBAZOLES)

5767 VINYL CARBAZOLE

122 VINYL CARBAZOLES

5783 VINYL CARBAZOLE

(VINYL CARBAZOLE OR VINYL CARBAZOLES)

1159 PVK

5 PVKS

1161 PVK

(PVK OR PVKS)

129 PVCZ

L3 8 L1 AND (((CHARGE OR HOLE) (2W) (TRANSPORT OR GENERAT?)) OR POLYVINYL CARBAZOLE OR CARBAZOLE OR VINYL CARBAZOLE OR PVK OR PVCZ)

=> d all 1-18

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:983002 CAPLUS

DN 140:154990

ED Entered STN: 17 Dec 2003

TI Electrical carrier-injection and transport characteristics of photochromic ***diarylethene*** films

AU Tsujioka, Tsuyoshi; Masuda, Kazuya

CS Department of Arts and Sciences, Osaka Kyoiku University, Kashiwara, Osaka, 582-8582, Japan

SO Applied Physics Letters (2003), 83(24), 4978-4980

CODEN: APPLAB; ISSN: 0003-6951

PB American Institute of Physics

DT Journal

LA English

CC 76-1 (Electric Phenomena)

Section cross-reference(s): 73

AB Elec. carrier-injection and transport characteristics of photochromic ***diarylethene*** thin films were studied. Injected and transported carriers (injected current) to the ***diarylethene*** film were increased with the existence ratio of the closed-ring form, which was one isomerization state of the ***diarylethene*** mol. A dramatic increase was obsd. at a 12-percent existence ratio of the closed-ring mols. A lowering effect of the potential barrier, which is caused by a Poole-Frenkel-like effect with a short distance interaction potential for hole transportation by increasing the existence ratio of the closed-ring mols. is proposed as the mechanism behind this phenomenon.

ST ***hole*** ***transport*** photochromic arylethene film current injection

IT Conduction electrons

Electric current

Electric current-potential relationship

Electrooptical absorption

Hole mobility

Hole ***transport***

Hole traps

Isomers

Poole-Frenkel effect

Potential barrier

(elec. carrier-injection and transport characteristics of photochromic ***diarylethene*** films)

IT Isomerization

(photoisomerization, UV; elec. carrier-injection and transport characteristics of photochromic ***diarylethene*** films)

IT 406727-10-4

RL: CPS (Chemical process); DEV (Device component use); PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); PROC (Process); USES (Uses)

(elec. carrier-injection and transport characteristics of photochromic ***diarylethene*** films)

IT 123847-85-8, NPB

RL: DEV (Device component use); PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process); USES (Uses)

(.alpha.-NPB; elec. carrier-injection and transport characteristics of

photochromic ***diarylethene*** films)
RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD

- RE
(1) Chidichimo, G; J Appl Phys 2001, V90, P4906 CAPLUS
(2) Homma, H; Denshi Shashin Gakkaishi (in Japanese) 1997, V36, P5
(3) Irie, M; Chem Rev (Washington, DC) 2001, V100, P1685
(4) Irie, M; Nature (London) 2002, V420, P759 CAPLUS
(5) Rodriguez, A; Appl Phys Lett 2001, V79, P461 CAPLUS
(6) Tsujioka, T; Appl Phys Lett 2001, V78, P2282 CAPLUS
(7) Tsujioka, T; Appl Phys Lett 2003, V83, P937 CAPLUS
(8) Tsujioka, T; J Opt Soc Am 1998, V15, P1140 CAPLUS
(9) Tsujioka, T; J Opt Soc Am B 2002, V19, P297 CAPLUS

L3 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:594726 CAPLUS
DN 139:283250
ED Entered STN: 04 Aug 2003
TI Organic bistable molecular memory using photochromic ***diarylethene***
AU Tsujioka, Tsuyoshi; Kondo, Hayato
CS Faculty of Education, Department of Arts and Sciences, Osaka Kyoiku
University, Asahigaoka 4-698-1, Kashiwara, Osaka, 582-8582, Japan
SO Applied Physics Letters (2003), 83(5), 937-939
CODEN: APPLAB; ISSN: 0003-6951
PB American Institute of Physics
DT Journal
LA English
CC 74-12 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)
Section cross-reference(s): 76
AB A principle of org. memory device using a bistable photochromic mol. is
presented that allows extremely high bit densities and very low power
consumption. This device is based on an isomerization reaction of
photochromic ***diarylethene*** mol. via its excited state by an elec.
carrier injection, not by photon absorption. Exptl. data show that the
reversible writing and nondestructive reading of information by the
carrier injection is feasible. The advantages and properties of such an
org. semiconductor memory using a bistable mol. are discussed.
ST org bistable mol memory photochromic ***diarylethene*** reversible
isomerization; elec excitation photochromic ***diarylethene*** org
bistable mol memory
IT Memory devices
(nonvolatile; org. memory device using bistable photochromic
diarylethene and based on isomerization of ***diarylethene***
via its excited state induced by elec. carrier injection)
IT Cyclization
Photochromic materials
Ring opening
(org. memory device using bistable photochromic ***diarylethene***
and based on isomerization of ***diarylethene*** via its excited
state induced by elec. carrier injection)
IT 50926-11-9, ITO
RL: DEV (Device component use); USES (Uses)
(anode; org. memory device using bistable photochromic
diarylethene and based on isomerization of ***diarylethene***
via its excited state induced by elec. carrier injection)
IT 221042-24-6
RL: DEV (Device component use); USES (Uses)
(cathode; org. memory device using bistable photochromic
diarylethene and based on isomerization of ***diarylethene***
via its excited state induced by elec. carrier injection)
IT 185690-39-5, 4,4',4''-Tris[N-(1-naphthyl)-N-phenylamino]-triphenylamine
RL: DEV (Device component use); USES (Uses)
(hole injection layer; org. memory device using bistable photochromic
diarylethene and based on isomerization of ***diarylethene***
via its excited state induced by elec. carrier injection)
IT 123847-85-8
RL: DEV (Device component use); USES (Uses)
(***hole*** ***transport*** ; org. memory device using bistable
photochromic ***diarylethene*** and based on isomerization of
diarylethene via its excited state induced by elec. carrier
injection)
IT 606127-31-5

RL: CPS (Chemical process); DEV (Device component use); PEP (Physical, engineering or chemical process); PROC (Process); USES (Uses)
 (open form; org. memory device using bistable photochromic ***diarylethene*** and based on isomerization of ***diarylethene*** via its excited state induced by elec. carrier injection)

IT 606127-30-4
 RL: CPS (Chemical process); DEV (Device component use); PEP (Physical, engineering or chemical process); PROC (Process); USES (Uses)
 (org. memory device using bistable photochromic ***diarylethene*** and based on isomerization of ***diarylethene*** via its excited state induced by elec. carrier injection)

RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE
 (1) Aviram, A; Chem Phys Lett 1974, V29, P277 CAPLUS
 (2) Chen, J; Science 1999, V286, P1550 CAPLUS
 (3) Chung, S; Appl Phys Lett 2000, V76, P2068 CAPLUS
 (4) Donhauser, Z; Science 2001, V292, P2303 CAPLUS
 (5) Huang, Y; Science 2001, V291, P630 CAPLUS
 (6) Irie, M; Chem Rev (Washington, D C) 2001, V100, P1685
 (7) Irie, M; Nature (London) 2002, V420, P759 CAPLUS
 (8) Irie, M; Photo-Reactive Materials for Ultrahigh-Density Optical Memory 1994
 (9) Itkis, M; Science 2002, V296, P1443 CAPLUS
 (10) Metzger, R; J Am Chem Soc 1997, V119, P10455 CAPLUS
 (11) Reed, M; Appl Phys Lett 2001, V78, P3735 CAPLUS
 (12) Taniguchi, A; Jpn J Appl Phys, Part 1 2001, V40, P7029 CAPLUS
 (13) Tsujioka, T; Appl Phys Lett 2001, V78, P2282 CAPLUS

L3 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:6078 CAPLUS
 DN 136:286972
 ED Entered STN: 03 Jan 2002
 TI Carrier injection/transport characteristics of photochromic ***diarylethene*** film
 AU Taniguchi, Akira; Tsujioka, Tsuyoshi; Hamada, Yuji; Shibata, Kenichi; Fuyuki, Takashi
 CS Graduate School of Materials Science, Nara Institute of Science and Technology, Ikoma, Nara, 630-0101, Japan
 SO Japanese Journal of Applied Physics, Part 1: Regular Papers, Short Notes & Review Papers (2001), 40(12), 7029-7030
 CODEN: JAPNDE
 PB Japan Society of Applied Physics
 DT Journal
 LA English
 CC 76-1 (Electric Phenomena)
 Section cross-reference(s): 73
 AB Photochromic ***diarylethenes*** with elec. carrier (hole) controlling ability for nondestructive readout were investigated. The ionization potential of the photostationary colored ***diarylethene*** films was around 5.7-5.8 eV irresp. of differences in their mol. structures. Good ***hole*** injection/ ***transport*** characteristics were obsd. for the colored films of ***diarylethenes*** with triphenylamine groups.
 ST carrier transport ***diarylethene***
 IT Photochromic materials
 (carrier injection/transport characteristics of photochromic ***diarylethene*** film)
 IT Electric current carriers
 Hole (electron)
 (injection; carrier injection/transport characteristics of photochromic ***diarylethene*** film)
 IT Electric current carriers
 (transport; carrier injection/transport characteristics of photochromic ***diarylethene*** film)
 IT 252253-50-2 314075-73-5 406727-09-1 406727-10-4 406727-11-5
 RL: PRP (Properties)
 (carrier injection/transport characteristics of photochromic ***diarylethene*** film)

RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE
 (1) Adachi, C; Appl Phys Lett 1995, V66, P2679 CAPLUS
 (2) Anon; Photo-Reactive Materials for Ultrahigh Density Optical Memory 1994
 (3) Fukudome, M; Chem Lett 2001, V1, P70
 (4) Hamano, M; Jpn J Appl Phys 1996, V35, P1764 CAPLUS

- (5) Homma, H; Denshi Shashin Gakkai-shi [in Japanese] 1997, V36, P5
(6) Irie, M; Chem Rev 2000, V100, P1685 CAPLUS
(7) Kim; M; Mol Cryst Liq Cryst 2000, V345, P251 CAPLUS
(8) Tsujioka, T; Appl Opt 1999, V38, P5066
(9) Tsujioka, T; Appl Phys Lett 2001, V78, P2282 CAPLUS

L3 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2001:932566 CAPLUS

DN 136:54934

ED Entered STN: 27 Dec 2001

TI Radiation-sensitive compositions containing photochromic compounds and thermally stable dosimeters manufactured from them

IN Irie, Masahiro; Irie, Setsuko; Tanaka, Yuki

PA Mitsubishi Chemical Corp., Japan

SO Jpn. Kokai Tokkyo Koho, 8 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM C08L101-00

ICS C08F012-02; C08F024-00; C08F026-06; C08F026-12; C08F028-06;
C08F212-06; C08F212-08; C08K005-01; C08L025-00; C08L025-04;
C08L025-16; C08L037-00; C08L039-04; C08L041-00; C09K009-02;
G01T001-04

CC 38-3 (Plastics Fabrication and Uses)

Section cross-reference(s): 25, 71

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2001354862	A2	20011225	JP 2000-178581	20000614
PRAI	JP 2000-178581		20000614		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
JP 2001354862	ICM	C08L101-00
	ICS	C08F012-02; C08F024-00; C08F026-06; C08F026-12; C08F028-06; C08F212-06; C08F212-08; C08K005-01; C08L025-00; C08L025-04; C08L025-16; C08L037-00; C08L039-04; C08L041-00; C09K009-02; G01T001-04

AB The compns. contain thermally irreversible photochromic compds. and compds. having condensed polycyclic arom. structures. Thus, a transparent film manufd. from 0.90 g styrene-2-vinylnaphthalene copolymer and 0.10 g 1,2-bis(2-methyl-5-phenyl-3-thienyl) ***perfluorocyclopentene*** turned blue (600 nm absorption increase 0.070) after gamma.-ray irradiation and no absorption change after 1 day at a room temp.

ST radiation sensitivity thermally irreversible photochromic compd; dosimeter ***diarylethene*** polycyclic arom compd naphthalene; vinylnaphthalene copolymer aryethene film thermal stability

IT Polycyclic compounds

RL: TEM (Technical or engineered material use); USES (Uses)
(arom.; radiation-sensitive compns. contg. photochromic compns. and vinylnaphthalene copolymers or condensed polycyclic arom. compds. for dosimeters)

IT Aromatic compounds

RL: TEM (Technical or engineered material use); USES (Uses)
(polycyclic; radiation-sensitive compns. contg. photochromic compns. and vinylnaphthalene copolymers or condensed polycyclic arom. compds. for dosimeters)

IT Dosimeters

(radiation-sensitive compns. contg. photochromic compns. and vinylnaphthalene copolymers or condensed polycyclic arom. compds. for dosimeters)

IT Photochromic materials

(thermally irreversible; radiation-sensitive compns. contg. photochromic compns. and vinylnaphthalene copolymers or condensed polycyclic arom. compds. for dosimeters)

IT 182003-69-6

RL: PRP (Properties); TEM (Technical or engineered material use); USES (Uses)

(radiation-sensitive compns. contg. photochromic compns. and vinylnaphthalene copolymers or condensed polycyclic arom. compds. for dosimeters)

IT 85-01-8, Phenanthrene, uses 86-73-7, Fluorene 86-74-8,

Carbazole 91-20-3, Naphthalene, uses 91-22-5, Quinoline, uses
95-15-8, Benzothiophene 119-65-3, Isoquinoline 120-12-7, Anthracene,
uses 120-72-9, Indole, uses 129-00-0, Pyrene, uses 198-55-0,
Perylene 208-96-8, Acenaphthylene 217-59-4, Triphenylene 218-01-9,
Chrysene 229-87-8, Phenanthridine 271-89-6, Benzofuran 275-51-4,
Azulene 60279-76-7, Styrene-2-vinylnaphthalene copolymer
RL: TEM (Technical or engineered material use); USES (Uses)
(radiation-sensitive compns. contg. photochromic compns. and
vinylnaphthalene copolymers or condensed polycyclic arom. compds. for
dosimeters)

L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2000:764173 CAPLUS

DN 134:63722

ED Entered STN: 01 Nov 2000

TI Radiation sensitivity of photochromic ***diarylethenes***

AU Irie, S.; Irie, M.

CS Research Institute for Advanced Science and Technology, Osaka Prefecture
University, Osaka, 599-8570, Japan

SO Molecular Crystals and Liquid Crystals Science and Technology, Section A:

Molecular Crystals and Liquid Crystals (2000), 345, 179-184

CODEN: MCLCE9; ISSN: 1058-725X

PB Gordon & Breach Science Publishers

DT Journal

LA English

CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)

Section cross-reference(s): 71

AB The radiation sensitivity of photochromic dithienylethenes was studied
with the aim of developing a new reusable color film dosimeter. Upon
gamma.-irradn., polystyrene films contg. 1,2-bis(2,5-dimethyl-3-thienyl)
perfluorocyclopentene (1) and 1,2-bis(2-methyl-5-phenyl-3-thienyl)
perfluorocyclopentene (2) turned red and blue, resp. The red and
blue colors disappeared by visible-light irradiation and the films could be
reused. In both films the absorption intensities of the colors linearly
increased with the absorbed dose. From the color change it was possible
to estimate the radiation dose.

ST radiation sensitivity photochromic ***diarylethene*** color dosimeter;
gamma radiation color dosimeter photochromic ***diarylethene***

IT Dosimeters

(gamma-ray, film; radiation sensitivity of photochromic
dithienylethenes for development of reusable color dosimeter film)

IT Polycarbonates, properties

Polyolefins

RL: PEP (Physical, engineering or chemical process); PRP (Properties);
PROC (Process)

(matrix; radiation sensitivity of photochromic dithienylethenes for
development of reusable color dosimeter film)

IT 9003-53-6, Polystyrene 9011-14-7, PMMA 25067-59-8, Poly(N-

vinylcarbazole)

RL: PEP (Physical, engineering or chemical process); PRP (Properties);
PROC (Process)

(matrix; radiation sensitivity of photochromic dithienylethenes for
development of reusable color dosimeter film)

IT 182003-69-6 190394-25-3, 1,2-Bis(2,5-dimethyl-3-thienyl)

perfluorocyclopentene 222972-69-2 277303-68-1

RL: PEP (Physical, engineering or chemical process); PRP (Properties);
PROC (Process)

(radiation sensitivity of photochromic dithienylethenes for development
of reusable color dosimeter film)

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Fujimura, R; Housyasen ni yoru Kotaigensyo to Senryosokutei 1985

(2) Irie, M; Bull Chem Soc Jpn 1998, V71, P985 CAPLUS

(3) Irie, M; Chem Lett 1995, P899 CAPLUS

(4) Irie, S; Bull Chem Soc Jpn 1999, V72, P1139 CAPLUS

(5) Kawanishi, S; Oyobutsuri 1982, V51, P293

(6) Yamagami, M; J Photopol Sci Tech 1995, V8, P101

L3 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2000:751164 CAPLUS

DN 134:63711

ED Entered STN: 25 Oct 2000
 TI Radiation-Induced Coloration of Photochromic Dithienylethene Derivatives
 in Polymer Matrixes
 AU Irie, Setsuko; Irie, Masahiro
 CS Res. Inst. Adv. Sci. Technol., Osaka Prefecture University, Sakai, Osaka,
 599-8570, Japan
 SO Bulletin of the Chemical Society of Japan (2000), 73(10), 2385-2388
 CODEN: BCSJA8; ISSN: 0009-2673
 PB Chemical Society of Japan
 DT Journal
 LA English
 CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and Other
 Reprographic Processes)
 Section cross-reference(s): 71
 AB The high-energy radiation-induced coloration of photochromic
 dithienylethenes was studied in various polymer matrixes with the aim of
 developing a reusable color plastic dosimeter. Upon gamma-irradn.,
 polystyrene films contg. 1,2-bis(2,5-dimethyl-3-thienyl)
 perfluorocyclopentene 1a and 1,2-bis(2-methyl-5-phenyl-3-thienyl)
 perfluorocyclopentene 2a turned red and blue, resp. The red and
 blue colors disappeared upon irradn. with visible light, and the films
 could be reused. In both films the absorption intensities of the colors
 increased linearly with the absorbed dose. Although radiation-induced
 coloration was clearly detected in polystyrene films, a color change was
 scarcely obsd. in poly(Me methacrylate) (PMMA) and poly(N-vinyl
 carbazole) contg. 1a and 2a. Excitation energy transfer from
 polymers to dithienylethenes is considered to play a role in the
 coloration process in polymer films.
 ST gamma ray coloration photochromic dithienylethene polymer matrix film
 dosimeter
 IT Dosimeters
 (gamma-ray; radiation-induced coloration of photochromic
 dithienylethenes in relation to design of reusable color plastic
 dosimeters)
 IT Polycarbonates, properties
 RL: PEP (Physical, engineering or chemical process); PRP (Properties);
 PROC (Process)
 (matrix; radiation-induced coloration of photochromic dithienylethenes
 in relation to design of reusable color plastic dosimeters)
 IT Energy transfer
 Optical absorption
 Photochromic materials
 Singlet state excitation
 (radiation-induced coloration of photochromic dithienylethenes in
 relation to design of reusable color plastic dosimeters)
 IT 9003-53-6, Polystyrene 9011-14-7, PMMA 25067-59-8, Poly(N-
 vinylcarbazole)
 RL: PEP (Physical, engineering or chemical process); PRP (Properties);
 PROC (Process)
 (matrix; radiation-induced coloration of photochromic dithienylethenes
 in relation to design of reusable color plastic dosimeters)
 IT 277303-68-1 313947-80-7
 RL: FMU (Formation, unclassified); PEP (Physical, engineering or chemical
 process); PRP (Properties); FORM (Formation, nonpreparative); PROC
 (Process)
 (radiation-induced coloration of photochromic dithienylethenes in
 relation to design of reusable color plastic dosimeters)
 IT 182003-69-6 190394-25-3, 1,2-Bis(2,5-dimethyl-3-thienyl)
 perfluorocyclopentene
 RL: PEP (Physical, engineering or chemical process); PRP (Properties);
 PROC (Process)
 (radiation-induced coloration of photochromic dithienylethenes in
 relation to design of reusable color plastic dosimeters)

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
 RE

- (1) Birks, J; Photophysics of Aromatic Molecules 1970
- (2) Fujimura, R; Housyasen niyoru Kotaigensyou to Senryousokutei 1985
- (3) Irie, M; Bull Chem Soc Jpn 1998, V71, P985 CAPLUS
- (4) Irie, M; Chem Lett 1995, P899 CAPLUS
- (5) Irie, M; J Org Chem 1995, V60, P8305 CAPLUS
- (6) Irie, S; Bull Chem Soc Jpn 1999, V72, P1139 CAPLUS
- (7) Johnson, G; J Chem Phys 1975, V62, P4697 CAPLUS

- (8) Kawanishi, S; Oyobuturi 1982, V51, P293
(9) Flopffer, W; J Polym Sci, Symp 1973, V40, P43
(10) Miyasaka, H; Chem Phys Lett 1997, V269, P281 CAPLUS
(11) Whitaker, B; Manual on Radiation Dosimetry 1970, P363
(12) Yamagami, M; J Photopol Sci Tech 1995, V8, P101

L3 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1998:785488 CAPLUS
DN 130:160578
ED Entered STN: 15 Dec 1998
TI Characterization of dye-doped PMMA/ ***PVK*** films as recording materials
AU Lafond, Christophe; Lessard, Roger A.; Bolte, Michele; Petkov, Ivan
CS Centre d'Optique Photonique et Laser (COPL), Universite Laval, Quebec, G1K7P4, Can.
SO Proceedings of SPIE-The International Society for Optical Engineering (1998), 3417(Photopolymer Device Physics, Chemistry and Applications IV), 216-227
CODEN: PSISDG; ISSN: 0277-786X
PB SPIE-The International Society for Optical Engineering
DT Journal
LA English
CC 74-12 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
AB The photoinduced reversible color change in photochromic mol. doped PMMA and poly(***vinylcarbazole***) (***PVK***) films was investigated. Upon UV and visible irradiation, changes of an optical absorption of a closed form of a photochromic mol., in the beginning of the photoreaction, followed first-order kinetic and, then deviated from this order. The rate-constants. kUV of the coloring process, and kVIS of the bleaching process, were determined. For the two ***diarylethenes*** studied, kUV, was much larger in both polymer matrices. However, kVIS was stronger in ***PVK*** for fulgide Aberchrome 670. Both rates were identical in PMMA. Photochem. fatigue resistance was studied. For fulgide Aberchrome 670 in PMMA matrix, the authors found 13% disappearance after 10 repeated UV and visible cycles.
ST optical recording photochromic compd doped polymer film; photolysis photochromism fulgide doped polymer; ***diarylethene*** photochromism fulgide doped polymer
IT UV and visible spectra
(absorption; photoinduced reversible color changes in PMMA and poly(***vinylcarbazole***) films contg. fulgide or ***diarylethene*** photochromic mols.)
IT Absorption spectra
Optical recording
Photochromic materials
Photochromism
Photolysis
Photolysis kinetics
(photoinduced reversible color changes in PMMA and poly(***vinylcarbazole***) films contg. fulgide or ***diarylethene*** photochromic mols.)
IT Isomerization
(photoisomerization; photoinduced reversible color changes in PMMA and poly(***vinylcarbazole***) films contg. fulgide or ***diarylethene*** photochromic mols.)
IT 9011-14-7, PMMA 25067-59-8, Poly(***vinylcarbazole***) 94856-25-4
112440-47-8 112440-48-9 142381-71-3 220191-33-3 220191-36-6
220191-38-8
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)
(photoinduced reversible color changes in PMMA and poly(***vinylcarbazole***) films contg. fulgide or ***diarylethene*** photochromic mols.)

RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Durr, H; Photochromism:Molecules and Systems 1990, P5
(2) Ghailane, F; Ph D thesis Universite Laval 1995
(3) Hanazawa, M; J Chem Soc Chem Commun 1992, V3, P206
(4) Hoshino, M; J Photochem Photobiol A: Chem 1997, V105(1), P75 CAPLUS
(5) Irie, M; J Org Chem 1988, V53, P803 CAPLUS
(6) Kaneko, A; Bull Chem Soc Jpn 1988, V61(10), P3569 CAPLUS

- (7) Tsuyioka, T; J Photochem Photobiol A: Chem 1997, V104, P203
- (8) Whittall, J; Photochromism: Molecules and Systems 1990, P467
- (9) Yokoyama, Y; Bull Chem Soc Jpn 1990, V63(6), P1607 CAPLUS
- (10) Yokoyama, Y; J Chem Soc Chem Commun 1991, V24, P1722

```

L3  ANSWER 8 OF 8  CAPLUS  COPYRIGHT 2005 ACS on STN
AN  1997:457764  CAPLUS
DN  127:115179
ED  Entered STN:  23 Jul 1997
TI  Charge injection photocontrol at the metal/organic interface by a
    photochromic compound
AU  Honma, Hisakazu; Yokoyama, Masaaki
CS  Material and Life Science, Grad. School Engineering, Osaka Univ., Suita,
    565, Japan
SO  Denshi Shashin Gakkaishi (1997), 36(1), 5-10
    CODEN: DSHGDD; ISSN: 0387-916X
PB  Denshi Shashin Gakkai
DT  Journal
LA  Japanese
CC  74-12 (Radiation Chemistry, Photochemistry, and Photographic and Other
    Reprographic Processes)
AB  ***Diarylethenes*** are known as thermally stable photochromic
    compds., particularly of which ***diarylethene*** derivs. having
    bithiophene as the side groups undergo the great change in the
    .pi.-electron conjugation length between the open-form and closed-form
    upon their photo-isomerization. Consequently, the ionization potential
    (Ip) is expected to change between both forms. In this paper, we have
    applied the difference of Ip between these two forms for controlling the
    hole injection from a metal electrode to an org. film. We have succeeded
    in demonstrating the photo-switch of the injection current on the order of
    sub-miliampere upon photo-isomerization by inserting a thin film of
    ***diarylethene*** deriv. in-between metal and org. ***charge***
    ***transport*** layer.
ST  photochromic ***diarylethene*** charge injection photocontrol
    photoswitch
IT  Electrophotographic photoconductors (photoreceptors)
    Optical recording materials
    Optical switching
    Photochromic materials
    Spatial light modulators
    (charge injection photocontrol at the metal/org. interface by a
    photochromic compd.)
IT  Isomerization
    (photoisomerization; charge injection photocontrol at the metal/org.
    interface by a photochromic compd.)
IT  159590-09-7P
    RL: DEV (Device component use); PNU (Preparation, unclassified); PRP
    (Properties); PREP (Preparation); USES (Uses)
    (charge injection photocontrol at the metal/org. interface by a
    photochromic compd.)

```

=> d his

(FILE 'HOME' ENTERED AT 10:05:32 ON 14 NOV 2005)

FILE 'CAPLUS' ENTERED AT 10:05:38 ON 14 NOV 2005

```

L1      828 S (DIARYLETHENE OR PERFLUOROCYCLOPENTENE)
L2      14 S L1 AND (NLO OR NONLINEAR OR HYPERPOLARIZ? OR NON(2A)LINEAR)
L3      8 S L1 AND (((CHARGE OR HOLE) (2W) (TRANSPORT OR GENERAT?)) OR POLY

```

=> log y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	97.83	98.04
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-16.06	-16.06

STN INTERNATIONAL LOGOFF AT 10:08:52 ON 14 NOV 2005

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45473	(photochromic or spiropyran\$1 or fulgide\$4 or stilbene\$1 or leuco or diarylethane\$\$ or diheteroarylethane\$2 or dithiophene\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:21
L2	171897	(photorefract\$6 or polyvinylcarbazole\$1 or carbazole\$1 or vinylcarbazole\$1 or ((charge or hole) near5 (transport or generat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:21
L3	2272	l1 same l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:21
L4	171934	(photorefract\$6 or pvcz or polyvinylcarbazole\$1 or carbazole\$1 or vinylcarbazole\$1 or ((charge or hole) near5 (transport or generat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:32
L5	2272	l1 same l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:21
L6	7	(diarylethane\$\$ or diheteroarylethane\$2 or dithiophene\$7) same l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:23
L7	7	(diarylethane\$\$ or diheteroarylethane\$2 or dithiophene\$7) and l3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:23
L8	99	(diarylethane\$\$ or diheteroarylethane\$2 or dithiophene\$7) and l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:24
L9	75	l8 and @ad<"20030818"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:33
L10	325283	(ito or ((indium or tin) near5 oxide\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:31

L11	517387	I10 or (I1 or I4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:31
L12	3706	I10 same (I1 or I4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:31
L13	410	I5 and I12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:32
L14	410	(pvcz or polyvinylcarbazole\$1 or carbazole\$1 or vinylcarbazole\$1 or ((charge or hole) near5 (transport or generat\$6))) and I13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:32
L15	328	I13 and @ad<"20030818"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:33
L16	136	I15 not (tonor or Toner or electrophoto\$8 or emitting).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:37
L17	288864	(nonlinear or hyperpolariz\$6 or (second near5 order) or nlo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:38
L18	27	I13 and I17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 08:38